



Checklist of the New Zealand Flora



Ferns and Lycophytes



2017



LANDCARE RESEARCH
MANAAKI WHENUA

© Landcare Research New Zealand Limited 2017

This copyright work is licensed under the Creative Commons Attribution 4.0 International license.



Attribution if redistributing to the public without adaptation: "Source: Landcare Research"

Attribution if making an adaptation or derivative work: "Sourced from Landcare Research"

DOI: 10.7931/P18901

CATALOGUING IN PUBLICATION

Checklist of the New Zealand flora : ferns and lycophytes [electronic resource] / Allan Herbarium. – [Lincoln, Canterbury, New Zealand] : Landcare Research Manaaki Whenua, 2017-.

Online resource

Annual

August 2017-

ISSN 2537-9054

I. Manaaki Whenua-Landcare Research New Zealand Ltd. II. Allan Herbarium.

Citation and Authorship

Schönberger, I.; Wilton, A.D.; Brownsey, P.; Perrie, L.; Boardman, K.F.; Breitwieser, I.; Cochrane, M.; de Pauw, B.; Fife, A.J.; Ford, K.A.; Gibb, E.S.; Glenny, D.S.; Korver, M.A.; Novis, P.M.; Prebble, J.M.; Redmond, D.N.; Smissen, R.D.; Tawiri, K. (2017) Checklist of the New Zealand Flora – Ferns and Lycophytes. Lincoln, Manaaki Whenua-Landcare Research. <http://dx.doi.org/10.7931/P18901>

This report is generated using an automated system and is therefore authored by the staff at the Allan Herbarium and collaborators who currently contribute directly to the development and maintenance of the New Zealand Plant Names Database (PND). Authors are listed alphabetically after the fourth author. Authors have contributed as follows:

Leadership: Wilton, Breitwieser

Database editors: Wilton, Schönberger, Gibb

Taxonomic and nomenclature research and review for the PND: Schönberger, Wilton, Gibb, Breitwieser, de Lange, Ford, Fife, Glenny, Novis, Prebble, Redmond, Smissen

Information System development: Wilton, De Pauw, Cochrane

Technical support: Boardman, Korver, Redmond, Tawiri

Contents

Introduction.....	3
Structure and Content of the Checklist.....	3
References.....	5
Acknowledgements.....	5
Statistics.....	6
Hierarchical Checklist.....	9
Biostatus Checklist.....	23
Genera.....	23
Species and subspecific taxa.....	23
Alphabetic Checklist.....	27

Introduction

The scientific names of plants “provide a means of reference to facilitate communication about those organisms” (Turland 2013). Established over 300 years ago, the process of naming plants is today governed by the International Code of Nomenclature with the names themselves anchored by a type specimen. In this electronic age the names remain a vital means of accessing and sharing information. As a result of new scientific research our understanding of plant species is constantly evolving, with old hypotheses being tested and new hypotheses of relationship being inferred as our knowledge improves. This expansion of our knowledge frequently leads to changes in application of names and the publication of new names. A comprehensive list of names, including accepted names and their synonyms, and the relationship between names and their application is important for anyone wanting to access and manage biological information.

At the Allan Herbarium (CHR), Landcare Research, the New Zealand Plant Names Database (PND) provides a contemporary account of the names of New Zealand indigenous and naturalised plants. The PND lists nearly 50 000 scientific names, primarily for hornworts, lichens, liverworts, mosses, ferns and seed plants in New Zealand, as well as some information for freshwater algae and our cultivated flora. The PND indicates which of the names are preferred for use at the Allan Herbarium, and provides information on the authorship and the biostatus of the taxa. In addition to the scientific names, the PND is also used to record taxonomic concepts and associated literature, vernacular and Māori names.

The data in the PND are continuously curated and updated. The updated data are published twice weekly to the Ngā Tipu o Aotearoa – New Zealand Plants website (<http://nzflora.landcareresearch.co.nz>). The changes in the data are also summarised in quarterly reports that are published to the Landcare Research Datastore (<http://datastore.landcareresearch.co.nz/organization/plant-names-database-reports>).

Structure and Content of the Checklist

The data for this Checklist of New Zealand ferns and lycophytes are extracted from the PND. Taxa listed are those that are present in the wild flora in the New Zealand political region, including exotic cultivars. Hybrids are included only if one of the parental taxa is missing from the wild flora, or the hybrid is recorded as naturalised. Misapplications and tag names are excluded from the Checklist.

Classification

In the PND the genera of ferns and lycophytes are classified into families according to the following classifications:

Christenhusz, M.J.M.; Zhang, X.-C.; Schneider, H. 2011: A linear sequence of extant families and genera of lycophytes and ferns. *Phytotaxa* 19: 7–54.

Kramer, K.U.; Green, P.S. 1990: *Pteridophytes and gymnosperms*. Kubitzki, K. (ed.) *The Families and Genera of Vascular Plants*. Vol. 1. Springer-Verlag, Berlin.

Mabberley, D.J. 2008: *Mabberley's plant book, a portable dictionary of plants, their classification and uses*. Edition 3. Cambridge University Press.

Pteridophyte Phylogeny Group (PPG) 1, 2016: A community-derived classification for extant lycophytes. *Journal of Systematics and Evolution* 54(6): 563–603.

- Ruggiero, M.A.; Gordon, D.P.; Orrell, T.M.; Bailly, N.; Bourgoin, T.; Brusca, R.C.; Cavalier-Smith, T.; Guiry, M.D.; Kirk, P.M. 2015: A higher level classification of all living organisms. *PLOS ONE* 10(4): 1–60.
- Smith, A.R.; Pryer, K.M.; Schuettpelz, E.; Korall, P.; Schneider, H.; Wolf, P.G. 2006: A classification for extant ferns. *Taxon* 55(3): 705–731.

Authorities

The authors of scientific names are abbreviated following the International Plant Names Index (IPNI) standard for author abbreviations. Authorities are available for most, but not all, listed names – the consistent addition of authors is part of the ongoing work in the PND.

Publications

Publication information for taxonomic names is not presented in this version of the Checklist because it has not been recorded consistently for all names in the PND, particularly synonyms of taxa that have not been treated recently. The addition of full publication information for each name is part of the ongoing work in the PND. Publication information that has been entered is accessible via the Ngā Tipu o Aotearoa – New Zealand Plants website. We envisage that future versions of the Checklist will also contain publication information.

Biostatus Information

Biostatus information for each taxon is provided for the New Zealand political region. The biostatus information in the PND is primarily derived from published literature, but also includes status information based on herbarium records we have been able to verify (at the current time these are mainly specimens at the Allan Herbarium and Auckland War Memorial Museum Herbarium). The biostatus information is presented in two parts – occurrence and origin, which are subdivided into categories as follows:

Occurrence records the presence of the taxon in the NZ political region. Occurrence categories are:

Present: the taxon occurs in the NZ political region. Two subcategories are used:

Present in wild: the taxon has self-maintaining populations in the wild. Exotic taxa in this category are termed *fully naturalised*.

Sometimes present in wild: the taxon occurs only occasionally in the wild flora, or has been collected infrequently from the wild, or persists in the wild only for a short period, or only in the vicinity of cultivated/captive parents. Exotic taxa in this category are termed *casual*. Indigenous taxa in this category are sometimes termed *vagrant*.

Absent: the taxon is absent from the NZ political region. Only taxa in a single subcategory of absent are included in this checklist.

Extinct: the taxon is now presumed to be extinct in the NZ political region.

Origin records whether a taxon is indigenous or exotic in the NZ political region. It has the categories:

Indigenous: the taxon occurs naturally in the region. Two subcategories are used:

Endemic: the indigenous taxon only occurs naturally in the region.

Non-endemic: the indigenous taxon occurs naturally in this and other regions

Exotic: the taxon that has been accidentally or deliberately introduced into the region.

Uncertain: a taxon for which the biostatus has not yet been determined or coded.

Status of data

The PND is actively developed and improved by the staff at the Allan Herbarium and collaborators. It is only through the recent introduction of a highly structured taxonomic data-model that internal data consistencies can be identified and corrected, and this process is ongoing. We would appreciate feedback on errors in the data. These can be sent to plantinfo@landcareresearch.co.nz.

New nomenclatural information based on scientific research is applied to the PND following the data quality standards that are provided in the About pages of Ngā Tipu o Aoteroa - New Zealand Plants website. Prior to being applied to the PND, the publications are reviewed for nomenclatural and scientific errors by the systematists within Landcare Research in collaboration with researchers throughout New Zealand and elsewhere. All taxonomic treatments are applied without prejudice unless there are serious scientific or nomenclatural errors or there are omissions that make the application of the treatment problematic. This approach does not require a consensus decision making process and therefore enables rapid adoption of new taxonomic work, but may result in the PND and Checklist not reflecting the taxonomic opinion of all contributors.

The data for this report was extracted from the PND on 29 August 2017.

References

- Anonymous 2012–: The International Plant Names Index. www.ipni.org
- Turland, N. 2013: *The Code Decoded - A user's guide to the International Code of Nomenclature for algae, fungi, and plants. Regnum Vegetabile*. Vol. 155. Koeltz Scientific Books, Königstein.

Acknowledgements

We would like to acknowledge those who have contributed to the development of the PND or its predecessors including: Michelle Breach, John Burley, Jerry Cooper, Jane Cruickshank, Murray Dawson, Christina Flann, Phil J. Garnock-Jones, Helen Greenep, Warrick Harris, Peter Heenan, Bryony Macmillan, Brian Molloy, Euan Nicol, Murray Parsons, Kevin Richards, Bill Sykes, Colin Webb, Ingrid Willis, and Mike Wilson.

We would also like to thank those who have highlighted omissions or errors in the data, including Matt Buys, Peter de Lange, Meredith McKay, Jeremy Rolfe, John Steele, and Susan Wiser.

Funds for the development of this resource were provided by Strategic Science Investment Fund funding for Crown Research Institutes from the Ministry of Business, Innovation and Employment's Science and Innovation Group; the NZ Terrestrial and Freshwater Biodiversity Information System programme (TFBIS).

Statistics

The following tables provide summary statistics for the taxa included in this Checklist.

Table 1 provides a count of the number of taxa in the NZ fern and lycophyte flora at each taxonomic rank from class to cultivar. Species that contain subspecific taxa are counted once at species rank and each of the subspecific levels (e.g., *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale will be counted as *Lastreopsis microsora* at species rank and *Lastreopsis microsora* subsp. *pentangularis* as subspecies rank). By contrast, Table 2 includes only the counts of taxa at the rank of species and lower, and provides a count at only the lowest ranking taxa when there are subspecific taxa within a species (e.g., *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale will only be counted at subspecies rank).

Tables 3 to 5 provide summaries based on the number of species in the New Zealand fern and lycophyte flora. Table 3 summarises the number of species by origin and occurrence categories, whilst Tables 4 and 5 list the most species rich families (Table 4) and genera (Table 5) overall and for three origin categories.

Table 1: Number of taxa in the New Zealand indigenous and naturalised flora at each taxonomic rank.

Taxonomic rank	Number of taxa
Subphylum	2
Class	2
Order	14
Family	31
Genus	72
Species	255
Subspecies	17
Variety	1

Table 2: Number of distinct taxa at or below the rank of species for the indigenous and naturalised flora. Taxa with subspecific divisions are counted only at the lowest taxonomic rank.

Taxonomic rank	Number
Species	242
Subspecies	17
Variety	1
Forma	

Table 3: Number of species in the New Zealand indigenous and naturalised flora by origin and occurrence categories.

Origin	Wild	Sometimes present	Total
Endemic	89		89
Non-endemic	111		111
Exotic	25	30	55
Total	225	30	255

Table 4: The ten largest families in the New Zealand fern and lycophyte flora by the number of species.

All species	Indigenous species	Endemic species	Exotic species
Hymenophyllaceae (31)	Hymenophyllaceae (31)	Hymenophyllaceae (17)	Dryopteridaceae (15)
Dryopteridaceae (28)	Blechnaceae (22)	Blechnaceae (13)	Pteridaceae (10)
Pteridaceae (27)	Aspleniaceae (20)	Aspleniaceae (10)	Aspleniaceae; Equisetaceae; Polypodiaceae; Selaginellaceae (3)
Blechnaceae (24)	Pteridaceae (17)	Dryopteridaceae (9)	Athyriaceae; Blechnaceae; Davalliaceae; Dennstaedtiaceae; Nephrolepidaceae; Salviaceae (2)
Aspleniaceae (23)	Polypodiaceae (16)	Polypodiaceae (7)	Cyatheaceae; Cystopteridaceae; Lindsaeaceae; Marsileaceae; Onocleaceae; Osmundaceae (1)
Polypodiaceae (19)	Dryopteridaceae (13)	Dennstaedtiaceae (6)	
Dennstaedtiaceae (13)	Dennstaedtiaceae; Lycopodiaceae (11)	Cyatheaceae; Pteridaceae (5)	
Lycopodiaceae (11)	Gleicheniaceae (9)	Dicksoniaceae (3)	
Gleicheniaceae (9)	Cyatheaceae (7)	Gleicheniaceae; Isoetaceae; Ophioglossaceae; Osmundaceae; Psilotaceae (2)	
Cyatheaceae (8)	Psilotaceae (6)	Davalliaceae; Lindsaeaceae; Loxsomataceae; Lygodiaceae (1)	

Table 5: The ten largest genera in the New Zealand fern and lycophyte flora by the number of species.

All species	Indigenous species	Endemic species	Exotic species
<i>Blechnum;</i> <i>Hymenophyllum</i> (24)	<i>Hymenophyllum</i> (24)	<i>Hymenophyllum</i> (14)	<i>Dryopteris</i> (10)
<i>Asplenium</i> (23)	<i>Blechnum</i> (22)	<i>Blechnum</i> (13)	<i>Pteris</i> (6)
<i>Notogrammitis</i> (11)	<i>Asplenium</i> (20)	<i>Asplenium</i> (10)	<i>Polystichum</i> (4)
<i>Dryopteris; Polystichum; Notogrammitis</i> (11) <i>Pteris</i> (10)		<i>Polystichum</i> (6)	<i>Asplenium; Equisetum;</i> <i>Selaginella</i> (3)
<i>Adiantum</i> (9)	<i>Adiantum; Cyathea;</i> <i>Hypolepis;</i> <i>Trichomanes</i> (7)	<i>Cyathea</i> (5)	<i>Adiantum; Athyrium;</i> <i>Blechnum; Davallia;</i> <i>Nephrolepis</i> (2)
<i>Cyathea</i> (8)	<i>Polystichum</i> (6)	<i>Hypolepis; Notogrammitis</i> (4)	<i>Azolla; Cheilanthes; Cyathea;</i> <i>Cyrtomium; Cystopteris;</i> <i>Dennstaedtia; Marsilea;</i> <i>Microlepia; Niphidium;</i> <i>Odontosoria; Onoclea;</i> <i>Osmunda; Pellaea;</i> <i>Platycerium; Polypodium;</i> <i>Salvinia</i> (1)
<i>Hypolepis; Trichomanes</i> <i>Lastreopsis;</i> (7)	<i>Lastreopsis; Tmesipteris</i> (5)	<i>Adiantum; Dicksonia;</i> <i>Lastreopsis; Trichomanes</i> (3)	
<i>Lastreopsis; Tmesipteris</i> (5)	<i>Gleichenia;</i> <i>Lycopodiella;</i> <i>Lycopodium; Pteris;</i> <i>Schizaea; Sticherus</i> (4)	<i>Isoetes; Leptopteris; Pteris;</i> <i>Tmesipteris</i> (2)	
<i>Gleichenia; Lycopodiella; Botrychium;</i> <i>Lycopodium;</i> <i>Nephrolepis; Pellaea;</i> <i>Schizaea; Sticherus</i> (4) (3)	<i>Dicksonia; Lindsaea;</i> <i>Microsorum; Pellaea</i>	<i>Botrychium; Davallia;</i> <i>Gleichenia; Leptolepia;</i> <i>Lindsaea; Loxogramme;</i> <i>Loxosoma; Lygodium;</i> <i>Microsorum; Ophioglossum;</i> <i>Paesia; Pyrrosia; Sticherus</i> (1)	
<i>Botrychium; Cheilanthes; Cheilanthes; Isoetes;</i> <i>Davallia; Dicksonia;</i> <i>Equisetum; Lindsaea;</i> <i>Microsorum; Selaginella</i>	<i>Leptopteris;</i> <i>Nephrolepis;</i> <i>Ophioglossum</i> (2) (3)	<i>Ophioglossum</i> (2)	

Hierarchical Checklist

* = exotic, naturalised; ? = occurrence uncertain; ξ = origin uncertain; ‡ = presumed extinct; ζ = exotic, occasional ('casual'); otherwise indigenous (including both endemic or non-endemic to New Zealand.)

Subphylum: *Lycopodiophytina*

Class: *Lycopodiopsida*

Order: *Isoetales* Prantl

Family: *Isoetaceae*

Isoetes L.

Isoetes alpina Kirk

Isoetes kirkii A.Braun

= *Isoetes multiangularis* Colenso

Order: *Lycopodiales* DC. ex Bercht. & J.Presl

Family: *Lycopodiaceae* P.Beauv. ex Lam. & Mirbel

Huperzia Bernh.

= *Urostachys* Herter

Huperzia australiana (Herter) Holub

= *Lycopodium australianum* Herter; *Urostachys australianus* (Herter) Herter ex Nessel; *Lycopodium australianum* (Herter) Allan
= *Urostachys cockaynei* Herter ex Nessel

Lycopodiella Holub

= *Pseudolycopodiella* Holub

= *Lateristachys* Holub

= *Palhinhaea* Franco & Carv. ex Vasc. & Franco

Lycopodiella cernua (L.) Pic.Serm.

= *Lycopodium cernuum* L.; *Lepidotis cernua* (L.) P.Beauv.; *Palhinhaea cernua* (L.) Franco & Vasc.

= *Lycopodium curvatum* Sw.; *Lycopodium cernuum* var. *curvatum* (Sw.) Nessel

= *Lycopodium cernuum* var. *vulcanicum* (Blume) Nessel

= *Lycopodium polycephalum* Colenso; *Palhinhaea polycephala* (Colenso) Holub

Lycopodiella diffusa (R.Br.) B.Øllg.

= *Lycopodium diffusum* R.Br.; *Lycopodium laterale* var. *diffusum* (R.Br.) Hook.f.; *Lepidotis diffusa* (R.Br.) Rothm.; *Lateristachys diffusa* (R.Br.) Holub

= *Lycopodium ramulosum* Kirk; *Lateristachys ramulosa* (Kirk) Holub; *Lycopodiella ramulosa* (Kirk) B.Øllg.

Lycopodiella lateralis (R.Br.) B.Øllg.

= *Lycopodium laterale* R.Br.; *Lepidotis lateralis* (R.Br.) Rothm.; *Lateristachys lateralis* (R.Br.) Holub

= *Lycopodium consimilis* Colenso

Lycopodiella serpentina (Kunze) B.Øllg.

= *Lycopodium serpentinum* Kunze; *Pseudolycopodiella serpentina* (Kunze) Holub

= *Lycopodium drummondii* Spring; *Lepidotis drummondii* (Spring) Rothm.

Lycopodium L.

= *Diphasium* Rothm.

= *Austrolycopodium* Holub

= *Lepidotis* Mirbel

= *Pseudolycopodium* Holub

= *Pseudodiphasium* Holub

Lycopodium deuterodensum Herter

= *Lycopodium densum* Labill.

= *Lepidotis densa* Rothm.; *Pseudolycopodium densum* (Rothm.) Holub

Lycopodium fastigiatum R.Br.

= *Lycopodium clavatum* var. *fastigiatum* (R.Br.) Benth.; *Austrolycopodium fastigiatum* (R.Br.) Holub

= *Lepidotis magellanica* P.Beauv.; *Lycopodium magellanicum* (P.Beauv.) Sw.; *Lycopodium clavatum* var. *magellanicum* (P.Beauv.) Hook.f.

= *Lycopodium scopulosum* Colenso

= *Lycopodium curvifolium* Colenso

= *Lycopodium decurrens* Colenso

= *Lycopodium fastigiatum* var. *colensoi* Nessel

= *Lycopodium cochinchense* Herter ex Nessel

= *Lycopodium magellanicum* var. *berggrenii* Herter ex Nessel; *Lycopodium berggrenii* (Herter ex Nessel) Herter

= *Lycopodium arctinentum* Herter

Lycopodium scariosum G.Forst.

= *Stachygynandrum scariosum* (G.Forst.) P.Beauv.; *Diphasium scariosum* (G.Forst.) Rothm.

= *Lycopodium decurrens* R.Br.; *Lycopodium scariosum* var. *decurrens* (R.Br.) Hook.; *Diphasium decurrens* (R.Br.) Holub

= *Lycopodium lessonianum* A.Rich.

= *Lycopodium distans* Colenso

Lycopodium volubile G.Forst.

= *Lepidotis volubilis* (G.Forst.) Rothm.; *Pseudodiphasium volubile* (G.Forst.) Holub

= *Lycopodium durvillaei* A.Rich.; *Lycopodium volubile* var. *durvillaei* (A.Rich.) Nessel

Phlegmariurus Holub

Phlegmariurus varius (R.Br.) A.R.Field & Bostock

= *Lycopodium varium* R.Br.; *Huperzia varia* (R.Br.) Trevis.; *Urostachys varius* (R.Br.) Herter ex Nessel; *Huperzia varia* (R.Br.) Rothm.

= *Lycopodium varium* var. *umbrosum* R.Br.

= *Lycopodium varium* var. *alpinum* R.Br.

= *Lycopodium pachystachyum* Desv.

= *Lycopodium flagellaria* A.Rich.; *Lycopodium selago* var. *flagellaria* (A.Rich.) F.Muell.

= *Lycopodium billardierei* Spring; *Lycopodium varium* var. *billardierei* (Spring) Kirk; *Urostachys billardierei* (Spring) Herter ex Nessel;

Huperzia billardierei (Spring) Rothm.

- = *Lycopodium varium* var. *polaris* Kirk
- = *Lycopodium varium* var. *gracile* Kirk; *Lycopodium billardierei* var. *gracile* (Kirk) Cheeseman
- = *Lycopodium novozealandicum* Colenso; *Huperzia novozealandica* (Colenso) Holub
- = *Urostachys helmii* Nessel; *Huperzia helmii* (Nessel) Holub
- = *Urostachys varius* var. *polaris* Herter ex Nessel; *Urostachys polaris* (Herter ex Nessel) Herter; *Huperzia polaris* (Herter ex Nessel) Holub

***Phylloglossum* Kunze**

***Phylloglossum drummondii* Kunze**

- ≡ *Huperzia drummondii* (Kunze) Christenh. & H.Schneid.
- = *Lycopodium sanguisorba* Spring

Order: * *Selaginellales* Prantl

Family: * *Selaginellaceae*

* *Selaginella* P.Beauv.

* *Selaginella kraussiana* (Kunze) A.Braun

≡ *Lycopodium kraussianum* Kunze

ζ *Selaginella martensii* Spring

ζ *Selaginella moellendorffii* Hieron. in Engl. & Prantl

Subphylum: *Polypodiophytina*

Class: *Polypodiopsida*

Subclass: *Equisetidae*

Order: * *Equisetales* DC. ex Bercht. & J.Presl

Family: * *Equisetaceae* Michx. ex DC.

* *Equisetum* L.

* *Equisetum arvense* L.

ζ *Equisetum fluviatile* L.

* *Equisetum hyemale* L.

Subclass: *Marattiidae*

Order: *Marattiales* Link

Family: *Marattiaceae* Kaulf.

Ptisana Murdock

Ptisana salicina (Sm.) Murdock

≡ *Marattia salicina* Sm.

Subclass: *Ophioglossidae*

Order: *Ophioglossales* Link

Family: *Ophioglossaceae* Martinov

Botrychium Sw.

= *Sceptridium* Lyon

Botrychium australe R.Br.

≡ *Sceptridium australe* (R.Br.) Lyon; *Botrychium ternatum* var. *australe* (R.Br.) Domin

= *Botrychium erosum* Milde; *Botrychium ternatum* var. *erosum* (Milde) Milde; *Botrychium ternatum* var. *australasiaticum* γ *erosum* (Milde)

Milde; *Botrychium australe* var. *erosum* (Milde) Prantl

Botrychium biforme Colenso

≡ *Sceptridium biforme* (Colenso) Lyon

= *Botrychium ternatum* var. *australasiaticum* δ *millefolium* F.Hochst. ex Milde; *Botrychium australe* var. *millefolium* (F.Hochst. ex Milde) Prantl

Botrychium lunaria (L.) Sw.

≡ *Osmunda lunaria* L.

Ophioglossum L.

Ophioglossum coriaceum A.Cunn.

≡ *Ophioglossum lusitanicum* subsp. *coriaceum* (A.Cunn.) R.T.Clausen

= *Ophioglossum vulgatum* var. *minimum* Hook.f.

= *Ophioglossum minimum* J.B.Arnmstr.

Ophioglossum petiolatum Hook.

= *Ophioglossum elongatum* R.Cunn. ex A.Cunn.

Order: *Psilotales* Prantl

Family: *Psilotaceae* J.W.Griff. & Henfr.

Psilotum Sw.

= *Bernhardia* Willd. ex Bernh.

Psilotum nudum (L.) P.Beauv.

≡ *Lycopodium nudum* L.

= *Psilotum triquetrum* Sw.

= *Bernhardia novae-hollandiae* Müll.Berol.

= *Psilotum heterocarpum* Colenso

= *Psilotum novae-zelandiae* Gand.

Tmesipteris Bernh.

Tmesipteris elongata P.A.Dang.

- = *Tmesipteris tannensis* var. *elongata* (P.A.Dang.) Domin
- = *Tmesipteris lanceolata* M.Sykes
- = *Tmesipteris tugana* H.N.Barber
- = *Tmesipteris elongata* subsp. *robusta* Chinnock

Tmesipteris horomaka Perrie, Brownsey & Lovis

Tmesipteris lanceolata P.A.Dang.

- = *Tmesipteris tannensis* var. *lanceolata* (P.A.Dang.) Domin

Tmesipteris sigmatifolia Chinnock

- = *Tmesipteris tannensis* var. *elongata* Sahni

Tmesipteris tannensis (Spreng.) Bernh.

- = *Lycopodium tannense* Spreng.; *Bernhardia tannensis* (Spreng.) Müll.Berol.
- = *Tmesipteris fowerakeri* H.N.Barber

Subclass: Polypodiidae

Order: Cyatheales A.B.Frank

Family: Cyatheaceae Kaulf.

Cyathea Sm.

- = *Sphaeropteris* Bernh.
- = *Hemitelia* R.Br.
- = *Alsophila* R.Br.

Cyathea colensoi (Hook.f.) Domin

- = *Alsophila colensoi* Hook.f.

ζ *Cyathea cooperi* (Hook. ex F.Muell.) Domin

- = *Alsophila cooperi* Hook. ex F.Muell.; *Sphaeropteris cooperi* (Hook. ex F.Muell.) R.M.Tryon

Cyathea cunninghamii Hook.f.

- = *Alsophila cunninghamii* (Hook.f.) R.M.Tryon

Cyathea dealbata (G.Forst.) Sw.

- = *Polypodium dealbatum* G.Forst.
- = *Cyathea tricolor* Colenso; *Cyathea dealbata* var. *tricolor* (Colenso) Domin; *Alsophila tricolor* (Colenso) R.M.Tryon
- = *Hemitelia falculoba* Colenso; *Cyathea falculoba* (Colenso) Domin

Cyathea kermadecensis W.R.B.Oliv.

- = *Alsophila kermadecensis* (W.R.B.Oliv.) R.M.Tryon

Cyathea medullaris (G.Forst.) Sw.

- = *Polypodium medullare* G.Forst.; *Sphaeropteris medullaris* (G.Forst.) Bernh.
- = *Cyathea medullaris* var. *integra* Hook.
- = *Cyathea polyneuron* Colenso; *Cyathea medullaris* var. *polyneuron* (Colenso) C.Chr.

Cyathea milnei Hook. ex Hook.f.

- = *Alsophila milnei* (Hook. ex Hook.f.) R.M.Tryon

Cyathea smithii Hook.f.

- = *Hemitelia smithii* (Hook.f.) Hook. ex Hook. & Baker; *Alsophila smithii* (Hook.f.) R.M.Tryon
- = *Hemitelia stellulata* Colenso
- = *Hemitelia microphylla* Colenso; *Hemitelia smithii* var. *microphylla* (Colenso) Cheeseman; *Cyathea novae-zelandiae* Domin

Family: Dicksoniaceae M.R.Schomb.

Dicksonia L'Hér.

- = *Balantium* Kaulf.

Dicksonia fibrosa Colenso

- = *Balantium fibrosum* (Colenso) Féée; *Dicksonia antarctica* var. *fibrosa* (Colenso) Kirk
- = *Dicksonia sparmanniana* Colenso
- = *Dicksonia microcarpa* Colenso; *Dicksonia fibrosa* var. *microcarpa* (Colenso) C.Chr.

Dicksonia lanata Colenso ex Hook.

- = *Balantium lanatum* (Colenso ex Hook.) Féée

Dicksonia lanata subsp. *hispida* (Colenso) Perrie & Brownsey

- = *Dicksonia lanata* var. *hispida* Colenso

Dicksonia lanata Colenso ex Hook. subsp. *lanata*

- = *Dicksonia lanata* Colenso ex Hook. var. *lanata*

Dicksonia squarrosa (G.Forst.) Sw.

- = *Trichomanes squarrosum* G.Forst.; *Balantium squarrosum* (G.Forst.) Kunze
- = *Dicksonia gracilis* Colenso; *Dicksonia squarrosa* var. *gracilis* (Colenso) C.Chr.

Family: Loxsomataceae C.Presl

Loxsoma R.Br. ex Hook.

Loxsoma cunninghamii R.Br. ex Hook.

Order: Gleicheniales Schimp.

Family: Gleicheniaceae C.Presl

Dicranopteris Bernh.

- = *Mertensia* Willd.

Dicranopteris linearis (Burm.f.) Underw.

- = *Polypodium lineare* Burm.f.; *Gleichenia linearis* (Burm.f.) C.B.Clarke; *Mertensia linearis* (Burm.f.) Fritsch
- = *Polypodium dichotomum* Thunb.; *Mertensia dichotoma* (Thunb.) Willd.; *Dicranopteris dichotoma* (Thunb.) Bernh.; *Gleichenia dichotoma* (Thunb.) Hook.

- = *Gleichenia hermannii* R.Br.; *Mertensia hermannii* (R.Br.) Poir.; *Dicranopteris hermannii* (R.Br.) Nakai

Gleichenia Sm.

- = *Calymella* C.Presl
- = *Gleicheniastrum* C.Presl

Gleichenia alpina R.Br.

- ≡ *Mertensia alpina* (R.Br.) Poir.; *Platyzoma alpinum* (R.Br.) Desv.; *Calymella alpina* (R.Br.) C.Presl; *Gleichenia dicarpa* var. *alpina* (R.Br.) Hook.f.; *Gleichenia circinnata* var. *alpina* (R.Br.) Dobbie
- = *Pteris platyzoma* Christenh.

Gleichenia dicarpa R.Br.

- = *Mertensia dicarpa* (R.Br.) Poir.; *Platyzoma dicarpum* (R.Br.) Desv.; *Calymella dicarpa* (R.Br.) C.Presl; *Pteris dicarpa* (R.Br.) Christenh.
- = *Gleichenia hecistophylla* A.Cunn.; *Gleichenia semivestita* var. *hecistophylla* (A.Cunn.) Hook.f.; *Gleichenia circinnata* var. *hecistophylla* (A.Cunn.) Hook.f.; *Gleichenia dicarpa* var. *hecistophylla* (A.Cunn.) G.Schneid.; *Gleicheniastrum hecistophyllum* (A.Cunn.) Nakai
- = *Gleichenia dicarpa* var. *majus* (T.Moore) Nakai
- = *Gleichenia dicarpa* var. *longipinnata* T.Moore ex G.Schneid.
- = *Calymella major* Nakai

Gleichenia inclusisora Perrie, L.D.Sheph. & Brownsey

Gleichenia microphylla R.Br.

- ≡ *Mertensia microphylla* (R.Br.) Kaulf.; *Platyzoma recurvum* Desv.; *Calymella microphylla* (R.Br.) C.Presl; *Gleicheniastrum microphyllum* (R.Br.) C.Presl; *Gleichenia circinnata* var. *microphylla* (R.Br.) Maiden & Betche
- = *Gleichenia semivestita* Labill.; *Gleicheniastrum semivestitum* (Labill.) C.Presl; *Gleichenia circinnata* var. *semivestita* (Labill.) T.Moore; *Gleichenia microphylla* var. *semivestita* (Labill.) Alderw.; *Calymella semivestita* (Labill.) Ching; *Gleicheniastrum microphyllum* var. *semivestitum* (Labill.) Nakai
- = *Gleichenia patens* Colenso; *Gleichenia circinnata* var. *patens* (Colenso) Domin
- = *Gleichenia circinnata* var. *concolor* Domin

Sticherus C.Presl

Sticherus cunninghamii (Heward ex Hook.) Ching

- ≡ *Gleichenia cunninghamii* Heward ex Hook.
- = *Gleichenia ciliata* Colenso; *Sticherus ciliatus* (Colenso) Nakai
- = *Gleichenia cunninghamii* var. *montanum* Dobbie

Sticherus flabellatus (R.Br.) H.St.John

- ≡ *Gleichenia flabellata* R.Br.; *Mertensia flabellata* (R.Br.) Poir.
- = *Gleichenia littoralis* Colenso

Sticherus tener (R.Br.) Ching

- ≡ *Gleichenia tenera* R.Br.; *Mertensia tenera* (R.Br.) Poir.; *Gleichenia flabellata* var. *tenera* (R.Br.) Hook.f.

Sticherus urceolatus M.Garrett & Kantvilas

Order: Hymenophyllales A.B.Frank

Family: Hymenophyllaceae Mart.

Hymenophyllum Sm.

- = *Cardiomanes* C.Presl

Hymenophyllum armstrongii (Baker) Kirk

- ≡ *Trichomanes armstrongii* Baker; *Hymenophyllum cheesemanii* var. *armstrongii* (Baker) Cheeseman; *Microtrichomanes armstrongii* (Baker) Copel.; *Craspedophyllum armstrongii* (Baker) Rae ex Copel.
- = *Hymenophyllum cheesemanii* Baker; *Craspedophyllum cheesemanii* (Baker) N.A.Wakef.
- = *Hymenophyllum melanocheilos* Colenso

Hymenophyllum australe Willd.

- ≡ *Sphaerocionium australe* (Willd.) C.Presl; *Mecodium australe* (Willd.) Copel.
- = *Hymenophyllum atrovirens* Colenso; *Hymenophyllum javanicum* var. *atrovirens* (Colenso) Hook. & Baker; *Hymenophyllum australe* var. *atrovirens* (Colenso) C.Chr.; *Mecodium atrovirens* (Colenso) Copel.
- = *Hymenophyllum montanum* Kirk; *Mecodium montanum* (Kirk) Copel.

Hymenophyllum bivalve (G.Forst.) Sw.

- ≡ *Trichomanes bivalve* G.Forst.; *Sphaerocionium bivalve* (G.Forst.) C.Presl; *Meringium bivalve* (G.Forst.) Copel.
- = *Hymenophyllum spathulatum* Colenso
- = *Hymenophyllum pyriforme* Bosch

Hymenophyllum cupressiforme Labill.

- ≡ *Hymenophyllum tumbidgeense* var. *cupressiforme* (Labill.) Hook.f.
- = *Hymenophyllum antarcticum* C.Presl

Hymenophyllum demissum (G.Forst.) Sw.

- ≡ *Trichomanes demissum* G.Forst.; *Sphaerocionium demissum* (G.Forst.) C.Presl; *Mecodium demissum* (G.Forst.) Copel.
- = *Hymenophyllum aucklandicum* Bosch; *Hymenophyllum australe* var. *aucklandicum* (Bosch) C.Chr.
- = *Hymenophyllum erecto-alatum* Colenso
- = *Hymenophyllum megalocarpum* Colenso; *Hymenophyllum demissum* var. *megalocarpum* (Colenso) C.Chr.
- = *Hymenophyllum polychilum* Colenso; *Hymenophyllum demissum* var. *polychilum* (Colenso) Domin

Hymenophyllum dilatatum (G.Forst.) Sw.

- ≡ *Trichomanes dilatatum* G.Forst.; *Sphaerocionium dilatatum* (G.Forst.) C.Presl; *Diploophyllum dilatatum* (G.Forst.) Bosch; *Mecodium dilatatum* (G.Forst.) Copel.
- = *Leptocionium sororium* C.Presl; *Hymenophyllum sororium* (C.Presl) Bosch

Hymenophyllum flabellatum Labill.

- ≡ *Mecodium flabellatum* (Labill.) Copel.
- = *Hymenophyllum nitens* R.Br.

Hymenophyllum flexuosum A.Cunn.

- ≡ *Hymenophyllum australe* var. *flexuosum* (A.Cunn.) C.Chr.; *Mecodium flexuosum* (A.Cunn.) Copel.
- = *Hymenophyllum neozelandicum* Gand.

Hymenophyllum frankliniae Colenso

- ≡ *Hymenophyllum franklinianum* Colenso; *Sphaerocionium frankliniae* (Colenso) K.Iwats.
- = *Hymenophyllum aeruginosum* var. *franklinianum* Hook.

Hymenophyllum lyallii Hook.f.

- ≡ *Trichomanes lyallii* (Hook.f.) Hook. ex Hook. & Baker; *Sphaerocionium lyallii* (Hook.f.) Copel.

Hymenophyllum malingii (Hook.) Mett.

- ≡ *Trichomanes malingii* Hook.; *Apteropteris malingii* (Hook.) Copel.; *Sphaerocionium malingii* (Hook.) K.Iwats.

Hymenophyllum minimum A.Rich.

≡ *Meringium minimum* (A.Rich.) Copel.
= *Hymenophyllum pygmaeum* Colenso

Hymenophyllum multifidum (G.Forst.) Sw.

≡ *Trichomanes multifidum* G.Forst.; *Davallia multifidum* (G.Forst.) Spreng.; *Meringium multifidum* (G.Forst.) Copel.
= *Hymenophyllum truncatum* Colenso; *Hymenophyllum multifidum* var. *truncatum* (Colenso) Domin
= *Hymenophyllum oligocarpum* Colenso; *Hymenophyllum multifidum* var. *oligocarpum* (Colenso) Domin
= *Hymenophyllum alpinum* Colenso; *Hymenophyllum multifidum* var. *alpinum* (Colenso) Domin

Hymenophyllum nephrophyllum Ebihara & K.Iwats.

= *Trichomanes reniforme* G.Forst.; *Cardiomanes reniforme* (G.Forst.) C.Presl

Hymenophyllum peltatum (Poir.) Desv.

≡ *Trichomanes peltatum* Poir.
= *Hymenophyllum unilaterale* Willd.; *Hymenophyllum tunbridgense* var. *unilaterale* (Willd.) G.M.Thomson

Hymenophyllum pluviatile Perrie & Brownsey

Hymenophyllum polyanthos (Sw.) Sw.

≡ *Trichomanes polyanthos* Sw.

Hymenophyllum pulcherrimum Colenso

≡ *Mecodium pulcherrimum* (Colenso) Copel.

Hymenophyllum rarum R.Br.

≡ *Mecodium rarum* (R.Br.) Copel.
= *Hymenophyllum semibivalve* Hook. & Grev.
= *Hymenophyllum imbricatum* Colenso

Hymenophyllum revolutum Colenso

≡ *Hymenophyllum zelandicum* Bosch
= *Hymenophyllum pusillum* Colenso

Hymenophyllum rufescens Kirk

≡ *Mecodium rufescens* (Kirk) Copel.

Hymenophyllum sanguinolentum (G.Forst.) Sw.

≡ *Trichomanes sanguinolentum* G.Forst.; *Sphaerocionium sanguinolentum* (G.Forst.) C.Presl; *Mecodium sanguinolentum* (G.Forst.) C.Presl;
Hymenophyllum polyanthos var. *sanguinolentum* (G.Forst.) Hook. ex Hook.f.
= *Hymenophyllum lophocarpum* Colenso; *Hymenophyllum sanguinolentum* var. *lophocarpum* (Colenso) Domin
= *Hymenophyllum cristulatum* Rosenst.

Hymenophyllum scabrum A.Rich.

≡ *Sphaerocionium scabrum* (A.Rich.) C.Presl; *Diplophyllum scabrum* (A.Rich.) Bosch; *Mecodium scabrum* (A.Rich.) Copel.
= *Sphaerocionium glanduliferum* C.Presl
= *Hymenophyllum scabrum* var. *hirtum* Colenso

Hymenophyllum villosum Colenso

≡ *Mecodium villosum* (Colenso) Copel.

Trichomanes L.

= *Abrodictyum* C.Presl
= *Trichomanes* subgen. *Crepidomanes* C.Presl; *Crepidomanes* (C.Presl) C.Presl
= *Phlebiophyllum* Bosch; *Polyphlebiump* Copel.

Trichomanes caudatum Brack.

≡ *Macroglena caudata* (Brack.) Copel.; *Cephalomanes caudatum* (Brack.) Bostock; *Abrodictyum caudatum* (Brack.) Ebihara & K.Iwats.

Trichomanes colensoi Hook.f.

≡ *Vandenboschia colensoi* (Hook.f.) Copel.; *Polyphlebiump colensoi* (Hook.f.) Ebihara & K.Iwats.

Trichomanes elongatum A.Cunn.

≡ *Trichomanes rigidum* var. *elongatum* (A.Cunn.) Hook. & Baker; *Selenodesmium elongatum* (A.Cunn.) Copel.; *Abrodictyum elongatum* (A.Cunn.) Ebihara & K.Iwats.
= *Trichomanes polyodon* Colenso

Trichomanes endlicherianum C.Presl

≡ *Crepidopteris endlicheriana* (C.Presl) Copel.; *Crepidophyllum endlicherianum* (C.Presl) C.F.Reed; *Reediella endlicheriana* (C.Presl)
Pic.Serm.; *Crepidomanes endlicherianum* (C.Presl) P.S.Green; *Polyphlebiump endlicherianum* (C.Presl) Ebihara & K.Iwats.
= *Trichomanes aureum* Bosch

Trichomanes humile G.Forst.

≡ *Didymoglossum humile* (G.Forst.) C.Presl; *Crepidomanes humile* (G.Forst.) Bosch; *Crepidopteris humili* (G.Forst.) Copel;
Crepidophyllum humile (G.Forst.) Reed; *Reediella humili* (G.Forst.) Pic.Serm.

Trichomanes strictum Menzies ex Hook. & Grev.

≡ *Trichomanes rigidum* var. *strictum* (Menzies ex Hook. & Grev.) Field; *Macroglena stricta* (Menzies ex Hook. & Grev.) Copel.; *Abrodictyum strictum* (Menzies ex Hook. & Grev.) Ebihara & K.Iwats.
= *Trichomanes leptophyllum* A.Cunn.

Trichomanes venosum R.Br.

≡ *Phlebiophyllum venosum* (R.Br.) Bosch; *Polyphlebiump venosum* (R.Br.) Copel.; *Crepidomanes venosum* (R.Br.) Bostock
= *Trichomanes venustum* Colenso

Order: Osmundales Link

Family: Osmundaceae Martinov

Leptopteris C.Presl

Leptopteris hymenophylloides (A.Rich.) C.Presl

≡ *Todea hymenophylloides* A.Rich.; *Osmunda hymenophylloides* (A.Rich.) J.B.Armstr.
= *Todea pellucida* Carmich. ex Grev. & Hook.
= *Todea marginata* Colenso; *Leptopteris marginata* (Colenso) C.Chr.

Leptopteris superba (Colenso) C.Presl

≡ *Todea superba* Colenso; *Osmunda superba* (Colenso) J.B.Armstr.

* *Osmunda* L.

* *Osmunda regalis* L.

Todea Willd. ex Bernh.

Todea barbara (L.) T.Moore

≡ *Acrostichum barbarum* L.; *Osmunda barbara* (L.) Thunb.

= *Todea africana* Willd. ex Bernh.

Order: Polypodiales Link

Family: Aspleniaceae Newman

Asplenium L.

- = *Phyllitis* Hill
- = *Caenopteris* Bergius
- = *Darea* Juss.
- = *Ceterach* Willd.
- = *Tarachia* C.Presl
- = *Pleurosorus* Fée
- = *Chamaefilix* Hill ex Farw.

ζ *Asplenium ×lucrosum* Brownsey & Perrie

* *Asplenium aethiopicum* (Burm.f.) Bech.

≡ *Trichomanes aethiopicum* Burm.f.

Asplenium appendiculatum (Labill.) C.Presl

- ≡ *Caenopteris appendiculata* Labill.; *Darea appendiculata* (Labill.) Willd.; *Asplenium bulbiferum* var. *appendiculatum* (Labill.) C.Chr.
- = *Asplenium laxum* R.Br.; *Asplenium bulbiferum* var. *laxa* (R.Br.) Hook.f.
- = *Asplenium terestre* Brownsey

Asplenium appendiculatum (Labill.) C.Presl subsp. *appendiculatum*

= *Asplenium terestre* Brownsey subsp. *terreste*

Asplenium appendiculatum subsp. *maritimum* (Brownsey) Brownsey

= *Asplenium terestre* subsp. *maritimum* Brownsey

= *Asplenium flaccidum* var. *litoralis* Dobbie

Asplenium bulbiferum G.Forst.

≡ *Caenopteris bulbifera* (G.Forst.) Desv.; *Asplenium marinum* var. *bulbifera* (G.Forst.) F.Muell.

Asplenium chathamense Brownsey

Asplenium cimmeriorum Brownsey & de Lange

Asplenium decurrens Willd.

= *Asplenium sarmentosum* Willd.

= *Asplenium obtusatum* subsp. *northlandicum* Brownsey; *Asplenium northlandicum* (Brownsey) Ogle

Asplenium flabellifolium Cav.

≡ *Chamaefilix flabellifolium* (Cav.) Farw.

= *Asplenium flabellifolium* var. *ramosum* Colenso

Asplenium gracillimum Colenso

≡ *Asplenium bulbiferum* subsp. *gracillimum* (Colenso) Brownsey

= *Asplenium bulbiferum* var. *tripinnatum* Hook.f.

Asplenium hookerianum Colenso

≡ *Asplenium adiantoides* var. *hookeriana* (Colenso) Hook.f.; *Asplenium bulbiferum* var. *hookeriana* (Colenso) Rodway

= *Asplenium adiantoides* Raoul; *Asplenium raouli* Mett.

= *Asplenium colensoi* Colenso; *Asplenium adiantoides* var. *colensoi* (Colenso) Hook.f.; *Asplenium hookerianum* var. *colensoi* (Colenso) T.Moore; *Asplenium richardii* var. *colensoi* (Colenso) Hook.

= *Asplenium adiantoides* var. *minus* Hook.f.; *Asplenium hookerianum* var. *minus* (Hook.f.) Domin

= *Asplenium ornatum* Colenso; *Asplenium hookerianum* var. *ornatum* (Colenso) Domin

= *Asplenium symmetricum* Colenso

= *Asplenium ramosum* Dobbie

Asplenium lamprophyllum Carse

Asplenium lepidotum Perrie & Brownsey

Asplenium lyallii (Hook.f.) T.Moore

≡ *Asplenium lucidum* var. *lyallii* Hook.f.

= *Asplenium triste* Raoul; *Asplenium bulbiferum* var. *triste* (Raoul) Hook.f.

= *Asplenium obtusatum* var. *lyallii* G.M.Thomson

= *Asplenium anomodum* Colenso; *Asplenium lucidum* var. *anomodum* (Colenso) Cheeseman; *Asplenium obtusatum* var. *anomodum* (Colenso) Domin

Asplenium oblongifolium Colenso

= *Asplenium lucidum* G.Forst.; *Asplenium obtusatum* var. *lucidum* (G.Forst.) Hook. & Baker; *Tarachia lucida* (G.Forst.) Momose

= *Asplenium lucidum* var. *paucifolium* Hook.

= *Asplenium durvillei* Mett.

= *Asplenium obtusatum* var. *integrifolium* Szyszyl.

Asplenium obtusatum G.Forst.

≡ *Asplenium obtusatum* G.Forst. subsp. *obtusatum*; *Asplenium marinum* var. *obtusatum* (G.Forst.) F.Muell.

= *Asplenium obliquum* G.Forst.; *Asplenium obtusatum* var. *obliquum* (G.Forst.) Hook.f.; *Asplenium lucidum* var. *obliquum* (G.Forst.) T.Moore

= *Asplenium apice-dentatum* Hombr. & Jacquinet

Asplenium pauperequitum Brownsey & P.J.Jacks.

Asplenium polyodon G.Forst.

≡ *Tarachia polyodon* (G.Forst.) C.Presl.; *Asplenium adiantoides* var. *polyodon* (G.Forst.) C.Chr.

= *Trichomanes adiantoides* L.; *Asplenium adiantoides* (L.) C.Chr.; *Tarachia adiantoides* (L.) Nakai ex Tuyama

= *Asplenium falcatum* Lam.; *Tarachia falcata* (Lam.) C.Presl

= *Asplenium falcatum* var. *caudatum* (G.Forst.) Allan

= *Asplenium forsterianum* Colenso

Asplenium richardii (Hook.f.) Hook.f.

≡ *Asplenium adiantoides* var. *richardii* Hook.f.

= *Asplenium raoulii* Mett.

= *Asplenium raoulii* var. *richardii* Mett.

Asplenium scleroprium Hombr.

≡ *Asplenium lucidum* var. *scleroprium* (Hombr.) T.Moore

= *Asplenium flaccidum* var. *aucklandicum* Hook.f.; *Asplenium lucidum* var. *aucklandicum* (Hook.f.) Allan; *Asplenium aucklandicum* (Hook.f.) Crookes

= *Asplenium obtusatum* var. *scleroprium* G.M.Thomson

* ***Asplenium scolopendrium* L.**

≡ *Phyllitis scolopendrium* (L.) Newman

***Asplenium shuttleworthianum* Kunze**

≡ *Asplenium flaccidum* var. *shuttleworthianum* (Kunze) Hook.f.; *Asplenium bulbiferum* var. *shuttleworthianum* (Kunze) G.M.Thomson

***Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz**

≡ *Gymnogramma subglandulosa* Hook. & Grev.

≡ *Grammitis rutaefolia* R.Br.; *Gymnogramma rutaefolia* (R.Br.) Desv.; *Pleurocosorus rutifolius* (R.Br.) Fée; *Ceterach rutaefolium* (R.Br.) Mett.;
≡ *Gymnogramma pozoi* var. *rutaefolia* (R.Br.) Hook. & Baker

= *Gymnogramma alpina* Potts

***Asplenium trichomanes* L.**

≡ *Chamaefilix trichomanes* (L.) Farw.

= *Asplenium melanolepis* Colenso; *Asplenium trichomanes* var. *melanolepis* (Colenso) C.Chr.

***Asplenium trichomanes* subsp. *quadrivalens* D.E.Mey.**

Family: Athyriaceae Alston

* ***Athyrium* Roth**

* ***Athyrium filix-femina* (L.) Roth**

≡ *Polypodium filix-femina* L.

ζ ***Athyrium otophorum* (Miq.) Koidz.**

***Deparia* Hook. & Grev.**

***Deparia petersenii* (Kunze) M.Kato**

***Deparia petersenii* subsp. *congrua* (Brack.) M.Kato**

≡ *Diplazium congruum* Brack.; *Athyrium congruum* (Brack.) Copel.

≡ *Asplenium umbrosum* var. *tenuifolium* Kirk; *Deparia tenuifolia* (Kirk) M.Kato

≡ *Asplenium umbrosum* var. *leumfolia* Dobbie

≡ *Asplenium umbrosum* var. *multifidum* Dobbie

***Diplazium* Sw.**

≡ *Allantodia* R.Br.

***Diplazium australe* (R.Br.) N.A.Wakef.**

≡ *Allantodia australis* R.Br.; *Athyrium australe* (R.Br.) C.Presl; *Asplenium australe* (R.Br.) Brack.; *Athyrium umbrosum* subsp. *australe* (R.Br.) C.Chr.; *Athyrium umbrosum* var. *australe* (R.Br.) Domin

≡ *Allantodia tenera* R.Br.

≡ *Asplenium brownii* J.Sm.; *Athyrium brownii* (J.Sm.) J.Sm.

Family: Blechnaceae

***Blechnum* L.**

= *Struthiopteris* Scop.

= *Lomaria* Willd.

= *Doodia* R.Br.

= *Diploblechnum* Hayata

***Blechnum blechnoides* (Bory) Keyserl.**

≡ *Lomaria blechnoides* Bory

≡ *Lomaria banksii* Hook.f.; *Spicanta banksii* (Hook.f.) Kunze; *Blechnum banksii* (Hook.f.) Mett. ex Diels in Engl. & Prantl

≡ *Lomaria leyboldtianum* Phil.; *Spicanta leyboldtiana* (Phil.) Kunze; *Blechnum leyboldianum* (Phil.) C.Chr.

***Blechnum chambersii* Tindale**

≡ *Stegania lanceolata* R.Br.; *Lomaria lanceolata* (R.Br.) Spreng.; *Blechnum lanceolatum* (R.Br.) J.W.Sturm; *Spicanta lanceolata* (R.Br.) Kunze; *Struthiopteris lanceolata* (R.Br.) Ching

≡ *Lomaria doodioides* Brack.; *Blechnum doodioides* (Brack.) Brownlie

≡ *Blechnum aggregatum* Tindale

***Blechnum colensoi* (Hook.f.) N.A.Wakef.**

≡ *Lomaria colensoi* Hook.f.

≡ *Lomaria heterophylla* Colenso

≡ *Blechnum patersonii* var. *elongatum* (Blume) Domin

***Blechnum discolor* (G.Forst.) Keyserl.**

≡ *Osmunda discolor* G.Forst.; *Gymnopteris discolor* (G.Forst.) Bernh.; *Onoclea discolor* (G.Forst.) Sw.; *Hemionitis discolor* (G.Forst.) Schkuhr; *Lomaria discolor* (G.Forst.) Willd.; *Stegania discolor* (G.Forst.) A.Rich.; *Spicanta discolor* (G.Forst.) Kunze; *Struthiopteris discolor* (G.Forst.) Ching

***Blechnum durum* (T.Moore) C.Chr.**

≡ *Lomaria dura* T.Moore; *Spicanta dura* (T.Moore) Kunze; *Struthiopteris dura* (T.Moore) Ching

≡ *Lomaria rigida* J.Sm.

***Blechnum filiforme* (A.Cunn.) Ettingsh.**

≡ *Lomaria filiformis* A.Cunn.; *Spicanta filiformis* (A.Cunn.) Kuntze; *Struthiopteris filiformis* (A.Cunn.) Ching

≡ *Lomaria propinqua* A.Cunn.

≡ *Stenochlaena heteromorpha* J.Sm.; *Lomariopsis heteromorpha* (J.Sm.) T.Moore

≡ *Lomaria pimpinellifolia* Hook.f.

≡ *Lomariopsis hugelii* C.Presl; *Stenochlaena hugelii* (C.Presl) Fée ex Underw.

≡ *Blechnum reptans* Luerss.

***Blechnum fluviatile* (R.Br.) Lowe ex Salomon**

≡ *Stegania fluviatilis* R.Br.; *Lomaria fluviatilis* (R.Br.) Spreng.; *Spicanta fluviatilis* (R.Br.) Kunze

≡ *Lomaria rotundifolia* Colenso

≡ *Lomaria rotundifolia* Raoul

≡ *Lomaria fluviatilis* var. *ramosa* Colenso

***Blechnum fraseri* (A.Cunn.) Luerss.**

≡ *Lomaria fraseri* A.Cunn.; *Spicanta fraseri* (A.Cunn.) Kuntze; *Struthiopteris fraseri* (A.Cunn.) Ching; *Diploblechnum fraseri* (A.Cunn.) De Vol

***Blechnum kermadecense* Perrie & Brownsey**

≡ *Doodia milnei* Carruth.; *Doodia media* var. *milnei* (Carruth.) Baker; *Doodia caudata* var. *milnei* (Carruth.) Domin

= *Doodia media* var. *connexa* G.M.Thomson

***Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels**

- ≡ *Lomaria membranacea* Colenso ex Hook.; *Spicanta membranacea* (Colenso ex Hook.) Kuntze; *Struthiopteris membranacea* (Colenso ex Hook.) Ching
- = *Lomaria oligoneuron* Colenso
- = *Lomaria intermedia* Colenso; *Struthiopteris intermedia* (Colenso) Ching
- = *Lomaria pygmaea* Colenso; *Blechnum pygmaeum* (Colenso) C.Chr.
- = *Lomaria alternans* Colenso; *Blechnum alternans* (Colenso) C.Chr.
- = *Blechnum hamiltonii* C.Chr.

***Blechnum minus* (R.Br.) Ettingsh.**

- ≡ *Stegania minor* R.Br.; *Lomaria minor* (R.Br.) Spreng.; *Lomaria procera* var. *minor* (R.Br.) Hook.f.; *Lomaria capensis* var. *minor* (R.Br.) Cheeseman; *Blechnum capense* var. *minus* (R.Br.) Domin

= *Lomaria procera* var. *gracilis* Colenso

***Blechnum molle* (Parris) Christenh.**

- ≡ *Doodia mollis* Parris
- = *Doodia media* var. *caudata* G.M.Thomson

***Blechnum montanum* T.C.Chambers & P.A.Farrant**

= *Lomaria procera* var. *tegmentosa* Hombr.

***Blechnum nigrum* (Colenso) Mett.**

- ≡ *Lomaria nigra* Colenso; *Spicanta nigra* (Colenso) Kuntze; *Struthiopteris nigra* (Colenso) Ching
- = *Polybotrya nana* Fée

***Blechnum norfolkianum* (Heward) C.Chr.**

= *Blechnum norfolkianum* (Heward) Maiden

***Blechnum novae-zelandiae* T.C.Chambers & P.A.Farrant**

- ≡ *Stegania procera* var. *stipulosa* A.Rich.
- = *Lomaria procera* var. *flagelliformis* Szyszyl.

***Blechnum parrisiae* Christenh.**

- = *Doodia aucklandica* Field
- = *Doodia media* subsp. *australis* Parris; *Doodia australis* (Parris) Parris

ζ *Blechnum patersonii* (R.Br.) Mett.

***Blechnum penna-marina* (Poir.) Kuhn**

***Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant**

- ≡ *Stegania alpina* R.Br.; *Lomaria alpina* (R.Br.) Spreng.; *Blechnum alpinum* (R.Br.) Mett.
- = *Lomaria linearis* Colenso
- = *Lomaria pumila* Raoul; *Spicanta pumila* (Raoul) Kuntze
- = *Lomaria parvifolia* Colenso; *Blechnum parvifolium* (Colenso) C.Chr.
- = *Lomaria distans* Colenso; *Struthiopteris distans* (Colenso) Ching
- = *Blechnum hillii* C.Chr.

***Blechnum procerum* (G.Forst.) Sw.**

- ≡ *Osmunda procerum* G.Forst.; *Onclea procerum* (G.Forst.) Spreng.; *Asplenium procerum* (G.Forst.) Bernh.; *Stegania procerum* (G.Forst.) R.Br.; *Lomaria procerum* (G.Forst.) Spreng.; *Blechnopteris procerum* (G.Forst.) Trevis.; *Parablechnum procerum* (G.Forst.) C.Presl
- = *Lomaria latifolia* Colenso
- = *Lomaria duplicata* Potts

ζ *Blechnum punctulatum* Sw.

ζ *Blechnum punctulatum* Sw. var. *punctulatum*

***Blechnum triangularifolium* T.C.Chambers & P.A.Farrant**

***Blechnum vulcanicum* (Blume) Kuhn**

- = *Lomaria vulcanica* Blume; *Spicanta vulcanica* (Blume) Kuntze
- = *Lomaria deltoides* Colenso
- = *Lomaria deflexa* Colenso
- = *Lomaria paucijuga* Colenso

***Blechnum zealandicum* Christenh.**

- = *Doodia squarrosa* Colenso; *Doodia caudata* var. *squarrosa* (Colenso) C.Chr.
- = *Doodia caudata* Baker

Family: Cystopteridaceae (Payer) Shmakov

***Cystopteris* Bernh.**

*** *Cystopteris fragilis* (L.) Bernh.**

- ≡ *Polypodium fragile* L.
- = *Cystopteris laciniatus* Colenso

***Cystopteris tasmanica* Hook.**

- ≡ *Cystopteris fragilis* var. *tasmanica* (Hook.) Hook.f.
- = *Cystopteris novae-zealandiae* J.B.Arnmst.
- = *Woodia laetevirens* Prent. ex F.M.Bailey; *Cystopteris fragilis* var. *laetevirens* (Prent. ex F.M.Bailey) C.Chr.
- = *Cystopteris apiformis* Gand.; *Cystopteris fragilis* var. *apiformis* (Gand.) C.Chr.

Family: Davalliaceae

***Davallia* Sm.**

*** *Davallia griffithiana* Hook.**

- ≡ *Leucostegia griffithiana* (Hook.) J.Sm.

***Davallia tasmanii* Field**

= *Davallia tasmanii* Cheeseman

***Davallia tasmanii* subsp. *cristata* von Konrat, Bragins & de Lange**

Davallia tasmanii* Field subsp. *tasmanii

ζ *Davallia trichomanoides* Blume

= *Davallia mariesii* T.Moore ex Baker

Family: Dennstaedtiaceae Lotsy

ζ *Dennstaedtia* Bernh.

ζ *Dennstaedtia davallioides* (R.Br.) T.Moore

≡ *Dicksonia davallioides* R.Br.; *Sitobolium davallioides* (R.Br.) J.Sm.

Histiopteris (J.Agardh) J.Sm.

≡ *Pteris* sect. *Histiopteris* J.Agardh

Histiopteris incisa (Thunb.) J.Sm.

≡ *Pteris incisa* Thunb.; *Litobrochia incisa* (Thunb.) C.Presl; *Phegopteris incisa* (Thunb.) Keyserl.

= *Pteris vespertilionis* Labill.; *Litobrochia vespertilionis* (Labill.) C.Presl; *Histiopteris vespertilionis* (Labill.) J.Sm.

= *Pteris brunoniana* Endl.

= *Pteris montana* Colenso

Hypolepis Bernh.

Hypolepis amaurorhachis (Kunze) Hook.

≡ *Cheilanthes amaurorhachis* Kunze

= *Hypolepis subantarctica* Brownsey & Chinnock

Hypolepis ambigua (A.Rich.) Brownsey & Chinnock

≡ *Cheilanthes ambigua* A.Rich.

= *Polypodium amplum* Colenso

= *Hypolepis petrieana* Carse

Hypolepis dicksonioides (Endl.) Hook.

≡ *Cheilanthes dicksonioides* Endl.

= *Hypolepis endlicheriana* C.Presl

= *Cheilanthes pellucida* Colenso; *Hypolepis tenuifolia* var. *pellucida* (Colenso) Hook.

Hypolepis distans Hook.

Hypolepis lactea Brownsey & Chinnock

Hypolepis millefolium Hook.

Hypolepis rufobarbata (Colenso) N.A.Wakef.

≡ *Polypodium rufobarbatum* Colenso

Leptolepia Mett. ex Diels

Leptolepia novae-zelandiae (Colenso) Mett. ex Diels

≡ *Davallia novae-zelandiae* Colenso; *Microlepia novae-zelandiae* (Colenso) J.Sm.; *Dennstaedtia novae-zelandiae* (Colenso) Keyserl.

= *Acrophorus hispidus* T.Moore

ζ *Microlepia* C.Presl

ζ *Microlepia strigosa* (Thunb.) C.Presl

≡ *Trichomanes strigosum* Thunb.

= *Davallia pinkneyi* Colenso; *Microlepia pinkneyi* (Colenso) C.Chr.

Paesia A.St.-Hil.

Paesia scaberula (A.Rich.) Kuhn

≡ *Pteris scaberula* A.Rich.; *Allosorus scaberulus* (A.Rich.) C.Presl; *Ornithopteris scaberula* (A.Rich.) J.Sm.

= *Pteris microphylla* A.Cunn.

Pteridium Gled. ex Scop.

= *Cincinalis* Gled.

Pteridium esculentum (G.Forst.) Cockayne

≡ *Pteris esculenta* G.Forst.; *Allosorus esculentum* (G.Forst.) C.Presl; *Pteris aquilina* var. *esculentum* (G.Forst.) Hook.f.; *Cincinalis esculenta* (G.Forst.) Trevis.; *Ornithopteris esculenta* (G.Forst.) J.Sm.; *Pteridium aquilinum* var. *esculentum* (G.Forst.) Kuhn; *Pteridium aquilinum* subsp. *esculentum* (G.Forst.) C.Chr.

Pteridium esculentum (G.Forst.) Cockayne subsp. *esculentum*

Family: Dryopteridaceae

Arachniodes Blume

= *Polystichopsis* (J.Sm.) Holttum

= *Byrsopteris* C.V.Morton

Arachniodes aristata (G.Forst.) Tindale

≡ *Polyodium aristatum* G.Forst.; *Aspidium aristatum* (G.Forst.) Sw.; *Nephrodium aristatum* (G.Forst.) C.Presl; *Polystichum aristatum* (G.Forst.) C.Presl; *Lastrea aristata* (G.Forst.) T.Moore; *Dryopteris aristata* (G.Forst.) Kuntze; *Rumohra aristata* (G.Forst.) Ching; *Polystichopsis aristata* (G.Forst.) Holttum; *Byrsopteris aristata* (G.Forst.) C.V.Morton

* *Cyrtomium* C.Presl

* *Cyrtomium falcatum* (L.f.) C.Presl

≡ *Polypodium falcatum* L.f.; *Phanerophlebia falcata* (L.f.) Copel.

* *Dryopteris* Adans.

= *Nephrodium* Rich.

* *Dryopteris affinis* (Lowe) Fraser-Jenk.

≡ *Nephrodium affine* Lowe

= *Dryopteris borneri* Newman

= *Lastrea pseudomas* Woll.; *Dryopteris pseudomas* (Woll.) Holub & Pouzar

ζ *Dryopteris carthusiana* (Vill.) H.P.Fuchs

ζ *Dryopteris cycadina* (Franch. & Sav.) C.Chr.

* *Dryopteris dilatata* (Hoffm.) A.Gray

≡ *Polypodium dilatatum* Hoffm.

ζ *Dryopteris erythrosora* (Eaton) Kuntze

* *Dryopteris filix-mas* (L.) Schott

≡ *Polypodium filix-mas* L.

ζ *Dryopteris inaequalis* (Schltdl.) Kuntze

ζ *Dryopteris kinkiensis* Koidz. ex Tagawa

ζ *Dryopteris sieboldii* (van Houtte ex Mett.) Kuntze

ζ *Dryopteris stewartii* Fraser-Jenk.

Lastreopsis Ching

Lastreopsis glabella (A.Cunn.) Tindale

≡ *Nephrodium glabellum* A.Cunn.; *Lastrea glabella* (A.Cunn.) Houlston & T.Moore; *Nephrodium decompositum* var. *glabellum* (A.Cunn.) Hook.f.; *Aspidium glabellum* (A.Cunn.) E.J.Lowe; *Dryopteris glabella* (A.Cunn.) C.Chr.; *Ctenitis glabella* (A.Cunn.) Copel.

= *Nephrodium decompositum* var. *microphyllum* Hook.

Lastreopsis hispida (Sw.) Tindale

≡ *Aspidium hispidum* Sw.; *Polystichum hispidum* (Sw.) J.Sm.; *Lastrea hispida* (Sw.) Houlston & T.Moore; *Nephrodium hispidum* (Sw.) Hook.; *Dryopteris hispida* (Sw.) Kuntze; *Rumohra hispida* (Sw.) Copel.

= *Polypodium setosum* G.Forst.

= *Polystichum schkuhrii* C.Presl

Lastreopsis kermadecensis Perrie & Brownsey

= *Lastreopsis* sp. nov. Tindale

Lastreopsis microsora (Endl.) Tindale

Lastreopsis microsora subsp. *pentangularis* (Colenso) Tindale

≡ *Nephrodium pentangularum* Colenso; *Ctenitis pentangularis* (Colenso) Alston

= *Nephrodium decompositum* var. *pubescens* Hook.f.

Lastreopsis velutina (A.Rich.) Tindale

≡ *Aspidium velutinum* A.Rich.; *Lastrea velutina* (A.Rich.) Brack.; *Nephrodium velutinum* (A.Rich.) Hook.f.; *Dryopteris velutina* (A.Rich.) Kuntze; *Ctenitis velutina* (A.Rich.) Copel.

Polystichum Roth

Polystichum cystostegium (Hook.) J.B.Armstr.

≡ *Aspidium cystostegia* Hook.; *Dryopteris cystostegia* (Hook.) Kuntze

ζ *Polystichum lentum* (D.Don) T.Moore

≡ *Aspidium latum* D.Don

Polystichum neozelandicum Fée

= *Aspidium richardii* Hook.; *Polystichum richardii* (Hook.) J.Sm.; *Dryopteris richardii* (Hook.) Kuntze

Polystichum neozelandicum Fée subsp. *neozelandicum*

Polystichum neozelandicum subsp. *zerophyllum* (Colenso) Perrie

≡ *Aspidium zerophyllum* Colenso; *Polystichum zerophyllum* (Colenso) C.Chr.; *Polystichum aculeatum* var. *zerophyllum* (Colenso) Domin

Polystichum oculatum (Hook.) J.B.Armstr.

≡ *Aspidium oculatum* Hook.; *Dryopteris oculata* (Hook.) Kuntze; *Polystichum richardii* var. *oculatum* (Hook.) C.Chr.

ζ *Polystichum polyblepharum* (Roem. ex Kunze) C.Presl

* *Polystichum proliferum* (R.Br.) C.Presl

≡ *Aspidium proliferum* R.Br.; *Hypoleptis proliferata* (R.Br.) Bory in Bél.; *Polystichum aculeatum* var. *proliferum* (R.Br.) Domin

* *Polystichum setiferum* (Forssk.) Woyn.

≡ *Polypodium setiferum* Forssk.

Polystichum sylvaticum (Colenso) Diels

≡ *Polypodium sylvaticum* Colenso; *Polystichum vestitum* subsp. *sylvaticum* (Colenso) C.Chr.; *Aspidium aculeatum* var. *sylvaticum* (Colenso) Cheeseman; *Polystichum aculeatum* var. *sylvaticum* (Colenso) Domin

Polystichum vestitum (G.Forst.) C.Presl

≡ *Polypodium vestitum* G.Forst.; *Aspidium vestitum* (G.Forst.) Sw.; *Aspidium aculeatum* var. *vestitum* (G.Forst.) Hook. ex Hook.f.; *Polystichum aculeatum* var. *vestitum* (G.Forst.) Domin

= *Polystichum venustum* Hombr.; *Aspidium venustum* (Hombr.) Hook.f.

= *Aspidium waikarense* Colenso

= *Aspidium pulcherrimum* Colenso

= *Aspidium perelegans* Colenso; *Polystichum perelegans* (Colenso) C.Chr.; *Polystichum aculeatum* var. *perelegans* (Colenso) Domin

Polystichum wawranum (Szyszyl.) Perrie

≡ *Aspidium wawranum* Szyszyl.

Rumohra Raddi

Rumohra adiantiformis (G.Forst.) Ching

≡ *Polypodium adiantiforme* G.Forst.; *Polystichum adiantiforme* (G.Forst.) J.Sm.; *Dryopteris adiantiformis* (G.Forst.) Kuntze

= *Polypodium coriaceum* Sw.; *Aspidium coriaceum* (Sw.) Sw.; *Hypoleptis coriacea* (Sw.) Bory in Bél.; *Tectaria coriacea* (Sw.) Link; *Polystichum coriaceum* (Sw.) Schott

= *Aspidium capense* Willd.; *Polystichum capense* (Willd.) J.Sm.

= *Aspidium cunninghamii* Colenso

= *Aspidium cunninghamianum* Colenso

= *Aspidium cunninghamii* Kunze

Family: *Lindsaeaceae* C.Presl ex M.R.Schomb.

Lindsaea Dryand. ex Sm.

Lindsaea linearis Sw.

≡ *Adiantum lineare* (Sw.) Poir.

= *Lindsaea lunata* Willd.

= *Lindsaea trilobata* Colenso; *Lindsaea linearis* var. *trilobata* (Colenso) C.Chr.

Lindsaea trichomanoides Dryand.

≡ *Adiantum trichomanoides* (Dryand.) Poir.; *Schizoloma trichomanoides* (Dryand.) Kuhn

= *Adiantum cuneatum* G.Forst.; *Lindsaea cuneata* (G.Forst.) C.Chr.

= *Lindsaea lessonii* Bory; *Lindsaea trichomanoides* var. *lessonii* (Bory) Hook.f.; *Lindsaea cuneata* var. *lessonii* (Bory) C.Chr.

Lindsaea viridis Colenso

≡ *Odontosoria viridis* (Colenso) Kuhn; *Stenoloma viride* (Colenso) C.Chr.; *Sphenomeris viridis* (Colenso) Brownlie

ζ *Odontosoria* Fée

ζ *Odontosoria chinensis* (L.) J.Sm.

≡ *Trichomanes chinense* L.; *Sphenomeris chinensis* (L.) Maxon

Family: Nephrolepidaceae Pic.Serm.

Nephrolepis Schott

= *Lepidonevron* Fée

Nephrolepis brownii (Desv.) Hovenkamp & Miyam.

- = *Nephrodium brownii* Desv.
- = *Nephrodium regulare* Desv.
- = *Aspidium schkuhrii* Blume
- = *Aspidium floccigerum* Blume; *Nephrolepis floccigera* (Blume) T.Moore
- = *Nephrolepis acutangula* C.Presl
- = *Davallia multiflora* Roxb.; *Nephrolepis multiflora* (Roxb.) C.V.Morton
- = *Nephrolepis tomentosa* Alderw.
- = *Nephrolepis pubescens* Copel.

* **Nephrolepis cordifolia** (L.) C.Presl

- = *Polypodium cordifolium* L.; *Aspidium cordifolium* (L.) Sw.; *Nephrolepis cordifolia* (L.) C.Presl var. *cordifolia*
- = *Polypodium auriculatum* L.; *Nephrolepis auriculata* (L.) Trimen
- = *Aspidium tuberosum* Bory ex Willd.; *Nephrodium tuberosum* (Bory ex Willd.) Desv.; *Nephrolepis tuberosa* (Bory ex Willd.) C.Presl

* **Nephrolepis exaltata** (L.) Schott

- = *Aspidium exaltatum* (L.) Sw.

Nephrolepis flexuosa Colenso

- = *Nephrolepis cordifolia* var. *lauterbachii* Christ

Family: Onocleaceae

ζ **Onoclea** L.

ζ **Onoclea sensibilis** L.

Family: Polypodiaceae J.Presl & C.Presl

Loxogramme (Blume) C.Presl

- = *Anarthropteris* Copel.

Loxogramme dictyopteris (Mett.) Copel.

- = *Polypodium dictyopteris* Mett.; *Anarthropteris dictyopteris* (Mett.) Copel.
- = *Dictyopteris lanceolata* J.Sm.; *Anarthropteris lanceolata* (J.Sm.) L.B.Moore
- = *Dictymia lanceolata* Hook.f.; *Polypodium cunninghamii* Hook.; *Anarthropteris lanceolata* (Hook.f.) Pic.Serm.

Microsorum Link

- = *Phymatosorus* Pic.Serm.

Microsorum novae-zealandiae (Baker) Copel.

- = *Polypodium novae-zealandiae* Baker; *Phymatodes novae-zealandiae* (Baker) Pic.Serm.; *Phymatosorus novae-zealandiae* (Baker) Pic.Serm.

Microsorum pustulatum (G.Forst.) Copel.

- = *Polypodium pustulatum* G.Forst.; *Phymatosorus pustulatus* (G.Forst.) Large, Bragins & P.S.Green
- = *Polypodium scandens* Labill.; *Polypodium diversifolium* Willd.; *Microsorum diversifolium* (Willd.) Copel.; *Pleopeltis diversifolia* (Willd.) Melvaine; *Phymatodes diversifolium* (Willd.) Pic.Serm.; *Phymatosorus diversifolius* (Willd.) Pic.Serm.
- = *Polypodium billardierei* R.Br.; *Phymatodes billardierei* (R.Br.) C.Presl; *Chrysopteris billardierei* (R.Br.) Link; *Drynaria billardierei* (R.Br.) J.Sm.; *Pleopeltis billardierei* (R.Br.) T.Moore; *Polypodium scandens* var. *billardierei* (R.Br.) F.Muell.

Microsorum pustulatum (G.Forst.) Copel. subsp. *pustulatum*

Microsorum scandens (G.Forst.) Tindale

- = *Polypodium scandens* G.Forst.; *Phymatodes scandens* (G.Forst.) C.Presl; *Drynaria scandens* (G.Forst.) Fée; *Phymatosorus scandens* (G.Forst.) Pic.Serm.

ζ **Niphidium** J.Sm.

ζ **Niphidium crassifolium** (L.) Lellinger

- = *Polypodium crassifolium* L.

Notogrammitis Parris

Notogrammitis angustifolia (Jacq.) Parris

- = *Asplenium angustifolium* Jacq.
- = *Polypodium gramineum* Poir.
- = *Grammitis magellanica* Desv.; *Polypodium billardierei* var. *magellanicum* (Desv.) C.Chr.; *Polypodium magellanicum* (Desv.) Copel.; *Grammitis billardierei* var. *magellanica* (Desv.) de la Sota
- = *Polypodium poeppigianum* Mett.; *Grammitis poeppigiana* (Mett.) Pic.Serm.
- = *Grammitis araucana* Phil.

Notogrammitis angustifolia (Jacq.) Parris subsp. *angustifolia*

- = *Grammitis magellanica* Desv. subsp. *magellanica*

Notogrammitis angustifolia subsp. *nothofageti* (Parris) Parris

- = *Grammitis magellanica* subsp. *nothofageti* Parris

Notogrammitis billardierei (Willd.) Parris

- = *Grammitis billardierei* Willd.; *Polypodium billardierei* (Willd.) C.Chr.
- = *Grammitis australis* R.Br.; *Polypodium australe* (R.Br.) Mett.
- = *Grammitis humilis* Hombr.
- = *Grammitis meridionalis* Parris

Notogrammitis ciliata (Colenso) Parris

- = *Grammitis ciliata* Colenso; *Polypodium australe* var. *ciliata* (Colenso) Kirk
- = *Grammitis australis* var. *villosa* Hook.f.; *Polypodium australe* var. *vilosum* (Hook.f.) Cheeseman; *Polypodium billardierei* var. *vilosum* (Hook.f.) Cheeseman
- = *Polypodium paradoxum* Colenso

Notogrammitis crassior (Kirk) Parris

- = *Polypodium crassium* Kirk
- = *Polypodium nanum* (Brack.) J.W.Sturm; *Grammitis nana* Brack.; *Grammitis magellanica* f. *nana* (Brack.) de la Sota
- = *Grammitis australis* var. *alpina* S.Jones
- = *Polypodium australe* var. *minutum* F.Muell.
- = *Grammitis pumila* J.B.Armstr.; *Polypodium australe* var. *pumilum* (J.B.Armstr.) Cockayne; *Polypodium pumilum* (J.B.Armstr.) Cockayne; *Polypodium billardierei* var. *pumilum* (J.B.Armstr.) Cheeseman

= *Grammitis australis* var. *nana* Franch.; *Polypodium billardierei* var. *magellanicum* f. *nana* (Franch.) Skottsb.; *Grammitis billardierei* var. *magellanica* f. *nana* (Franch.) de la Sota

= *Grammitis armstrongii* Tindale

= *Grammitis kerguelensis* Tardieu

***Notogrammitis givenii* (Parris) Parris**

≡ *Grammitis givenii* Parris

***Notogrammitis gunnii* (Parris) Parris**

≡ *Grammitis gunnii* Parris

***Notogrammitis heterophylla* (Labill.) Parris**

≡ *Grammitis heterophylla* Labill.; *Xiphopteris heterophylla* (Labill.) Spreng.; *Ctenopteris heterophylla* (Labill.) Tindale

= *Polypodium grammittidis* R.Br.; *Grammitis grammittidis* (R.Br.) Keyserl.; *Ctenopteris grammittidis* (R.Br.) J.Sm.

= *Gymnogramma billardierei* Kaulf.; *Polypodium billardierei* (Kaulf.) Fée

***Notogrammitis patagonica* (C.Chr.) Parris**

≡ *Polypodium patagonicum* C.Chr.; *Grammitis patagonica* (C.Chr.) Parris

***Notogrammitis pseudociliata* (Parris) Parris**

≡ *Grammitis pseudociliata* Parris

***Notogrammitis rawlingsii* (Parris) Parris**

≡ *Grammitis rawlingsii* Parris

***Notogrammitis rigidia* (Hombr.) Parris**

≡ *Grammitis rigidia* Hombr.; *Polypodium australe* var. *rigidum* (Hombr.) Cockayne; *Polypodium billardierei* var. *rigidum* (Hombr.) Cockayne

= *Grammitis crassa* Fée

ζ *Platycerium* Desv.

ζ ***Platycerium bifurcatum* (Cav.) C.Chr.**

≡ *Acrostichum bifurcatum* Cav.

* ***Polypodium* L.**

* ***Polypodium vulgare* L.**

***Pyrrosia* Mirb.**

= *Cyclophorus* Desv.

= *Niphobolus* Kaulf.

***Pyrrosia eleagnifolia* (Bory) Hovenkamp**

≡ *Polypodium eleagnifolium* Bory

= *Polypodium rupestre* var. *sinuatum* Colenso

Family: *Pteridaceae* Ching

***Adiantum* L.**

***Adiantum aethiopicum* L.**

= *Adiantum assimile* Sw.

= *Adiantum trigonum* Labill.

* ***Adiantum capillus-veneris* L.**

= *Adiantum affine* Willd.

***Adiantum cunninghamii* Hook.**

≡ *Adiantum formosum* var. *cunninghamii* (Hook.) F.Muell.

= *Adiantum trapeziforme* G.Forst.

= *Adiantum affine* var. *heterophyllum* Colenso

= *Adiantum affine* var. *chathamicum* Field

= *Adiantum pullum* Colenso; *Adiantum affine* var. *pullum* (Colenso) Domin

***Adiantum diaphanum* Blume**

= *Adiantum setulosum* J.Sm.

= *Adiantum tuberosum* Colenso

= *Adiantum polymorphum* Colenso; *Adiantum diaphanum* var. *polymorphum* (Colenso) Cheeseman

***Adiantum formosum* R.Br.**

***Adiantum fulvum* Raoul**

***Adiantum hispidulum* Sw.**

= *Adiantum pedatum* G.Forst.

= *Adiantum pubescens* Schkuhr

* ***Adiantum raddianum* C.Presl**

= *Adiantum cuneatum* Langsd. & Fisch.

***Adiantum viridescens* Colenso**

***Anogramma* Link**

***Anogramma leptophylla* (L.) Link**

≡ *Polypodium leptophyllum* L.; *Asplenium leptophyllum* (L.) Sw.; *Osmunda leptophylla* (L.) Savigny; *Acrostichum leptophyllum* (L.) Lam. &

DC.; *Grammitis leptophylla* (L.) Sw.; *Gymnogramma leptophylla* (L.) Desv.; *Hermonitis leptophylla* (L.) Lag.; *Pityrogramma*

leptophylla (L.) Domin

= *Gymnogramma novae-zelandiae* Colenso

***Cheilanthes* Sw.**

= *Allosorus* Bernh.

= *Aleuritopteris* Fée

= *Aspidotis* (Nutt. ex Hook.) Copel.

***Cheilanthes distans* (R.Br.) Mett.**

≡ *Notholaena distans* R.Br.

ζ ***Cheilanthes lendigera* (Cav.) Sw.**

***Cheilanthes sieberi* Kunze**

≡ *Cheilanthes tenuifolia* var. *sieberi* (Kunze) Hook.f.; *Cheilanthes tenuifolia* subsp. *sieberi* (Kunze) Domin

***Pellaea* Link**

= *Platyloma* J.Sm.

***Pellaea calidirupium* Brownsey & Lovis**

Pellaea falcata (R.Br.) Féé

≡ *Pteris falcata* R.Br.; *Platyloma falcata* (R.Br.) J.Sm.; *Allosorus falcatus* (R.Br.) Kunze
= *Pteris seticaulis* Hook.

Pellaea rotundifolia (G.Forst.) Hook.

≡ *Pteris rotundifolia* G.Forst.; *Platyloma rotundifolia* (G.Forst.) J.Sm.; *Allosorus rotundifolia* (G.Forst.) Kunze

ζ *Pellaea viridis* (Forssk.) Prantl

≡ *Pteris viridis* Forssk.; *Cheilanthes viridis* (Forssk.) Sw.; *Pteridella viridis* (Forssk.) Kuhn; *Adiantum viride* (Forssk.) Vahl

Pteris L.

ζ *Pteris argyraea* T.Moore

Pteris comans G.Forst.

≡ *Litobrochia comans* (G.Forst.) C.Presl

* *Pteris cretica* L.

= *Pteris iomarioides* Colenso

ζ *Pteris dentata* Forssk.

ζ *Pteris dentata* subsp. *flabellata* (Thunb.) Runemark

≡ *Pteris flabellata* Thunb.

ζ *Pteris ensiformis* Burm.f.

Pteris macilenta A.Rich.

≡ *Litobrochia macilenta* (A.Rich.) J.Sm.

= *Pteris pendula* Colenso; *Pteris macilenta* var. *pendula* (Colenso) Cheeseman

ζ *Pteris pacifica* Hieron.

Pteris saxatilis (Carse) Carse

≡ *Pteris macilenta* var. *saxatilis* Carse

Pteris tremula R.Br.

= *Pteris affinis* A.Rich.

= *Pteris tenuis* A.Cunn.; *Pteris tremula* var. *tenuis* (A.Cunn.) Domin

* *Pteris vittata* L.

= *Pteris longifolia* var. *brevipinna* Domin

Family: Tectariaceae

Arthropteris J.Sm. ex Hook.f.

Arthropteris tenella (G.Forst.) J.Sm. ex Hook.f.

≡ *Polypodium tenellum* G.Forst.

= *Polypodium filipes* T.Moore

Family: Thelypteridaceae Pic.Serm.

Christella H.Lév.

Christella dentata (Forssk.) Brownsey & Jermy

≡ *Polypodium dentatum* Forssk.; *Dryopteris dentata* (Forssk.) C.Chr.; *Thelypteris dentata* (Forssk.) E.P.St.John; *Cyclosorus dentatus* (Forssk.) Ching

= *Polypodium nymphale* G.Forst.; *Aspidium nymphale* (G.Forst.) Schkuhr; *Nephrodium nymphale* (G.Forst.) Desv.; *Dryopteris nymphalis* (G.Forst.) Copel.; *Cyclosorus nymphalis* (G.Forst.) Ching; *Thelypteris nymphalis* (G.Forst.) C.F.Reed

= *Polypodium molle* Jacq.; *Aspidium molle* Sw.; *Nephrodium molle* (Sw.) R.Br.; *Dryopteris molle* (Sw.) Hieron.

= *Nephrodium remotum* Heward

= *Christella dentata* var. *caespitosa* Holttum

Cyclosorus Link

Cyclosorus interruptus (Willd.) H.Ito

≡ *Pteris interrupta* Willd.; *Thelypteris interrupta* (Willd.) K.Iwats.

= *Nephrodium propinquum* R.Br.

= *Nephrodium inaequilaterum* Colenso

Macrothelypteris (H.Ito) Ching

Macrothelypteris torresiana (Gaudich.) Ching

≡ *Polystichum torresianum* Gaudich.; *Lastrea torresiana* (Gaudich.) T.Moore; *Thelypteris torresiana* (Gaudich.) Alston

= *Aspidium uliginosum* Kunze; *Dryopteris uliginosa* (Kunze) C.Chr.; *Thelypteris uliginosa* (Kunze) Ching

Pneumatopteris Nakai

Pneumatopteris pennigera (G.Forst.) Holttum

≡ *Polypodium pennigerum* G.Forst.; *Aspidium pennigerum* (G.Forst.) Sw.; *Nephrodium pennigerum* (G.Forst.) C.Presl; *Polystichum pennigerum* (G.Forst.) Gaudich.; *Lastrea pennigera* (G.Forst.) C.Presl; *Goniopteris pennigera* (G.Forst.) J.Sm.; *Goniopteris forsteri* T.Moore; *Dryopteris pennigera* (G.Forst.) C.Chr.; *Cyclosorus pennigerus* (G.Forst.) Ching; *Thelypteris pennigera* (G.Forst.) Allan

= *Phegopteris cunninghamii* Mett.

= *Aspidium novae-zeelandiae* Ettingsh.

= *Polypodium pennigerum* var. *giganteum* Colenso

= *Polypodium pennigerum* var. *hamiltonii* Colenso; *Dryopteris pennigera* var. *hamiltoni* (Colenso) Cheeseman; *Cyclosorus pennigerus* var. *hamiltoni* (Colenso) Crookes

= *Polypodium subsimilis* Colenso

Thelypteris Schmidel

Thelypteris confluens (Thunb.) C.V.Morton

≡ *Pteris confluens* Thunb.

= *Aspidium thelypteris* var. *squamigerum* Schldl.; *Aspidium squamigerum* (Schldl.) Féé; *Thelypteris palustris* var. *squamigera* (Schldl.) Weath.; *Thelypteris squamigera* (Schldl.) Ching

= *Nephrodium squamulosum* Hook.f.; *Nephrodium thelypteris* var. *squamulosum* (Hook.f.) Hook.; *Dryopteris thelypteris* var. *squamulosum* (Hook.f.) Cheeseman

= *Lastrea invisa* J.B.Armstr.

Order: *Salviniales* Link

Family: *Marsileaceae* Mirb.

* *Marsilea* L.

* *Marsilea mutica* Mett.

Pilularia L.

= *Calamistrum* L. ex Kuntze

Pilularia novae-hollandiae A.Braun

≡ *Calamistrum novae-hollandiae* (A.Br.) Kuntze

= *Pilularia novae-zelandiae* Kirk; *Calamistrum novae-zelandiae* (Kirk) Kuntze

Family: *Salviniaceae* Martinov

Azolla Lam.

* *Azolla pinnata* R.Br.

Azolla rubra R.Br.

≡ *Azolla filiculoides* var. *rubra* (R.Br.) Strasb.

* *Salvinia* Ség.

* *Salvinia ×molesta* D.S.Mitch.

Order: *Schizaeales* Schimp.

Family: *Lygodiaceae* M.Roem.

Lygodium Sw.

Lygodium articulatum A.Rich.

= *Lygodium gracilescens* Colenso

Family: *Schizaeaceae* Kaulf.

Schizaea Sm.

= *Ripidium* Bernh.

= *Microschizaea* C.F.Reed

Schizaea australis Gaudich.

≡ *Schizaea fistulosa* var. *australis* (Gaudich.) Hook.f.; *Microschizaea australis* (Gaudich.) C.F.Reed

= *Schizaea palmata* Hombr.

Schizaea bifida Willd.

≡ *Acrostichum bifidum* (Willd.) Poir.

= *Schizaea asperula* N.A.Wakef.

Schizaea dichotoma (L.) Sm.

≡ *Acrostichum dichotomum* L.; *Osmunda dichotoma* (L.) Spreng.; *Ripidium dichotomum* (L.) Bernh.

= *Schizaea forsteri* Spreng.; *Schizaea dichotoma* var. *forsteri* (Spreng.) Domin

Schizaea fistulosa Labill.

≡ *Acrostichum fistulosum* (Labill.) Poir.; *Microschizaea fistulosa* (Labill.) C.F.Reed

= *Schizaea propinqua* A.Cunn.; *Schizaea fistulosa* var. *propinqua* (A.Cunn.) Bonap.

Biostatus Checklist

Genera

Indigenous

Lycopodium L.

Endemic

Loxsoma R.Br. ex Hook.

Non-endemic

Adiantum L.

Anogramma Link

Arachniodes Blume

Arthropteris J.Sm. ex Hook.f.

Asplenium L.

Azolla Lam.

Blechnum L.

Botrychium Sw.

Cheilanthes Sw.

Christella H.Lév.

Cyathea Sm.

Cyclosorus Link

Cystopteris Bernh.

Davallia Sm.

Deparia Hook. & Grev.

Dicksonia L'Hér.

Dicranopteris Bernh.

Diplazium Sw.

Gleichenia Sm.

Histiopteris (J.Agardh) J.Sm.

Huperzia Bernh.

Hymenophyllum Sm.

Hypolepis Bernh.

Isoetes L.

Lastreopsis Ching

Leptolepia Mett. ex Diels

Leptopteris C.Presl

Lindsaea Dryand. ex Sm.

Loxogramme (Blume) C.Presl

Lycopodiella Holub

Lygodium Sw.

Macrothelypteris (H.Itô) Ching

Microsorum Link

Nephrolepis Schott

Notogrammitis Parris

Ophioglossum L.

Paesia A.St.-Hil.

Pellaea Link

Phlegmariurus Holub

Phylloglossum Kunze

Pilularia L.

Pneumatopteris Nakai

Polystichum Roth

Psilotum Sw.

Pteridium Gled. ex Scop.

Pteris L.

Ptisana Murdock

Pyrrosia Mirb.

Rumohra Raddi

Schizaea Sm.

Sticherus C.Presl

Thelypteris Schmidel

Tmesipteris Bernh.

Todea Willd. ex Bernh.

Trichomanes L.

Naturalised

Athyrium Roth

Cyrtomium C.Presl

Dryopteris Adans.

Equisetum L.

Marsilea L.

Osmunda L.

Polypodium L.

Salvinia Ség.

Selaginella P.Beauv.

Casual

Dennstaedtia Bernh.

Microlepia C.Presl

Niphidium J.Sm.

Odontosoria Fée

Onoclea L.

Platycerium Desv.

Species and subspecific taxa

Endemic

Adiantum cunninghamii Hook.

Adiantum fulvum Raoul

Adiantum viridescens Colenso

Asplenium appendiculatum subsp. *maritimum* (Brownsey) Brownsey

Asplenium bulbiferum G.Forst.

Asplenium chathamense Brownsey

Asplenium cimmeriorum Brownsey & de Lange

Asplenium lamprophyllum Carse

Asplenium lepidotum Perrie & Brownsey

Asplenium lyallii (Hook.f.) T.Moore

Asplenium oblongifolium Colenso

Asplenium pauperequitum Brownsey & P.J.Jacks.

Asplenium richardii (Hook.f.) Hook.f.

Asplenium scleroprium Hombr.

Blechnum colensoi (Hook.f.) N.A.Wakef.

Blechnum discolor (G.Forst.) Keyserl.

Blechnum durum (T.Moore) C.Chr.

Blechnum filiforme (A.Cunn.) Ettingsh.

Blechnum kermadecense Perrie & Brownsey

Blechnum membranaceum (Colenso ex Hook.) Mett. ex Diels

Blechnum molle (Parris) Christenh.

Blechnum montanum T.C.Chambers & P.A.Farrant

Blechnum nigrum (Colenso) Mett.

Blechnum novae-zelandiae T.C.Chambers & P.A.Farrant

Blechnum procerum (G.Forst.) Sw.

Blechnum triangularifolium T.C.Chambers & P.A.Farrant

Blechnum zealandicum Christenh.

Botrychium bifolme Colenso

Cyathea colensoi (Hook.f.) Domin

- Cyathea dealbata* (G.Forst.) Sw.
Cyathea kermadecensis W.R.B.Oliv.
Cyathea milnei Hook. ex Hook.f.
Cyathea smithii Hook.f.
Davallia tasmanii Field
Davallia tasmanii subsp. *cristata* von Konrat,
 Braggins & de Lange
Davallia tasmanii Field subsp. *tasmanii*
Dicksonia fibrosa Colenso
Dicksonia lanata Colenso ex Hook.
Dicksonia lanata subsp. *hispida* (Colenso) Perrie &
 Brownsey
Dicksonia lanata Colenso ex Hook. subsp. *lanata*
Dicksonia squarrosa (G.Forst.) Sw.
Gleichenia inclusisora Perrie, L.D.Sheph. &
 Brownsey
Hymenophyllum armstrongii (Baker) Kirk
Hymenophyllum demissum (G.Forst.) Sw.
Hymenophyllum dilatatum (G.Forst.) Sw.
Hymenophyllum flexuosum A.Cunn.
Hymenophyllum frankliniae Colenso
Hymenophyllum mallingii (Hook.) Mett.
Hymenophyllum minimum A.Rich.
Hymenophyllum nephrophyllum Ebihara & K.Iwats.
Hymenophyllum pluviatile Perrie & Brownsey
Hymenophyllum pulcherrimum Colenso
Hymenophyllum revolutum Colenso
Hymenophyllum rufescens Kirk
Hymenophyllum scabrum A.Rich.
Hymenophyllum villosum Colenso
Hypolepis ambigua (A.Rich.) Brownsey & Chinnock
Hypolepis lactea Brownsey & Chinnock
Hypolepis millefolium Hook.
Hypolepis rufo-barbata (Colenso) N.A.Wakef.
Isoetes alpina Kirk
Isoetes kirkii A.Braun
Lastreopsis glabella (A.Cunn.) Tindale
Lastreopsis kermadecensis Perrie & Brownsey
Lastreopsis microsora subsp. *pentangularis*
 (Colenso) Tindale
Lastreopsis velutina (A.Rich.) Tindale
Leptolepia novae-zelandiae (Colenso) Mett. ex
 Diels
Leptopteris hymenophylloides (A.Rich.) C.Presl
Leptopteris superba (Colenso) C.Presl
Lindsaea viridis Colenso
Loxogramme dictyopteris (Mett.) Copel.
Loxsoma cunninghamii R.Br. ex Hook.
Lygodium articulatum A.Rich.
Microsorum novae-zealandiae (Baker) Copel.
Notogrammitis ciliata (Colenso) Parris
Notogrammitis givenii (Parris) Parris
Notogrammitis rawlingsii (Parris) Parris
Notogrammitis rigida (Hombr.) Parris
Ophioglossum coriaceum A.Cunn.
Paesia scaberula (A.Rich.) Kuhn
Polystichum cystostegium (Hook.) J.B.Armstr.
Polystichum neozelandicum Fée
Polystichum neozelandicum Fée subsp.
 neozelandicum
Polystichum neozelandicum subsp. *zerophyllum*
 (Colenso) Perrie
Polystichum oculatum (Hook.) J.B.Armstr.
- Polystichum silvaticum* (Colenso) Diels
Polystichum vestitum (G.Forst.) C.Presl
Polystichum wawranum (Szyszyl.) Perrie
Pteris macilenta A.Rich.
Pteris saxatilis (Carse) Carse
Pyrrosia eleagnifolia (Bory) Hovenkamp
Sticherus cunninghamii (Heward ex Hook.) Ching
Tmesipteris horomaka Perrie, Brownsey & Lovis
Tmesipteris tannensis (Spreng.) Bernh.
Trichomanes colensoi Hook.f.
Trichomanes elongatum A.Cunn.
Trichomanes strictum Menzies ex Hook. & Grev.

Non-endemic

- Adiantum aethiopicum* L.
Adiantum diaphanum Blume
Adiantum formosum R.Br.
Adiantum hispidulum Sw.
Anogramma leptophylla (L.) Link
Arachniodes aristata (G.Forst.) Tindale
Arthropteris tenella (G.Forst.) J.Sm. ex Hook.f.
Asplenium appendiculatum (Labill.) C.Presl
Asplenium appendiculatum (Labill.) C.Presl subsp.
 appendiculatum
Asplenium decurrens Willd.
Asplenium flabellifolium Cav.
Asplenium gracillimum Colenso
Asplenium hookerianum Colenso
Asplenium obtusatum G.Forst.
Asplenium polyodon G.Forst.
Asplenium shuttleworthianum Kunze
Asplenium subglandulosum (Hook. & Grev.) Salvo,
 Prada & T.E.Diaz
Asplenium trichomanes L.
Asplenium trichomanes subsp. *quadrivalens*
 D.E.Mey.
Azolla rubra R.Br.
Blechnum blechnoides (Bory) Keyserl.
Blechnum chambersii Tindale
Blechnum fluviatile (R.Br.) Lowe ex Salomon
Blechnum fraseri (A.Cunn.) Luerss.
Blechnum minus (R.Br.) Ettingsh.
Blechnum norfolkianum (Heward) C.Chr.
Blechnum parrisiae Christenh.
Blechnum penna-marina (Poir.) Kuhn
Blechnum penna-marina subsp. *alpina*
 T.C.Chambers & P.A.Farrant
Blechnum vulcanicum (Blume) Kuhn
Botrychium australe R.Br.
Botrychium lunaria (L.) Sw.
Cheilanthes distans (R.Br.) Mett.
Cheilanthes sieberi Kunze
Christella dentata (Forssk.) Brownsey & Jermy
Cyathea cunninghamii Hook.f.
Cyathea medullaris (G.Forst.) Sw.
Cyclosorus interruptus (Willd.) H.Itô
Cystopteris tasmanica Hook.
Deparia petersenii (Kunze) M.Kato
Deparia petersenii subsp. *congrua* (Brack.) M.Kato
Dicranopteris linearis (Burm.f.) Underw.
Diplazium australe (R.Br.) N.A.Wakef.
Gleichenia alpina R.Br.
Gleichenia dicarpa R.Br.

Gleichenia microphylla R.Br.
Histiopteris incisa (Thunb.) J.Sm.
Huperzia australiana (Herter) Holub
Hymenophyllum australe Willd.
Hymenophyllum bivalve (G.Forst.) Sw.
Hymenophyllum cupressiforme Labill.
Hymenophyllum flabellatum Labill.
Hymenophyllum lyallii Hook.f.
Hymenophyllum multifidum (G.Forst.) Sw.
Hymenophyllum peltatum (Poir.) Desv.
Hymenophyllum polyanthos (Sw.) Sw.
Hymenophyllum rarum R.Br.
Hymenophyllum sanguinolentum (G.Forst.) Sw.
Hypolepis amaurorhachis (Kunze) Hook.
Hypolepis dicksonioides (Endl.) Hook.
Hypolepis distans Hook.
Lastreopsis hispida (Sw.) Tindale
Lastreopsis microsora (Endl.) Tindale
Lindsaea linearis Sw.
Lindsaea trichomanoides Dryand.
Lycopodiella cernua (L.) Pic.Serm.
Lycopodiella diffusa (R.Br.) B.Øllg.
Lycopodiella lateralis (R.Br.) B.Øllg.
Lycopodiella serpentina (Kunze) B.Øllg.
Lycopodium deuterodensum Herter
Lycopodium fastigiatum R.Br.
Lycopodium scariosum G.Forst.
Lycopodium volubile G.Forst.
Macrothelypteris torresiana (Gaudich.) Ching
Microsorum pustulatum (G.Forst.) Copel.
Microsorum pustulatum (G.Forst.) Copel. subsp.
 pustulatum
Microsorum scandens (G.Forst.) Tindale
Nephrolepis brownii (Desv.) Hovenkamp & Miyam.
Nephrolepis flexuosa Colenso
Notogrammitis angustifolia (Jacq.) Parris
Notogrammitis angustifolia (Jacq.) Parris subsp.
 angustifolia
Notogrammitis angustifolia subsp. *nothofageti*
 (Parris) Parris
Notogrammitis billardierei (Willd.) Parris
Notogrammitis crassior (Kirk) Parris
Notogrammitis gunnii (Parris) Parris
Notogrammitis heterophylla (Labill.) Parris
Notogrammitis patagonica (C.Chr.) Parris
Notogrammitis pseudociliata (Parris) Parris
Ophioglossum petiolatum Hook.
Pellaea calidirupium Brownsey & Lovis
Pellaea falcata (R.Br.) Fée
Pellaea rotundifolia (G.Forst.) Hook.
Phlegmariurus varius (R.Br.) A.R.Field & Bostock
Phylloglossum drummondii Kunze
Pilularia novae-hollandiae A.Braun
Pneumatopteris pennigera (G.Forst.) Holttum
Psilotum nudum (L.) P.Beauv.
Pteridium esculentum (G.Forst.) Cockayne
Pteridium esculentum (G.Forst.) Cockayne subsp.
 esculentum
Pteris comans G.Forst.
Pteris tremula R.Br.
Ptisana salicina (Sm.) Murdock
Rumohra adiantiformis (G.Forst.) Ching
Schizaea australis Gaudich.

Schizaea bifida Willd.
Schizaea dichotoma (L.) Sm.
Schizaea fistulosa Labill.
Sticherus flabellatus (R.Br.) H.St.John
Sticherus tener (R.Br.) Ching
Sticherus urceolatus M.Garrett & Kantvilas
Thelypteris confluens (Thunb.) C.V.Morton
Tmesipteris elongata P.A.Dang.
Tmesipteris lanceolata P.A.Dang.
Tmesipteris sigmatifolia Chinnock
Todea barbara (L.) T.Moore
Trichomanes caudatum Brack.
Trichomanes endlicherianum C.Presl
Trichomanes humile G.Forst.
Trichomanes venosum R.Br.

Naturalised

Adiantum capillus-veneris L.
Adiantum raddianum C.Presl
Asplenium aethiopicum (Burm.f.) Bech.
Asplenium scolopendrium L.
Athyrium filix-femina (L.) Roth
Azolla pinnata R.Br.
Cyrtomium falcatum (L.f.) C.Presl
Cystopteris fragilis (L.) Bernh.
Davallia griffithiana Hook.
Dryopteris affinis (Lowe) Fraser-Jenk.
Dryopteris dilatata (Hoffm.) A.Gray
Dryopteris filix-mas (L.) Schott
Equisetum arvense L.
Equisetum hyemale L.
Marsilea mutica Mett.
Nephrolepis cordifolia (L.) C.Presl
Nephrolepis exaltata (L.) Schott
Osmunda regalis L.
Polypodium vulgare L.
Polystichum proliferum (R.Br.) C.Presl
Polystichum setiferum (Forssk.) Woyn.
Pteris cretica L.
Pteris vittata L.
Salvinia ×molesta D.S.Mitch.
Selaginella kraussiana (Kunze) A.Braun

Casual

Asplenium ×lucrosum Brownsey & Perrie
Athyrium otophorum (Miq.) Koidz.
Blechnum patersonii (R.Br.) Mett.
Blechnum punctulatum Sw.
Blechnum punctulatum Sw. var. *punctulatum*
Cheilanthes lendigera (Cav.) Sw.
Cyathea cooperi (Hook. ex F.Muell.) Domin
Davallia trichomanoides Blume
Dennstaedtia davallioides (R.Br.) T.Moore
Dryopteris carthusiana (Vill.) H.P.Fuchs
Dryopteris cycadina (Franch. & Sav.) C.Chr.
Dryopteris erythrosora (Eaton) Kuntze
Dryopteris inaequalis (Schltdl.) Kuntze
Dryopteris kinkiensis Koidz. ex Tagawa
Dryopteris sieboldii (van Houtte ex Mett.) Kuntze
Dryopteris stewartii Fraser-Jenk.
Equisetum fluviatile L.
Microlepia strigosa (Thunb.) C.Presl
Niphidium crassifolium (L.) Lellinger

Odontosoria chinensis (L.) J.Sm.

Onoclea sensibilis L.

Pellaea viridis (Forssk.) Prantl

Platycerium bifurcatum (Cav.) C.Chr.

Polystichum lentum (D.Don) T.Moore

Polystichum polyblepharum (Roem. ex Kunze)

C.Presl

Pteris argyraea T.Moore

Pteris dentata Forssk.

Pteris dentata subsp. *flabellata* (Thunb.) Runemark

Pteris ensiformis Burm.f.

Pteris pacifica Hieron.

Selaginella martensii Spring

Selaginella moellendorffii Hieron. in Engl. & Prantl

Alphabetic Checklist

- [13] *Abrodictyum* C.Presl = *Trichomanes* L.
 [13] *Abrodictyum caudatum* (Brack.) Ebihara & K.Iwats. = *Trichomanes caudatum* Brack.
 [13] *Abrodictyum elongatum* (A.Cunn.) Ebihara & K.Iwats. = *Trichomanes elongatum* A.Cunn.
 [13] *Abrodictyum strictum* (Menzies ex Hook. & Grev.) Ebihara & K.Iwats. = *Trichomanes strictum* Menzies ex Hook. & Grev.
 [17] *Acrophorus hispidus* T.Moore = *Leptolepia novae-zelandiae* (Colenso) Mett. ex Diels
 [14] *Acrostichum barbareum* L. = *Todea barbara* (L.) T.Moore
 [22] *Acrostichum bifidum* (Willd.) Poir. = *Schizaea bifida* Willd.
 [20] *Acrostichum bifurcatum* Cav. = *Platycerium bifurcatum* (Cav.) C.Chr.
 [22] *Acrostichum dichotomum* L. = *Schizaea dichotoma* (L.) Sm.
 [22] *Acrostichum fistulosum* (Labill.) Poir. = *Schizaea fistulosa* Labill.
 [20] *Acrostichum leptophyllum* (L.) Lam. & DC. = *Anogramma leptophylla* (L.) Link
 [20] ***Adiantum* L.**
 [20] ***Adiantum aethiopicum* L.**
 [20] *Adiantum affine* Willd. = ***Adiantum capillus-veneris* L.**
 [20] *Adiantum affine* var. *chathamicum* Field = ***Adiantum cunninghamii* Hook.**
 [20] *Adiantum affine* var. *heterophyllum* Colenso = ***Adiantum cunninghamii* Hook.**
 [20] *Adiantum affine* var. *pullum* (Colenso) Domin = ***Adiantum cunninghamii* Hook.**
 [20] *Adiantum assimile* Sw. = ***Adiantum aethiopicum* L.**
 [20] ***Adiantum capillus-veneris* L.**
 [20] *Adiantum cuneatum* Langsd. & Fisch. = ***Adiantum raddianum* C.Presl**
 [18] *Adiantum cuneatum* G.Forst. = *Lindsaea trichomanoides* Dryand.
 [20] ***Adiantum cunninghamii* Hook.**
 [20] ***Adiantum diaphanum* Blume**
 [20] *Adiantum diaphanum* var. *polymorphum* (Colenso) Cheeseman = ***Adiantum diaphanum* Blume**
 [20] ***Adiantum formosum* R.Br.**
 [20] *Adiantum formosum* var. *cunninghamii* (Hook.) F.Muell. = ***Adiantum cunninghamii* Hook.**
 [20] ***Adiantum fulvulum* Raoul**
 [20] ***Adiantum hispidulum* Sw.**
 [18] *Adiantum lineare* (Sw.) Poir. = *Lindsaea linearis* Sw.
 [20] *Adiantum pedatum* G.Forst. = ***Adiantum hispidulum* Sw.**
 [20] *Adiantum polymorphum* Colenso = ***Adiantum diaphanum* Blume**
 [20] *Adiantum pubescens* Schkuhr = ***Adiantum hispidulum* Sw.**
 [20] *Adiantum pullum* Colenso = ***Adiantum cunninghamii* Hook.**
 [20] ***Adiantum raddianum* C.Presl**
 [20] *Adiantum setulosum* J.Sm. = ***Adiantum diaphanum* Blume**
 [20] *Adiantum trapeziforme* G.Forst. = ***Adiantum cunninghamii* Hook.**
 [18] *Adiantum trichomanoides* (Dryand.) Poir. = *Lindsaea trichomanoides* Dryand.
 [20] *Adiantum trigonum* Labill. = ***Adiantum aethiopicum* L.**
 [20] *Adiantum tuberosum* Colenso = ***Adiantum diaphanum* Blume**
 [21] *Adiantum viride* (Forssk.) Vahl = *Pellaea viridis* (Forssk.) Prantl
 [20] ***Adiantum viridescens* Colenso**
 [20] *Aleuritopteris* Féée = ***Cheilanthes* Sw.**
 [15] *Allantodia* R.Br. = ***Diplazium* Sw.**
 [15] *Allantodia australis* R.Br. = ***Diplazium australe* (R.Br.) N.A.Wakef.**
 [15] *Allantodia tenera* R.Br. = ***Diplazium australe* (R.Br.) N.A.Wakef.**
 [20] *Allosorus* Bernh. = ***Cheilanthes* Sw.**
 [17] *Allosorus esculentus* (G.Presl) C.Presl = ***Pteridium esculentum* (G.Forst.) Cockayne**
 [21] *Allosorus falcatus* (R.Br.) Kunze = *Pellaea falcatula* (R.Br.) Féée
 [21] *Allosorus rotundifolia* (G.Forst.) Kunze = *Pellaea rotundifolia* (G.Forst.) Hook.
 [17] *Allosorus scaberulus* (A.Rich.) C.Presl = *Paesia scaberula* (A.Rich.) Kuhn
 [11] *Alsophila* R.Br. = ***Cyathea* Sm.**
 [11] *Alsophila colensoi* Hook.f. = ***Cyathea colensoi* (Hook.f.) Domin**
 [11] *Alsophila cooperi* Hook. ex F.Muell. = ***Cyathea cooperi* (Hook. ex F.Muell.) Domin**
 [11] *Alsophila cunninghamii* (Hook.f.) R.M.Tryon = ***Cyathea cunninghamii* Hook.f.**
 [11] *Alsophila kermadecensis* (W.R.B.Oliv.) R.M.Tryon = ***Cyathea kermadecensis* W.R.B.Oliv.**
 [11] *Alsophila milnei* (Hook. ex Hook.f.) R.M.Tryon = ***Cyathea milnei* Hook. ex Hook.f.**
 [11] *Alsophila smithii* (Hook.f.) R.M.Tryon = ***Cyathea smithii* Hook.f.**
 [11] *Alsophila tricolor* (Colenso) R.M.Tryon = ***Cyathea dealbata* (G.Forst.) Sw.**
 [19] *Anarthropteris* Copel. = ***Loxogramme* (Blume) C.Presl**
 [19] *Anarthropteris dictyopteris* (Mett.) Copel. = ***Loxogramme dictyopteris* (Mett.) Copel.**
 [19] *Anarthropteris lanceolata* (J.Sm.) L.B.Moore = ***Loxogramme dictyopteris* (Mett.) Copel.**
 [19] *Anarthropteris lanceolata* (Hook.f.) Pic.Serm. = ***Loxogramme dictyopteris* (Mett.) Copel.**
 [20] ***Anogramma* Link**
 [20] ***Anogramma leptophylla* (L.) Link**
 [12] *Apteropteris malingii* (Hook.) Copel. = ***Hymenophyllum malingii* (Hook.) Mett.**
 [17] ***Arachniodes* Blume**
 [17] ***Arachniodes aristata* (G.Forst.) Tindale**
 [21] *Arthropteris* J.Sm. ex Hook.f.
 [21] ***Arthropteris tenella* (G.Forst.) J.Sm. ex Hook.f.**
 [18] *Aspidium aculeatum* var. *sylvaticum* (Colenso) Cheeseman = ***Polystichum silvaticum* (Colenso) Diels**
 [18] *Aspidium aculeatum* var. *vestitum* (G.Forst.) Hook. ex Hook.f. = ***Polystichum vestitum* (G.Forst.) C.Presl**
 [17] *Aspidium aristatum* (G.Forst.) Sw. = ***Arachniodes aristata* (G.Forst.) Tindale**
 [18] *Aspidium capense* Willd. = ***Rumohra adiantiformis* (G.Forst.) Ching**
 [19] *Aspidium cordifolium* (L.) Sw. = ***Nephrolepis cordifolia* (L.) C.Presl**
 [18] *Aspidium coriaceum* (Sw.) Sw. = ***Rumohra adiantiformis* (G.Forst.) Ching**
 [18] *Aspidium cunninghamianum* Colenso = ***Rumohra adiantiformis* (G.Forst.) Ching**
 [18] *Aspidium cunninghamii* Kunze = ***Rumohra adiantiformis* (G.Forst.) Ching**

- [18] *Aspidium cunninghamii* Colenso = *Rumohra adiantiformis* (G.Forst.) Ching
[18] *Aspidium cystostegia* Hook. = *Polystichum cystostegium* (Hook.) J.B.Armstr.
[19] *Aspidium exaltatum* (L.) Sw. = *Nephrolepis exaltata* (L.) Schott
[19] *Aspidium floccigerum* Blume = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
[18] *Aspidium glabellum* (A.Cunn.) E.J.Lowe = *Lastreopsis glabella* (A.Cunn.) Tindale
[18] *Aspidium hispidum* Sw. = *Lastreopsis hispida* (Sw.) Tindale
[18] *Aspidium lentum* D.Don = *Polystichum lenthum* (D.Don) T.Moore
[21] *Aspidium molle* Sw. = *Christella dentata* (Forssk.) Brownsey & Jermy
[21] *Aspidium novae-zeelandiae* Ettingsh. = *Pneumatopteris pennigera* (G.Forst.) Holttum
[21] *Aspidium nymphale* (G.Forst.) Schkuhr = *Christella dentata* (Forssk.) Brownsey & Jermy
[18] *Aspidium oculatum* Hook. = *Polystichum oculatum* (Hook.) J.B.Armstr.
[21] *Aspidium pennigerum* (G.Forst.) Sw. = *Pneumatopteris pennigera* (G.Forst.) Holttum
[18] *Aspidium perelegans* Colenso = *Polystichum vestitum* (G.Forst.) C.Presl
[18] *Aspidium proliferum* R.Br. = *Polystichum proliferum* (R.Br.) C.Presl
[18] *Aspidium pulcherrimum* Colenso = *Polystichum vestitum* (G.Forst.) C.Presl
[18] *Aspidium richardii* Hook. = *Polystichum neozelandicum* Fée
[19] *Aspidium schkuhrii* Blume = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
[21] *Aspidium squamigerum* (Schltdl.) Fée = *Thelypteris confluens* (Thunb.) C.V.Morton
[21] *Aspidium thelypteris* var. *squamigerum* Schltdl. = *Thelypteris confluens* (Thunb.) C.V.Morton
[19] *Aspidium tuberosum* Bory ex Willd. = *Nephrolepis cordifolia* (L.) C.Presl
[21] *Aspidium uliginosum* Kunze = *Macrothelypteris torresiana* (Gaudich.) Ching
[18] *Aspidium velutinum* A.Rich. = *Lastreopsis velutina* (A.Rich.) Tindale
[18] *Aspidium venustum* (Hombr.) Hook.f. = *Polystichum vestitum* (G.Forst.) C.Presl
[18] *Aspidium vestitum* (G.Forst.) Sw. = *Polystichum vestitum* (G.Forst.) C.Presl
[18] *Aspidium waikarensense* Colenso = *Polystichum vestitum* (G.Forst.) C.Presl
[18] *Aspidium wawranum* Szyszyl. = *Polystichum wawranum* (Szyszyl.) Perrie
[18] *Aspidium zerophyllum* Colenso = *Polystichum neozelandicum* subsp. *zerophyllum* (Colenso) Perrie
[20] *Aspidotis* (Nutt. ex Hook.) Copel. = *Cheilanthes* Sw.
- [14] **Aspleniaceae Newman**
- [14] **Asplenium L.**
- [14] **Asplenium ×lucrosum** Brownsey & Perrie
- [14] *Asplenium adiantoides* Raoul = *Asplenium hookerianum* Colenso
[14] *Asplenium adiantoides* (L.) C.Chr. = *Asplenium polyodon* G.Forst.
[14] *Asplenium adiantoides* var. *colensoi* (Colenso) Hook.f. = *Asplenium hookerianum* Colenso
[14] *Asplenium adiantoides* var. *hookeriana* (Colenso) Hook.f. = *Asplenium hookerianum* Colenso
[14] *Asplenium adiantoides* var. *minus* Hook.f. = *Asplenium hookerianum* Colenso
[14] *Asplenium adiantoides* var. *polyodon* (G.Forst.) C.Chr. = *Asplenium polyodon* G.Forst.
[14] *Asplenium adiantoides* var. *richardii* Hook.f. = *Asplenium richardii* (Hook.f.) Hook.f.
- [14] **Asplenium aethiopicum** (Burm.f.) Bech.
- [19] *Asplenium angustifolium* Jacq. = *Notogrammitis angustifolia* (Jacq.) Parris
[14] *Asplenium anomodum* Colenso = *Asplenium lyallii* (Hook.f.) T.Moore
[14] *Asplenium apice-dentatum* Hombr. & Jacquinot = *Asplenium obtusatum* G.Forst.
- [14] **Asplenium appendiculatum** (Labill.) C.Presl
- [14] **Asplenium appendiculatum** (Labill.) C.Presl subsp. *appendiculatum*
- [14] **Asplenium appendiculatum** subsp. *maritimum* (Brownsey) Brownsey
- [15] *Asplenium aucklandicum* (Hook.f.) Crookes = *Asplenium scleroprium* Hombr.
[15] *Asplenium australe* (R.Br.) Brack. = *Diplazium australe* (R.Br.) N.A.Wakef.
[15] *Asplenium brownii* J.Sm. = *Diplazium australe* (R.Br.) N.A.Wakef.
- [14] **Asplenium bulbiferum** G.Forst.
- [14] *Asplenium bulbiferum* subsp. *gracillimum* (Colenso) Brownsey = *Asplenium gracillimum* Colenso
[14] *Asplenium bulbiferum* var. *appendiculatum* (Labill.) C.Chr. = *Asplenium appendiculatum* (Labill.) C.Presl
[14] *Asplenium bulbiferum* var. *hookeriana* (Colenso) Rodway = *Asplenium hookerianum* Colenso
[14] *Asplenium bulbiferum* var. *laxa* (R.Br.) Hook.f. = *Asplenium appendiculatum* (Labill.) C.Presl
[15] *Asplenium bulbiferum* var. *shuttleworthianum* (Kunze) G.M.Thomson = *Asplenium shuttleworthianum* Kunze
[14] *Asplenium bulbiferum* var. *tripinnatum* Hook.f. = *Asplenium gracillimum* Colenso
[14] *Asplenium bulbiferum* var. *triste* (Raoul) Hook.f. = *Asplenium lyallii* (Hook.f.) T.Moore
- [14] **Asplenium chathamense** Brownsey
- [14] **Asplenium cimmeriorum** Brownsey & de Lange
- [14] *Asplenium colensoi* Colenso = *Asplenium hookerianum* Colenso
- [14] **Asplenium decurrens** Willd.
- [14] *Asplenium durvillei* Mett. = *Asplenium oblongifolium* Colenso
- [14] *Asplenium falcatum* Lam. = *Asplenium polyodon* G.Forst.
- [14] *Asplenium falcatum* var. *caudatum* (G.Forst.) Allan = *Asplenium polyodon* G.Forst.
- [14] **Asplenium flabellifolium** Cav.
- [14] *Asplenium flabellifolium* var. *ramosum* Colenso = *Asplenium flabellifolium* Cav.
[15] *Asplenium flaccidum* var. *aucklandicum* Hook.f. = *Asplenium scleroprium* Hombr.
[14] *Asplenium flaccidum* var. *littoralis* Dobbie = *Asplenium appendiculatum* subsp. *maritimum* (Brownsey) Brownsey
[15] *Asplenium flaccidum* var. *shuttleworthianum* (Kunze) Hook.f. = *Asplenium shuttleworthianum* Kunze
- [14] *Asplenium forsterianum* Colenso = *Asplenium polyodon* G.Forst.
- [14] **Asplenium gracillimum** Colenso
- [14] **Asplenium hookerianum** Colenso
- [14] *Asplenium hookerianum* var. *colensoi* (Colenso) T.Moore = *Asplenium hookerianum* Colenso
[14] *Asplenium hookerianum* var. *minus* (Hook.f.) Domin = *Asplenium hookerianum* Colenso
[14] *Asplenium hookerianum* var. *ornatum* (Colenso) Domin = *Asplenium hookerianum* Colenso
- [14] **Asplenium lamprophyllum** Carse
- [14] *Asplenium laxum* R.Br. = *Asplenium appendiculatum* (Labill.) C.Presl
- [14] **Asplenium lepidotum** Perrie & Brownsey
- [20] *Asplenium leptophyllum* (L.) Sw. = *Anogramma leptophylla* (L.) Link
- [14] *Asplenium lucidum* G.Forst. = *Asplenium oblongifolium* Colenso

- [14] *Asplenium lucidum* var. *anomodum* (Colenso) Cheeseman = *Asplenium lyallii* (Hook.f.) T.Moore
[15] *Asplenium lucidum* var. *aucklandicum* (Hook.f.) Allan = *Asplenium scleroprium* Hombr.
[14] *Asplenium lucidum* var. *lyallii* Hook.f. = *Asplenium lyallii* (Hook.f.) T.Moore
[14] *Asplenium lucidum* var. *obliquum* (G.Forst.) T.Moore = *Asplenium obtusatum* G.Forst.
[14] *Asplenium lucidum* var. *paucifolium* Hook. = *Asplenium oblongifolium* Colenso
[14] *Asplenium lucidum* var. *scleroprium* (Hombr.) T.Moore = *Asplenium scleroprium* Hombr.
[14] ***Asplenium lyallii* (Hook.f.) T.Moore**
[14] *Asplenium marinum* var. *bulbifera* (G.Forst.) F.Muell. = *Asplenium bulbiferum* G.Forst.
[14] *Asplenium marinum* var. *obtusatum* (G.Forst.) F.Muell. = *Asplenium obtusatum* G.Forst.
[15] *Asplenium melanolepis* Colenso = *Asplenium trichomanes* L.
[14] *Asplenium northlandicum* (Brownsey) Ogle = *Asplenium decurrens* Willd.
[14] *Asplenium obliquum* G.Forst. = *Asplenium obtusatum* G.Forst.
[14] ***Asplenium oblongifolium* Colenso**
[14] ***Asplenium obtusatum* G.Forst.**
[14] *Asplenium obtusatum* subsp. *northlandicum* Brownsey = *Asplenium decurrens* Willd.
[14] *Asplenium obtusatum* G.Forst. subsp. *obtusatum* = *Asplenium obtusatum* G.Forst.
[14] *Asplenium obtusatum* var. *anomodum* (Colenso) Domin = *Asplenium lyallii* (Hook.f.) T.Moore
[14] *Asplenium obtusatum* var. *integripulum* Szyszyl. = *Asplenium oblongifolium* Colenso
[14] *Asplenium obtusatum* var. *lucidum* (G.Forst.) Hook. & Baker = *Asplenium oblongifolium* Colenso
[14] *Asplenium obtusatum* var. *lyallii* G.M.Thomson = *Asplenium lyallii* (Hook.f.) T.Moore
[14] *Asplenium obtusatum* var. *obliquum* (G.Forst.) Hook.f. = *Asplenium obtusatum* G.Forst.
[15] *Asplenium obtusatum* var. *scleroprium* G.M.Thomson = *Asplenium scleroprium* Hombr.
[14] *Asplenium ornatum* Colenso = *Asplenium hookerianum* Colenso
[14] ***Asplenium pauperequitum* Brownsey & P.J.Jacks.**
[14] ***Asplenium polyodon* G.Forst.**
[16] *Asplenium procerum* (G.Forst.) Bernh. = *Blechnum procerum* (G.Forst.) Sw.
[14] *Asplenium ramosum* Dobbie = *Asplenium hookerianum* Colenso
[14] *Asplenium raoulii* Mett. = *Asplenium hookerianum* Colenso
[14] *Asplenium raoulii* Mett. = *Asplenium richardii* (Hook.f.) Hook.f.
[14] *Asplenium raoulii* var. *richardii* Mett. = *Asplenium richardii* (Hook.f.) Hook.f.
[14] ***Asplenium richardii* (Hook.f.) Hook.f.**
[14] *Asplenium richardii* var. *colensoi* (Colenso) Hook. = *Asplenium hookerianum* Colenso
[14] *Asplenium sarmatosum* Willd. = *Asplenium decurrens* Willd.
[14] ***Asplenium scleroprium* Hombr.**
[15] ***Asplenium scolopendrium* L.**
[15] ***Asplenium shuttleworthianum* Kunze**
[15] ***Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz**
[14] *Asplenium symmetricum* Colenso = *Asplenium hookerianum* Colenso
[14] *Asplenium terreste* Brownsey = *Asplenium appendiculatum* (Labill.) C.Presl
[14] *Asplenium terreste* subsp. *maritimum* Brownsey = *Asplenium appendiculatum* subsp. *maritimum* (Brownsey) Brownsey
[14] *Asplenium terreste* Brownsey subsp. *terreste* = *Asplenium appendiculatum* (Labill.) C.Presl subsp. *appendiculatum*
[15] ***Asplenium trichomanes* L.**
[15] ***Asplenium trichomanes* subsp. *quadrivalens* D.E.Mey.**
[15] *Asplenium trichomanes* var. *melanolepis* (Colenso) C.Chr. = *Asplenium trichomanes* L.
[14] *Asplenium triste* Raoul = *Asplenium lyallii* (Hook.f.) T.Moore
[15] *Asplenium umbrosum* var. *leuumfolia* Dobbie = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
[15] *Asplenium umbrosum* var. *multifidum* Dobbie = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
[15] *Asplenium umbrosum* var. *tenuifolium* Kirk = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
[15] ***Athyriaceae* Alston**
[15] ***Athyrium* Roth**
[15] *Athyrium australe* (R.Br.) C.Presl = *Diplazium australe* (R.Br.) N.A.Wakef.
[15] *Athyrium brownii* (J.Sm.) J.Sm. = *Diplazium australe* (R.Br.) N.A.Wakef.
[15] *Athyrium congruum* (Brack.) Copel. = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
[15] ***Athyrium filix-femina* (L.) Roth**
[15] ***Athyrium otophorum* (Miq.) Koidz.**
[15] *Athyrium umbrorum* subsp. *australe* (R.Br.) C.Chr. = *Diplazium australe* (R.Br.) N.A.Wakef.
[15] *Athyrium umbrorum* var. *australe* (R.Br.) Domin = *Diplazium australe* (R.Br.) N.A.Wakef.
[9] *Astrolycopodium Holub* = *Lycopodium* L.
[9] *Astrolycopodium fastigiatum* (R.Br.) Holub = *Lycopodium fastigiatum* R.Br.
[22] ***Azolla* Lam.**
[22] *Azolla filiculoides* var. *rubra* (R.Br.) Strasb. = *Azolla rubra* R.Br.
[22] ***Azolla pinnata* R.Br.**
[22] ***Azolla rubra* R.Br.**
[11] ***Balantium* Kaulf. = *Dicksonia* L'Hér.**
[11] *Balantium fibrosum* (Colenso) Fée = *Dicksonia fibrosa* Colenso
[11] *Balantium lanatum* (Colenso ex Hook.) Fée = *Dicksonia lanata* Colenso ex Hook.
[11] *Balantium squarrosum* (G.Forst.) Kunze = *Dicksonia squarrosa* (G.Forst.) Sw.
[10] *Bernhardia* Willd. ex Bernh. = *Psilotum* Sw.
[10] *Bernhardia novae-hollandiae* Müll.Berol. = *Psilotum nudum* (L.) P.Beauv.
[11] *Bernhardia tannensis* (Spreng.) Müll.Berol. = *Tmesipteris tannensis* (Spreng.) Bernh.
[15] ***Blechnaceae***
[16] *Blechnopteris procera* (G.Forst.) Trevis. = *Blechnum procerum* (G.Forst.) Sw.
[15] ***Blechnum* L.**
[15] *Blechnum aggregatum* Tindale = *Blechnum chambersii* Tindale
[16] *Blechnum alpinum* (R.Br.) Mett. = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
[16] *Blechnum alternans* (Colenso) C.Chr. = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
[15] *Blechnum banksii* (Hook.f.) Mett. ex Diels in Engl. & Prantl = *Blechnum blechnoides* (Bory) Keyserl.
[15] ***Blechnum blechnoides* (Bory) Keyserl.**
[16] *Blechnum capense* var. *minus* (R.Br.) Domin = *Blechnum minus* (R.Br.) Ettingsh.
-

- [15] *Blechnum chambersii* Tindale
 [15] *Blechnum colensoi* (Hook.f.) N.A.Wakef.
 [15] *Blechnum discolor* (G.Forst.) Keyserl.
 [15] *Blechnum doodioides* (Brack.) Brownlie = *Blechnum chambersii* Tindale
 [15] *Blechnum durum* (T.Moore) C.Chr.
 [15] *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Blechnum fluviale* (R.Br.) Lowe ex Salomon
 [15] *Blechnum fraseri* (A.Cunn.) Luerss.
 [16] *Blechnum hamiltonii* C.Chr. = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Blechnum hillii* C.Chr. = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [15] *Blechnum kermadecense* Perrie & Brownsey
 [15] *Blechnum lanceolatum* (R.Br.) J.W.Sturm = *Blechnum chambersii* Tindale
 [15] *Blechnum leyboldianum* (Phil.)C.Chr. = *Blechnum blechnoides* (Bory) Keyserl.
 [16] *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Blechnum minus* (R.Br.) Ettingsh.
 [16] *Blechnum molle* (Parris) Christenh.
 [16] *Blechnum montanum* T.C.Chambers & P.A.Farrant
 [16] *Blechnum nigrum* (Colenso) Mett.
 [16] *Blechnum norfolkianum* (Heward) C.Chr.
 [16] *Blechnum norfolkianum* (Heward) Maiden = *Blechnum norfolkianum* (Heward) C.Chr.
 [16] *Blechnum novae-zelandiae* T.C.Chambers & P.A.Farrant
 [16] *Blechnum parrisiae* Christenh.
 [16] *Blechnum parvifolium* (Colenso) C.Chr. = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Blechnum patersonii* (R.Br.) Mett.
 [15] *Blechnum patersonii* var. *elongatum* (Blume) Domin = *Blechnum colensoi* (Hook.f.) N.A.Wakef.
 [16] *Blechnum penna-marina* (Poir.) Kuhn
 [16] *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Blechnum procerum* (G.Forst.) Sw.
 [16] *Blechnum punctulatum* Sw.
 [16] *Blechnum punctulatum* Sw. var. *punctulatum*
 [16] *Blechnum pygmaeum* (Colenso) C.Chr. = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [15] *Blechnum reptans* Luerss. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [16] *Blechnum triangularifolium* T.C.Chambers & P.A.Farrant
 [16] *Blechnum vulcanicum* (Blume) Kuhn
 [16] *Blechnum zealandicum* Christenh.
 [10] *Botrychium* Sw.
 [10] *Botrychium australe* R.Br.
 [10] *Botrychium australe* var. *erosum* (Milde) Prantl = *Botrychium australe* R.Br.
 [10] *Botrychium australe* var. *millefolium* (F.Hochst. ex Milde) Prantl = *Botrychium biforme* Colenso
 [10] *Botrychium biforme* Colenso
 [10] *Botrychium erosum* Milde = *Botrychium australe* R.Br.
 [10] *Botrychium lunaria* (L.) Sw.
 [10] *Botrychium ternatum* var. *australasiaticum* γ *erosum* (Milde) Milde = *Botrychium australe* R.Br.
 [10] *Botrychium ternatum* var. *australasiaticum* δ *millefolium* F.Hochst. ex Milde = *Botrychium biforme* Colenso
 [10] *Botrychium ternatum* var. *australe* (R.Br.) Domin = *Botrychium australe* R.Br.
 [10] *Botrychium ternatum* var. *erosum* (Milde) Milde = *Botrychium australe* R.Br.
 [17] *Byrsoteris* C.V.Morton = *Arachniodes* Blume
 [17] *Byrsoteris aristata* (G.Forst.) C.V.Morton = *Arachniodes aristata* (G.Forst.) Tindale
 [14] *Caenopteris* Bergius = *Asplenium* L.
 [14] *Caenopteris appendiculata* Labill. = *Asplenium appendiculatum* (Labill.) C.Presl
 [14] *Caenopteris bulbifera* (G.Forst.) Desv. = *Asplenium bulbiferum* G.Forst.
 [22] *Calamistrum* L. ex Kuntze = *Pilularia* L.
 [22] *Calamistrum novae-hollandiae* (A.Br.) Kuntze = *Pilularia novae-hollandiae* A.Braun
 [22] *Calamistrum novae-zelandiae* (Kirk) Kuntze = *Pilularia novae-hollandiae* A.Braun
 [12] *Calymella* C.Presl = *Gleichenia* Sm.
 [12] *Calymella alpina* (R.Br.) C.Presl = *Gleichenia alpina* R.Br.
 [12] *Calymella dicarpa* (R.Br.) C.Presl = *Gleichenia dicarpa* R.Br.
 [12] *Calymella major* Nakai = *Gleichenia dicarpa* R.Br.
 [12] *Calymella microphylla* (R.Br.) C.Presl = *Gleichenia microphylla* R.Br.
 [12] *Calymella semivestita* (Labill.) Ching = *Gleichenia microphylla* R.Br.
 [12] *Cardiomanes* C.Presl = *Hymenophyllum* Sm.
 [13] *Cardiomanes reniforme* (G.Forst.) C.Presl = *Hymenophyllum nephrophyllum* Ebihara & K.Iwats.
 [13] *Cephalomanes caudatum* (Brack.) Bostock = *Trichomanes caudatum* Brack.
 [14] *Ceterach* Willd. = *Asplenium* L.
 [15] *Ceterach rutaefolium* (R.Br.) Mett. = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
 [14] *Chamaefilix* Hill ex Farw. = *Asplenium* L.
 [14] *Chamaefilix flabellifolium* (Cav.) Farw. = *Asplenium flabellifolium* Cav.
 [15] *Chamaefilix trichomanes* (L.) Farw. = *Asplenium trichomanes* L.
 [20] *Cheilanthes* Sw.
 [17] *Cheilanthes amaurorhachis* Kunze = *Hypolepis amaurorhachis* (Kunze) Hook.
 [17] *Cheilanthes ambigua* A.Rich. = *Hypolepis ambigua* (A.Rich.) Brownsey & Chinnock
 [17] *Cheilanthes dicksonioides* Endl. = *Hypolepis dicksonioides* (Endl.) Hook.
 [20] *Cheilanthes distans* (R.Br.) Mett.
 [20] *Cheilanthes lendigera* (Cav.) Sw.
 [17] *Cheilanthes pellucida* Colenso = *Hypolepis dicksonioides* (Endl.) Hook.
 [20] *Cheilanthes sieberi* Kunze
 [20] *Cheilanthes tenuifolia* subsp. *sieberi* (Kunze) Domin = *Cheilanthes sieberi* Kunze
 [20] *Cheilanthes tenuifolia* var. *sieberi* (Kunze) Hook.f. = *Cheilanthes sieberi* Kunze
 [21] *Cheilanthes viridis* (Forssk.) Sw. = *Pellaea viridis* (Forssk.) Prantl
-

- [21] *Christella* H.Lév.
- [21] *Christella dentata* (Forssk.) Brownsey & Jermy
- [21] *Christella dentata* var. *caespitosa* Holttum = *Christella dentata* (Forssk.) Brownsey & Jermy
- [19] *Chrysopteris billardierei* (R.Br.) Link = *Microsorum pustulatum* (G.Forst.) Copel.
- [17] *Cincinalis* Gled. = *Pteridium* Gled. ex Scop.
- [17] *Cincinalis esculenta* (G.Forst.) Trevis. = *Pteridium esculentum* (G.Forst.) Cockayne
- [12] *Craspedophyllum armstrongii* (Baker) Rae ex Copel. = *Hymenophyllum armstrongii* (Baker) Kirk
- [12] *Craspedophyllum cheesemanii* (Baker) N.A.Wakef. = *Hymenophyllum armstrongii* (Baker) Kirk
- [13] *Crepidomanes* (C.Presl) C.Presl = *Trichomanes* L.
- [13] *Crepidomanes endlicherianum* (C.Presl) P.S.Green = *Trichomanes endlicherianum* C.Presl
- [13] *Crepidomanes humile* (G.Forst.) Bosch = *Trichomanes humile* G.Forst.
- [13] *Crepidomanes venosum* (R.Br.) Bostock = *Trichomanes venosum* R.Br.
- [13] *Crepidophyllum endlicherianum* (C.Presl) C.F.Reed = *Trichomanes endlicherianum* C.Presl
- [13] *Crepidophyllum humile* (G.Forst.) Reed = *Trichomanes humile* G.Forst.
- [13] *Crepidopteris endlicheriana* (C.Presl) Copel. = *Trichomanes endlicherianum* C.Presl
- [13] *Crepidopteris humilis* (G.Forst.) Copel = *Trichomanes humile* G.Forst.
- [18] *Ctenitis glabella* (A.Cunn.) Copel. = *Lastreopsis glabella* (A.Cunn.) Tindale
- [18] *Ctenitis pentangularis* (Colenso) Alston = *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale
- [18] *Ctenitis velutina* (A.Rich.) Copel. = *Lastreopsis velutina* (A.Rich.) Tindale
- [20] *Ctenopteris grammittidis* (R.Br.) J.Sm. = *Notogrammitis heterophylla* (Labill.) Parris
- [20] *Ctenopteris heterophylla* (Labill.) Tindale = *Notogrammitis heterophylla* (Labill.) Parris
- [11] *Cyathea* Sm.
- [11] *Cyathea colensoi* (Hook.f.) Domin
- [11] *Cyathea cooperi* (Hook. ex F.Muell.) Domin
- [11] *Cyathea cunninghamii* Hook.f.
- [11] *Cyathea dealbata* (G.Forst.) Sw.
- [11] *Cyathea dealbata* var. *tricolor* (Colenso) Domin = *Cyathea dealbata* (G.Forst.) Sw.
- [11] *Cyathea falciroba* (Colenso) Domin = *Cyathea dealbata* (G.Forst.) Sw.
- [11] *Cyathea kermadecensis* W.R.B.Oliv.
- [11] *Cyathea medullaris* (G.Forst.) Sw.
- [11] *Cyathea medullaris* var. *integra* Hook. = *Cyathea medullaris* (G.Forst.) Sw.
- [11] *Cyathea medullaris* var. *polyneuron* (Colenso) C.Chr. = *Cyathea medullaris* (G.Forst.) Sw.
- [11] *Cyathea milnei* Hook. ex Hook.f.
- [11] *Cyathea novae-zelandiae* Domin = *Cyathea smithii* Hook.f.
- [11] *Cyathea polyneuron* Colenso = *Cyathea medullaris* (G.Forst.) Sw.
- [11] *Cyathea smithii* Hook.f.
- [11] *Cyathea tricolor* Colenso = *Cyathea dealbata* (G.Forst.) Sw.
- [11] *Cyatheaceae* Kaulf.
- [11] *Cyatheales* A.B.Frank
- [20] *Cyclophorus* Desv. = *Pyrrosia* Mirb.
- [21] *Cyclosorus* Link
- [21] *Cyclosorus dentatus* (Forssk.) Ching = *Christella dentata* (Forssk.) Brownsey & Jermy
- [21] *Cyclosorus interruptus* (Willd.) H.Ito
- [21] *Cyclosorus nymphaeoides* (G.Forst.) Ching = *Christella dentata* (Forssk.) Brownsey & Jermy
- [21] *Cyclosorus pennigerus* (G.Forst.) Ching = *Pneumatopteris pennigera* (G.Forst.) Holttum
- [21] *Cyclosorus pennigerus* var. *hamiltoni* (Colenso) Crookes = *Pneumatopteris pennigera* (G.Forst.) Holttum
- [17] *Cyrtomium* C.Presl
- [17] *Cyrtomium falcatum* (L.f.) C.Presl
- [16] *Cystopteridaceae* (Payer) Shmakov
- [16] *Cystopteris* Bernh.
- [16] *Cystopteris apiiformis* Gand. = *Cystopteris tasmanica* Hook.
- [16] *Cystopteris fragilis* (L.) Bernh.
- [16] *Cystopteris fragilis* var. *apiiformis* (Gand.) C.Chr. = *Cystopteris tasmanica* Hook.
- [16] *Cystopteris fragilis* var. *laetevirens* (Prent. ex P.M.Bailey) C.Chr. = *Cystopteris tasmanica* Hook.
- [16] *Cystopteris fragilis* var. *tasmanica* (Hook.) Hook.f. = *Cystopteris tasmanica* Hook.
- [16] *Cystopteris laciiniata* Colenso = *Cystopteris fragilis* (L.) Bernh.
- [16] *Cystopteris novae-zelandiae* J.B.Armstr. = *Cystopteris tasmanica* Hook.
- [16] *Cystopteris tasmanica* Hook.
- [14] *Darea* Juss. = *Asplenium* L.
- [14] *Darea appendiculata* (Labill.) Willd. = *Asplenium appendiculatum* (Labill.) C.Presl
- [16] *Davallia* Sm.
- [16] *Davallia griffithiana* Hook.
- [16] *Davallia mariesii* T.Moore ex Baker = *Davallia trichomanoides* Blume
- [13] *Davallia multifidum* (G.Forst.) Spreng. = *Hymenophyllum multifidum* (G.Forst.) Sw.
- [19] *Davallia multiflora* Roxb. = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
- [17] *Davallia novae-zelandiae* Colenso = *Leptolepia novae-zelandiae* (Colenso) Mett. ex Diels
- [17] *Davallia pinkneyi* Colenso = *Microlepia strigosa* (Thunb.) C.Presl
- [16] *Davallia tasmanii* Cheeseman = *Davallia tasmanii* Field
- [16] *Davallia tasmanii* Field
- [16] *Davallia tasmanii* subsp. *cristata* von Konrat, Bragins & de Lange
- [16] *Davallia tasmanii* Field subsp. *tasmanii*
- [16] *Davallia trichomanoides* Blume
- [16] *Davalliaceae*
- [17] *Dennstaedtia* Bernh.
- [17] *Dennstaedtia davallioides* (R.Br.) T.Moore
- [17] *Dennstaedtia novae-zelandiae* (Colenso) Keyserl. = *Leptolepia novae-zelandiae* (Colenso) Mett. ex Diels
- [17] *Dennstaedtiaceae* Lotsy
- [15] *Deparia* Hook. & Grev.
- [15] *Deparia petersenii* (Kunze) M.Kato

- [15] *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
 [15] *Deparia tenuifolia* (Kirk) M.Kato = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
 [11] *Dicksonia* L'Hér.
 [11] *Dicksonia antarctica* var. *fibrosa* (Colenso) Kirk = *Dicksonia fibrosa* Colenso
 [17] *Dicksonia davallioides* R.Br. = *Dennstaedtia davallioides* (R.Br.) T.Moore
 [11] *Dicksonia fibrosa* Colenso
 [11] *Dicksonia fibrosa* var. *microcarpa* (Colenso) C.Chr. = *Dicksonia fibrosa* Colenso
 [11] *Dicksonia gracilis* Colenso = *Dicksonia squarrosa* (G.Forst.) Sw.
 [11] *Dicksonia lanata* Colenso ex Hook.
 [11] *Dicksonia lanata* subsp. *hispida* (Colenso) Perrie & Brownsey
 [11] *Dicksonia lanata* Colenso ex Hook. subsp. *lanata*
 [11] *Dicksonia lanata* var. *hispida* Colenso = *Dicksonia lanata* subsp. *hispida* (Colenso) Perrie & Brownsey
 [11] *Dicksonia lanata* Colenso ex Hook. var. *lanata* = *Dicksonia lanata* Colenso ex Hook. subsp. *lanata*
 [11] *Dicksonia microcarpa* Colenso = *Dicksonia fibrosa* Colenso
 [11] *Dicksonia sparmanniana* Colenso = *Dicksonia fibrosa* Colenso
 [11] *Dicksonia squarrosa* (G.Forst.) Sw.
 [11] *Dicksonia squarrosa* var. *gracilis* (Colenso) C.Chr. = *Dicksonia squarrosa* (G.Forst.) Sw.
 [11] *Dicsoniaceae* M.R.Schomb.
 [11] *Dicranopteris* Bernh.
 [11] *Dicranopteris dichotoma* (Thunb.) Bernh. = *Dicranopteris linearis* (Burm.f.) Underw.
 [11] *Dicranopteris hermannii* (R.Br.) Nakai = *Dicranopteris linearis* (Burm.f.) Underw.
 [11] *Dicranopteris linearis* (Burm.f.) Underw.
 [19] *Dictymia lanceolata* Hook.f. = *Loxogramme dictyopteris* (Mett.) Copel.
 [19] *Dictyopteris lanceolata* J.Sm. = *Loxogramme dictyopteris* (Mett.) Copel.
 [13] *Didymoglossum humile* (G.Forst.) C.Presl = *Trichomanes humile* G.Forst.
 [9] *Diphasium* Rothm. = *Lycopodium* L.
 [9] *Diphasium decurrens* (R.Br.) Holub = *Lycopodium scariosum* G.Forst.
 [9] *Diphasium scariosum* (G.Forst.) Rothm. = *Lycopodium scariosum* G.Forst.
 [15] *Diplazium* Sw.
 [15] *Diplazium australe* (R.Br.) N.A.Wakef.
 [15] *Diplazium congruum* Brack. = *Deparia petersenii* subsp. *congrua* (Brack.) M.Kato
 [15] *Diploblechnum* Hayata = *Blechnum* L.
 [15] *Diploblechnum fraseri* (A.Cunn.) De Vol = *Blechnum fraseri* (A.Cunn.) Luerss.
 [12] *Diploophyllum dilatatum* (G.Forst.) Bosch = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [13] *Diploophyllum scabrum* (A.Rich.) Bosch = *Hymenophyllum scabrum* A.Rich.
 [15] *Doodia* R.Br. = *Blechnum* L.
 [16] *Doodia aucklandica* Field = *Blechnum parrisiae* Christenh.
 [16] *Doodia australis* (Parris) Parris = *Blechnum parrisiae* Christenh.
 [16] *Doodia caudata* Baker = *Blechnum zealandicum* Christenh.
 [15] *Doodia caudata* var. *milnei* (Carruth.) Domin = *Blechnum kermadecense* Perrie & Brownsey
 [16] *Doodia caudata* var. *squarrosa* (Colenso) C.Chr. = *Blechnum zealandicum* Christenh.
 [16] *Doodia media* subsp. *australis* Parris = *Blechnum parrisiae* Christenh.
 [16] *Doodia media* var. *caudata* G.M.Thomson = *Blechnum molle* (Parris) Christenh.
 [16] *Doodia media* var. *connexa* G.M.Thomson = *Blechnum kermadecense* Perrie & Brownsey
 [15] *Doodia media* var. *milnei* (Carruth.) Baker = *Blechnum kermadecense* Perrie & Brownsey
 [15] *Doodia milnei* Carruth. = *Blechnum kermadecense* Perrie & Brownsey
 [16] *Doodia mollis* Parris = *Blechnum molle* (Parris) Christenh.
 [16] *Doodia squarrosa* Colenso = *Blechnum zealandicum* Christenh.
 [19] *Drynaria billardierei* (R.Br.) J.Sm. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Drynaria scandens* (G.Forst.) Fée = *Microsorum scandens* (G.Forst.) Tindale
 [17] *Dryopteridaceae*
 [17] *Dryopteris* Adans.
 [18] *Dryopteris adiantiformis* (G.Forst.) Kuntze = *Rumohra adiantiformis* (G.Forst.) Ching
 [17] *Dryopteris affinis* (Lowe) Fraser-Jenk.
 [17] *Dryopteris aristata* (G.Forst.) Kuntze = *Arachniodes aristata* (G.Forst.) Tindale
 [17] *Dryopteris borreri* Newman = *Dryopteris affinis* (Lowe) Fraser-Jenk.
 [17] *Dryopteris carthusiana* (Vill.) H.P.Fuchs
 [17] *Dryopteris cycadina* (Franch. & Sav.) C.Chr.
 [18] *Dryopteris cystostegia* (Hook.) Kuntze = *Polystichum cystostegium* (Hook.) J.B.Armstr.
 [21] *Dryopteris dentata* (Forssk.) C.Chr. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [17] *Dryopteris dilatata* (Hoffm.) A.Gray
 [17] *Dryopteris erythrosora* (Eaton) Kuntze
 [17] *Dryopteris filix-mas* (L.) Schott
 [18] *Dryopteris glabella* (A.Cunn.) C.Chr. = *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Dryopteris hispida* (Sw.) Kuntze = *Lastreopsis hispida* (Sw.) Tindale
 [17] *Dryopteris inaequalis* (Schltdl.) Kuntze
 [17] *Dryopteris kinkiensis* Koidz. ex Tagawa
 [21] *Dryopteris molle* (Sw.) Hieron. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Dryopteris nymphalis* (G.Forst.) Copel. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [18] *Dryopteris oculata* (Hook.) Kuntze = *Polystichum oculatum* (Hook.) J.B.Armstr.
 [21] *Dryopteris pennigera* (G.Forst.) C.Chr. = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [21] *Dryopteris pennigera* var. *hamiltoni* (Colenso) Cheeseman = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [17] *Dryopteris pseudomas* (Woll.) Holub & Pouzar = *Dryopteris affinis* (Lowe) Fraser-Jenk.
 [18] *Dryopteris richardii* (Hook.) Kuntze = *Polystichum neozelandicum* Fée
 [17] *Dryopteris sieboldii* (van Houtte ex Mett.) Kuntze
 [18] *Dryopteris stewartii* Fraser-Jenk.
 [21] *Dryopteris thelypteris* var. *squamulosum* (Hook.f.) Cheeseman = *Thelypteris confluens* (Thunb.) C.V.Morton
 [21] *Dryopteris uliginosa* (Kunze) C.Chr. = *Macrothelypteris torresiana* (Gaudich.) Ching
 [18] *Dryopteris velutina* (A.Rich.) Kuntze = *Lastreopsis velutina* (A.Rich.) Tindale
-

- [10] *Equisetaceae* Michx. ex DC.
 [10] *Equisetales* DC. ex Bercht. & J.Presl
 [10] *Equisetidae*
 [10] *Equisetum* L.
 [10] *Equisetum arvense* L.
 [10] *Equisetum fluviatile* L.
 [10] *Equisetum hyemale* L.
 [12] *Gleichenia* Sm.
 [12] *Gleichenia alpina* R.Br.
 [12] *Gleichenia ciliata* Colenso = *Sticherus cunninghamii* (Heward ex Hook.) Ching
 [12] *Gleichenia circinnata* var. *alpina* (R.Br.) Dobbie = *Gleichenia alpina* R.Br.
 [12] *Gleichenia circinnata* var. *concolor* Domin = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia circinnata* var. *hecistophylla* (A.Cunn.) Hook.f. = *Gleichenia dicarpa* R.Br.
 [12] *Gleichenia circinnata* var. *microphylla* (R.Br.) Maiden & Betche = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia circinnata* var. *patens* (Colenso) Domin = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia circinnata* var. *semivestita* (Labill.) T.Moore = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia cunninghamii* Heward ex Hook. = *Sticherus cunninghamii* (Heward ex Hook.) Ching
 [12] *Gleichenia cunninghamii* var. *montanum* Dobbie = *Sticherus cunninghamii* (Heward ex Hook.) Ching
 [12] *Gleichenia dicarpa* R.Br.
 [12] *Gleichenia dicarpa* var. *alpina* (R.Br.) Hook.f. = *Gleichenia alpina* R.Br.
 [12] *Gleichenia dicarpa* var. *hecistophylla* (A.Cunn.) G.Schneid. = *Gleichenia dicarpa* R.Br.
 [12] *Gleichenia dicarpa* var. *longipinnata* T.Moore ex G.Schneid. = *Gleichenia dicarpa* R.Br.
 [12] *Gleichenia dicarpa* var. *major* T.Moore = *Gleichenia dicarpa* R.Br.
 [11] *Gleichenia dichotoma* (Thunb.) Hook. = *Dicranopteris linearis* (Burm.f.) Underw.
 [12] *Gleichenia flabellata* R.Br. = *Sticherus flabellatus* (R.Br.) H.St.John
 [12] *Gleichenia flabellata* var. *tenuera* (R.Br.) Hook.f. = *Sticherus tener* (R.Br.) Ching
 [12] *Gleichenia hecistophylla* A.Cunn. = *Gleichenia dicarpa* R.Br.
 [11] *Gleichenia hermannii* R.Br. = *Dicranopteris linearis* (Burm.f.) Underw.
 [12] *Gleichenia inclusisora* Perrie, L.D.Sheph. & Brownsey
 [11] *Gleichenia linearis* (Burm.f.) C.B.Clarke = *Dicranopteris linearis* (Burm.f.) Underw.
 [12] *Gleichenia littoralis* Colenso = *Sticherus flabellatus* (R.Br.) H.St.John
 [12] *Gleichenia microphylla* R.Br.
 [12] *Gleichenia microphylla* var. *semivestita* (Labill.) Alderw. = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia patens* Colenso = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia semivestita* Labill. = *Gleichenia microphylla* R.Br.
 [12] *Gleichenia semivestita* var. *hecistophylla* (A.Cunn.) Hook.f. = *Gleichenia dicarpa* R.Br.
 [12] *Gleichenia tenera* R.Br. = *Sticherus tener* (R.Br.) Ching
 [11] *Gleicheniaceae* C.Presl
 [11] *Gleicheniales* Schimp.
 [12] *Gleicheniastrum* C.Presl = *Gleichenia* Sm.
 [12] *Gleicheniastrum hecistophyllum* (A.Cunn.) Nakai = *Gleichenia dicarpa* R.Br.
 [12] *Gleicheniastrum hecistophyllum* var. *majus* (T.Moore) Nakai = *Gleichenia dicarpa* R.Br.
 [12] *Gleicheniastrum microphyllum* (R.Br.) C.Presl = *Gleichenia microphylla* R.Br.
 [12] *Gleicheniastrum microphyllum* var. *semivestitum* (Labill.) Nakai = *Gleichenia microphylla* R.Br.
 [12] *Gleicheniastrum semivestitum* (Labill.) C.Presl = *Gleichenia microphylla* R.Br.
 [21] *Goniopteris forsteri* T.Moore = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [21] *Goniopteris pennigera* (G.Forst.) J.Sm. = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [19] *Grammitis araucana* Phil. = *Notogrammitis angustifolia* (Jacq.) Parris
 [20] *Grammitis armstrongii* Tindale = *Notogrammitis crassior* (Kirk) Parris
 [19] *Grammitis australis* R.Br. = *Notogrammitis billardierei* (Willd.) Parris
 [19] *Grammitis australis* var. *alpina* S.Jones = *Notogrammitis crassior* (Kirk) Parris
 [20] *Grammitis australis* var. *nana* Franch. = *Notogrammitis crassior* (Kirk) Parris
 [19] *Grammitis australis* var. *villosa* Hook.f. = *Notogrammitis ciliata* (Colenso) Parris
 [19] *Grammitis billardierei* Willd. = *Notogrammitis billardierei* (Willd.) Parris
 [19] *Grammitis billardierei* var. *magellanica* (Desv.) de la Sota = *Notogrammitis angustifolia* (Jacq.) Parris
 [20] *Grammitis billardierei* var. *magellanica* f. *nana* (Franch.) de la Sota = *Notogrammitis crassior* (Kirk) Parris
 [19] *Grammitis ciliata* Colenso = *Notogrammitis ciliata* (Colenso) Parris
 [20] *Grammitis crassa* Fée = *Notogrammitis rigida* (Hombr.) Parris
 [20] *Grammitis givenii* Parris = *Notogrammitis givenii* (Parris) Parris
 [20] *Grammitis grammatis* (R.Br.) Keyserl. = *Notogrammitis heterophylla* (Labill.) Parris
 [20] *Grammitis gunnii* Parris = *Notogrammitis gunnii* (Parris) Parris
 [20] *Grammitis heterophylla* Labill. = *Notogrammitis heterophylla* (Labill.) Parris
 [19] *Grammitis humilis* Hombr. = *Notogrammitis billardierei* (Willd.) Parris
 [20] *Grammitis kerguelensis* Tardieu = *Notogrammitis crassior* (Kirk) Parris
 [20] *Grammitis leptophylla* (L.) Sw. = *Anogramma leptophylla* (L.) Link
 [19] *Grammitis magellanica* Desv. = *Notogrammitis angustifolia* (Jacq.) Parris
 [19] *Grammitis magellanica* f. *nana* (Brack.) de la Sota = *Notogrammitis crassior* (Kirk) Parris
 [19] *Grammitis magellanica* Desv. subsp. *magellanica* = *Notogrammitis angustifolia* (Jacq.) Parris subsp. *angustifolia*
 [19] *Grammitis magellanica* subsp. *nothofageti* Parris = *Notogrammitis angustifolia* subsp. *nothofageti* (Parris) Parris
 [19] *Grammitis meridionalis* Parris = *Notogrammitis billardierei* (Willd.) Parris
 [19] *Grammitis nana* Brack. = *Notogrammitis crassior* (Kirk) Parris
 [20] *Grammitis patagonica* (C.Chr.) Parris = *Notogrammitis patagonica* (C.Chr.) Parris
 [19] *Grammitis poeppigiana* (Mett.) Pic.Serm. = *Notogrammitis angustifolia* (Jacq.) Parris
 [20] *Grammitis pseudociliata* Parris = *Notogrammitis pseudociliata* (Parris) Parris
 [19] *Grammitis pumila* J.B.Armstr. = *Notogrammitis crassior* (Kirk) Parris
 [20] *Grammitis rawlingsii* Parris = *Notogrammitis rawlingsii* (Parris) Parris
 [20] *Grammitis rigidula* Hombr. = *Notogrammitis rigidula* (Hombr.) Parris
 [15] *Grammitis rutaefolia* R.Br. = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
 [15] *Gymnogramma alpina* Potts = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
-

- [20] *Gymnogramma billardierei* Kaulf. = *Notogrammitis heterophylla* (Labill.) Parris
 [20] *Gymnogramma leptophylla* (L.) Desv. = *Anogramma leptophylla* (L.) Link
 [20] *Gymnogramma novae-zelandiae* Colenso = *Anogramma leptophylla* (L.) Link
 [15] *Gymnogramma pozoi* var. *rutaefolia* (R.Br.) Hook. & Baker = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
- [15] *Gymnogramma rutaefolia* (R.Br.) Desv. = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
 [15] *Gymnogramma subglandulosa* Hook. & Grev. = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
 [15] *Gymnopteris discolor* (G.Forst.) Bernh. = *Blechnum discolor* (G.Forst.) Keyserl.
 [15] *Hemionitis discolor* (G.Forst.) Schkuhr = *Blechnum discolor* (G.Forst.) Keyserl.
 [20] *Hemionitis leptophylla* (L.) Lag. = *Anogramma leptophylla* (L.) Link
- [11] *Hemitelia* R.Br. = *Cyathea* Sm.
 [11] *Hemitelia falciloba* Colenso = *Cyathea dealbata* (G.Forst.) Sw.
 [11] *Hemitelia microphylla* Colenso = *Cyathea smithii* Hook.f.
 [11] *Hemitelia smithii* (Hook.f.) Hook. ex Hook. & Baker = *Cyathea smithii* Hook.f.
 [11] *Hemitelia smithii* var. *microphylla* (Colenso) Cheeseman = *Cyathea smithii* Hook.f.
 [11] *Hemitelia stellulata* Colenso = *Cyathea smithii* Hook.f.
- [17] *Histiopteris* (J.Agardh) J.Sm.
 [17] *Histiopteris incisa* (Thunb.) J.Sm.
 [17] *Histiopteris vespertilionis* (Labill.) J.Sm. = *Histiopteris incisa* (Thunb.) J.Sm.
- [9] *Huperzia* Bernh.
 [9] *Huperzia australiana* (Herter) Holub
 [9] *Huperzia billardierei* (Spring) Rothm. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Huperzia drummondii* (Kunze) Christenh. & H.Schneid. = *Phylloglossum drummondii* Kunze
 [10] *Huperzia helmii* (Nessel) Holub = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Huperzia novozealandica* (Colenso) Holub = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Huperzia polaris* (Herter ex Nessel) Holub = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Huperzia varia* (R.Br.) Rothm. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Huperzia varia* (R.Br.) Trevis. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
- [12] *Hymenophyllaceae* Mart.
 [12] *Hymenophyllales* A.B.Frank
 [12] *Hymenophyllum* Sm.
 [12] *Hymenophyllum aeruginosum* var. *franklinianum* Hook. = *Hymenophyllum frankliniae* Colenso
 [13] *Hymenophyllum alpinum* Colenso = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [12] *Hymenophyllum antarcticum* C.Presl = *Hymenophyllum cupressiforme* Labill.
 [12] *Hymenophyllum armstrongii* (Baker) Kirk
 [12] *Hymenophyllum atrovirens* Colenso = *Hymenophyllum australe* Willd.
 [12] *Hymenophyllum aucklandicum* Bosch = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum australe* Willd.
 [12] *Hymenophyllum austrole* var. *atrovirens* (Colenso) C.Chr. = *Hymenophyllum australe* Willd.
 [12] *Hymenophyllum austrole* var. *aucklandicum* (Bosch) C.Chr. = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum austrole* var. *flexuosum* (A.Cunn.) C.Chr. = *Hymenophyllum flexuosum* A.Cunn.
 [12] *Hymenophyllum bivalve* (G.Forst.) Sw.
 [12] *Hymenophyllum cheesemanii* Baker = *Hymenophyllum armstrongii* (Baker) Kirk
 [12] *Hymenophyllum cheesemanii* var. *armstrongii* (Baker) Cheeseman = *Hymenophyllum armstrongii* (Baker) Kirk
 [13] *Hymenophyllum cristulatum* Rosenst. = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [12] *Hymenophyllum cupressiforme* Labill.
 [12] *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum demissum* var. *megalocarpum* (Colenso) C.Chr. = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum demissum* var. *polychilum* (Colenso) Domin = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [12] *Hymenophyllum erecto-alatum* Colenso = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum flabellatum* Labill.
 [12] *Hymenophyllum flexuosum* A.Cunn.
 [12] *Hymenophyllum frankliniae* Colenso
 [12] *Hymenophyllum franklinianum* Colenso = *Hymenophyllum frankliniae* Colenso
 [13] *Hymenophyllum imbricatum* Colenso = *Hymenophyllum rarum* R.Br.
 [12] *Hymenophyllum javanicum* var. *atrovirens* (Colenso) Hook. & Baker = *Hymenophyllum australe* Willd.
 [13] *Hymenophyllum lophocarpum* Colenso = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [12] *Hymenophyllum lyallii* Hook.f.
 [12] *Hymenophyllum malingii* (Hook.) Mett.
 [12] *Hymenophyllum megalocarpum* Colenso = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Hymenophyllum melanocheilos* Colenso = *Hymenophyllum armstrongii* (Baker) Kirk
 [13] *Hymenophyllum minimum* A.Rich.
 [12] *Hymenophyllum montanum* Kirk = *Hymenophyllum australe* Willd.
 [13] *Hymenophyllum multifidum* (G.Forst.) Sw.
 [13] *Hymenophyllum multifidum* var. *alpinum* (Colenso) Domin = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [13] *Hymenophyllum multifidum* var. *oligocarpum* (Colenso) Domin = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [13] *Hymenophyllum multifidum* var. *truncatum* (Colenso) Domin = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [12] *Hymenophyllum neozelandicum* Gand. = *Hymenophyllum flexuosum* A.Cunn.
 [13] *Hymenophyllum nephrophyllum* Ebihara & K.Iwats.
 [12] *Hymenophyllum nitens* R.Br. = *Hymenophyllum flabellatum* Labill.
 [13] *Hymenophyllum oligocarpum* Colenso = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [13] *Hymenophyllum peltatum* (Poir.) Desv.
 [13] *Hymenophyllum pluviatile* Perrie & Brownsey
 [13] *Hymenophyllum polyanthos* (Sw.) Sw.
 [13] *Hymenophyllum polyanthos* var. *sanguinolentum* (G.Forst.) Hook. ex Hook.f. = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [12] *Hymenophyllum polychilum* Colenso = *Hymenophyllum demissum* (G.Forst.) Sw.
 [13] *Hymenophyllum pulcherrimum* Colenso
 [13] *Hymenophyllum pusillum* Colenso = *Hymenophyllum revolutum* Colenso
-

- [13] *Hymenophyllum pygmaeum* Colenso = *Hymenophyllum minimum* A.Rich.
 [12] *Hymenophyllum pyriforme* Bosch = *Hymenophyllum bivalve* (G.Forst.) Sw.
 [13] *Hymenophyllum rarum* R.Br.
 [13] *Hymenophyllum revolutum* Colenso
 [13] *Hymenophyllum rufescens* Kirk
 [13] *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [13] *Hymenophyllum sanguinolentum* var. *lophocarpum* (Colenso) Domin = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [13] *Hymenophyllum scabrum* A.Rich.
 [13] *Hymenophyllum scabrum* var. *hirtum* Colenso = *Hymenophyllum scabrum* A.Rich.
 [13] *Hymenophyllum semibivalve* Hook. & Grev. = *Hymenophyllum rarum* R.Br.
 [12] *Hymenophyllum sororium* (C.Presl) Bosch = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [12] *Hymenophyllum spathulatum* Colenso = *Hymenophyllum bivalve* (G.Forst.) Sw.
 [13] *Hymenophyllum truncatum* Colenso = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [12] *Hymenophyllum tunbridgense* var. *cupressiforme* (Labill.) Hook.f. = *Hymenophyllum cupressiforme* Labill.
 [13] *Hymenophyllum tunbridgense* var. *unilaterale* (Willd.) G.M.Thomson = *Hymenophyllum peltatum* (Poir.) Desv.
 [13] *Hymenophyllum unilaterale* Willd. = *Hymenophyllum peltatum* (Poir.) Desv.
 [13] *Hymenophyllum villosum* Colenso
 [13] *Hymenophyllum zeelandicum* Bosch = *Hymenophyllum revolutum* Colenso
 [17] *Hypolepis* Bernh.
 [17] *Hypolepis amaurorhachis* (Kunze) Hook.
 [17] *Hypolepis ambigua* (A.Rich.) Brownsey & Chinnock
 [17] *Hypolepis dicksonioides* (Endl.) Hook.
 [17] *Hypolepis distans* Hook.
 [17] *Hypolepis endlicheriana* C.Presl = *Hypolepis dicksonioides* (Endl.) Hook.
 [17] *Hypolepis lactea* Brownsey & Chinnock
 [17] *Hypolepis millefolium* Hook.
 [17] *Hypolepis petrieana* Carse = *Hypolepis ambigua* (A.Rich.) Brownsey & Chinnock
 [17] *Hypolepis rufovaria* (Colenso) N.A.Wakef.
 [17] *Hypolepis subantarctica* Brownsey & Chinnock = *Hypolepis amaurorhachis* (Kunze) Hook.
 [17] *Hypolepis tenuifolia* var. *pellucida* (Colenso) Hook. = *Hypolepis dicksonioides* (Endl.) Hook.
 [18] *Hypopeltis coriacea* (Sw.) Bory in Bél. = *Rumohra adiantiformis* (G.Forst.) Ching
 [18] *Hypopeltis prolifera* (R.Br.) Bory in Bél. = *Polystichum proliferum* (R.Br.) C.Presl
 [9] *Isoetaceae*
 [9] *Isoetales* Prantl
 [9] *Isoetes* L.
 [9] *Isoetes alpina* Kirk
 [9] *Isoetes kirkii* A.Braun
 [9] *Isoetes multiangularis* Colenso = *Isoetes kirkii* A.Braun
 [17] *Lastrea aristata* (G.Forst.) T.Moore = *Arachniodes aristata* (G.Forst.) Tindale
 [18] *Lastrea glabella* (A.Cunn.) Houlston & T.Moore = *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Lastrea hispida* (Sw.) Houlston & T.Moore = *Lastreopsis hispida* (Sw.) Tindale
 [21] *Lastrea invisa* J.B.Armstr. = *Thelypteris confluens* (Thunb.) C.V.Morton
 [21] *Lastrea pennigera* (G.Forst.) C.Presl = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [17] *Lastrea pseudomas* Woll. = *Dryopteris affinis* (Lowe) Fraser-Jenk.
 [21] *Lastrea torresiana* (Gaudich.) T.Moore = *Macrothelypteris torresiana* (Gaudich.) Ching
 [18] *Lastrea velutina* (A.Rich.) Brack. = *Lastreopsis velutina* (A.Rich.) Tindale
 [18] *Lastreopsis* Ching
 [18] *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Lastreopsis hispida* (Sw.) Tindale
 [18] *Lastreopsis kermadecensis* Perrie & Brownsey
 [18] *Lastreopsis microsora* (Endl.) Tindale
 [18] *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale
 [18] *Lastreopsis* sp. nov. Tindale = *Lastreopsis kermadecensis* Perrie & Brownsey
 [18] *Lastreopsis velutina* (A.Rich.) Tindale
 [9] *Lateristachys* Holub = *Lycopodiella* Holub
 [9] *Lateristachys diffusa* (R.Br.) Holub = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lateristachys lateralis* (R.Br.) Holub = *Lycopodiella lateralis* (R.Br.) B.Øllg.
 [9] *Lateristachys ramulosa* (Kirk) Holub = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [19] *Lepidonevron* Fée = *Nephrolepis* Schott
 [9] *Lepidotis* Mirbel = *Lycopodium* L.
 [9] *Lepidotis cernua* (L.) P.Beauv. = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lepidotis densa* Rothm. = *Lycopodium deuterodensum* Herter
 [9] *Lepidotis diffusa* (R.Br.) Rothm. = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lepidotis drummondii* (Spring) Rothm. = *Lycopodiella serpentina* (Kunze) B.Øllg.
 [9] *Lepidotis lateralis* (R.Br.) Rothm. = *Lycopodiella lateralis* (R.Br.) B.Øllg.
 [9] *Lepidotis magellanica* P.Beauv. = *Lycopodium fastigiatum* R.Br.
 [9] *Lepidotis volubilis* (G.Forst.) Rothm. = *Lycopodium volubile* G.Forst.
 [12] *Leptocionium sororium* C.Presl = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [17] *Leptolepia* Mett. ex Diels
 [17] *Leptolepia novae-zelandiae* (Colenso) Mett. ex Diels
 [13] *Leptopteris* C.Presl
 [13] *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [13] *Leptopteris marginata* (Colenso) C.Chr. = *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [13] *Leptopteris superba* (Colenso) C.Presl
 [16] *Leucostegia griffithiana* (Hook.) J.Sm. = *Davallia griffithiana* Hook.
 [18] *Lindsaea Dryand.* ex Sm.
 [18] *Lindsaea cuneata* (G.Forst.) C.Chr. = *Lindsaea trichomanoides* Dryand.
 [18] *Lindsaea cuneata* var. *lessonii* (Bory) C.Chr. = *Lindsaea trichomanoides* Dryand.
 [18] *Lindsaea lessonii* Bory = *Lindsaea trichomanoides* Dryand.
-

- [18] *Lindsaea linearis* Sw.
 [18] *Lindsaea linearis* var. *trilobata* (Colenso) C.Chr. = *Lindsaea linearis* Sw.
 [18] *Lindsaea lunata* Willd. = *Lindsaea linearis* Sw.
 [18] *Lindsaea trichomanoides* Dryand.
 [18] *Lindsaea trichomanoides* var. *lessonii* (Bory) Hook.f. = *Lindsaea trichomanoides* Dryand.
 [18] *Lindsaea trilobata* Colenso = *Lindsaea linearis* Sw.
 [18] *Lindsaea viridis* Colenso
 [18] *Lindsaeaceae* C.Presl ex M.R.Schomb.
 [21] *Litobrochia comans* (G.Forst.) C.Presl = *Pteris comans* G.Forst.
 [17] *Litobrochia incisa* (Thunb.) C.Presl = *Histiopteris incisa* (Thunb.) J.Sm.
 [21] *Litobrochia macilenta* (A.Rich.) J.Sm. = *Pteris macilenta* A.Rich.
 [17] *Litobrochia vespertilionis* (Labill.) C.Presl = *Histiopteris incisa* (Thunb.) J.Sm.
 [15] *Lomaria* Willd. = *Blechnum* L.
 [16] *Lomaria alpina* (R.Br.) Spreng. = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Lomaria alternans* Colenso = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [15] *Lomaria banksii* Hook.f. = *Blechnum blechnoides* (Bory) Keyserl.
 [15] *Lomaria blechnoides* Bory = *Blechnum blechnoides* (Bory) Keyserl.
 [16] *Lomaria capensis* var. *minor* (R.Br.) Cheeseman = *Blechnum minus* (R.Br.) Ettingsh.
 [15] *Lomaria colensoi* Hook.f. = *Blechnum colensoi* (Hook.f.) N.A.Wakef.
 [16] *Lomaria deflexa* Colenso = *Blechnum vulcanicum* (Blume) Kuhn
 [16] *Lomaria deltoidea* Colenso = *Blechnum vulcanicum* (Blume) Kuhn
 [15] *Lomaria discolor* (G.Forst.) Willd. = *Blechnum discolor* (G.Forst.) Keyserl.
 [16] *Lomaria distans* Colenso = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [15] *Lomaria doodiodoides* Brack. = *Blechnum chambersii* Tindale
 [16] *Lomaria duplicita* Potts = *Blechnum procerum* (G.Forst.) Sw.
 [15] *Lomaria dura* T.Moore = *Blechnum durum* (T.Moore) C.Chr.
 [15] *Lomaria filiformis* A.Cunn. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Lomaria fluviatilis* (R.Br.) Spreng. = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [15] *Lomaria fluviatilis* var. *ramosa* Colenso = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [15] *Lomaria fraseri* A.Cunn. = *Blechnum fraseri* (A.Cunn.) Luerss.
 [15] *Lomaria heterophylla* Colenso = *Blechnum colensoi* (Hook.f.) N.A.Wakef.
 [16] *Lomaria intermedia* Colenso = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [15] *Lomaria lanceolata* (R.Br.) Spreng. = *Blechnum chambersii* Tindale
 [16] *Lomaria latifolia* Colenso = *Blechnum procerum* (G.Forst.) Sw.
 [15] *Lomaria leyboldianum* Phil. = *Blechnum blechnoides* (Bory) Keyserl.
 [16] *Lomaria linearis* Colenso = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Lomaria membranacea* Colenso ex Hook. = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Lomaria minor* (R.Br.) Spreng. = *Blechnum minus* (R.Br.) Ettingsh.
 [16] *Lomaria nigra* Colenso = *Blechnum nigrum* (Colenso) Mett.
 [16] *Lomaria oligoneuron* Colenso = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Lomaria parvifolia* Colenso = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Lomaria paucijuga* Colenso = *Blechnum vulcanicum* (Blume) Kuhn
 [15] *Lomaria pimpinellifolia* Hook.f. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [16] *Lomaria procera* (G.Forst.) Spreng. = *Blechnum procerum* (G.Forst.) Sw.
 [16] *Lomaria procera* var. *flagelliformis* Szyszyl. = *Blechnum novae-zelandiae* T.C.Chambers & P.A.Farrant
 [16] *Lomaria procera* var. *gracilis* Colenso = *Blechnum minus* (R.Br.) Ettingsh.
 [16] *Lomaria procera* var. *minor* (R.Br.) Hook.f. = *Blechnum minus* (R.Br.) Ettingsh.
 [16] *Lomaria procera* var. *tegmentosa* Hombr. = *Blechnum montanum* T.C.Chambers & P.A.Farrant
 [15] *Lomaria propinqua* A.Cunn. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [16] *Lomaria pumila* Raoul = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Lomaria pygmaea* Colenso = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [15] *Lomaria rigida* J.Sm. = *Blechnum durum* (T.Moore) C.Chr.
 [15] *Lomaria rotundifolia* Raoul = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [15] *Lomaria rotundifolia* Colenso = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [16] *Lomaria vulcanica* Blume = *Blechnum vulcanicum* (Blume) Kuhn
 [15] *Lomariopsis heteromorpha* (J.Sm.) T.Moore = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Lomariopsis hugelii* C.Presl = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [19] *Loxogramme* (Blume) C.Presl
 [19] *Loxogramme dictyopteris* (Mett.) Copel.
 [11] *Loxsoma* R.Br. ex Hook.
 [11] *Loxsoma cunninghamii* R.Br. ex Hook.
 [11] *Loxsomataceae* C.Presl
 [9] *Lycopodiaceae* P.Beauv. ex Lam. & Mirbel
 [9] *Lycopodiales* DC. ex Bercht. & J.Presl
 [9] *Lycopodiella* Holub
 [9] *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lycopodiella lateralis* (R.Br.) B.Øllg.
 [9] *Lycopodiella ramulosa* (Kirk) B.Øllg. = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lycopodiella serpentina* (Kunze) B.Øllg.
 [9] *Lycopodiophytina*
 [9] *Lycopodiopsida*
 [9] *Lycopodium* L.
 [9] *Lycopodium arctenentis* Herter = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium australianum* Herter = *Huperzia australiana* (Herter) Holub
 [9] *Lycopodium australianum* (Herter) Allan = *Huperzia australiana* (Herter) Holub
 [9] *Lycopodium berggrenii* (Herter ex Nessel) Herter = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium billardierei* Spring = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Lycopodium billardierei* var. *gracile* (Kirk) Cheeseman = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
-

- [9] *Lycopodium cernuum* L. = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodium cernuum* var. *curvatum* (Sw.) Nessel = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodium cernuum* var. *vulcanicum* (Blume) Nessel = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodium clavatum* var. *fastigiatum* (R.Br.) Benth. = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium clavatum* var. *magellanicum* (P.Beauv.) Hook.f. = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium cochinchinense* Herter ex Nessel = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium consimilis* Colenso = *Lycopodiella lateralis* (R.Br.) B.Øllg.
 [9] *Lycopodium curvatum* Sw. = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodium curvifolium* Colenso = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium decurrens* Colenso = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium decurrens* R.Br. = *Lycopodium scariosum* G.Forst.
 [9] *Lycopodium densum* Labill. = *Lycopodium deuterodensum* Herter
 [9] *Lycopodium deuterodensum* Herter
 [9] *Lycopodium diffusum* R.Br. = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lycopodium distans* Colenso = *Lycopodium scariosum* G.Forst.
 [9] *Lycopodium drummondii* Spring = *Lycopodiella serpentina* (Kunze) B.Øllg.
 [9] *Lycopodium durvillaei* A.Rich. = *Lycopodium volubile* G.Forst.
 [9] *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium fastigiatum* var. *colensoi* Nessel = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium flagellaria* A.Rich. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Lycopodium kraussianum* Kunze = *Selaginella kraussiana* (Kunze) A.Braun
 [9] *Lycopodium laterale* R.Br. = *Lycopodiella lateralis* (R.Br.) B.Øllg.
 [9] *Lycopodium laterale* var. *diffusum* (R.Br.) Hook.f. = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [9] *Lycopodium lessonianum* A.Rich. = *Lycopodium scariosum* G.Forst.
 [9] *Lycopodium magellanicum* (P.Beauv.) Sw. = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium magellanicum* var. *berggrenii* Herter ex Nessel = *Lycopodium fastigiatum* R.Br.
 [10] *Lycopodium novozealandicum* Colenso = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Lycopodium nudum* L. = *Psilotum nudum* (L.) P.Beauv.
 [9] *Lycopodium pachystachyum* Desv. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium polyccephalum* Colenso = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Lycopodium ramulosum* Kirk = *Lycopodiella diffusa* (R.Br.) B.Øllg.
 [10] *Lycopodium sanguisorba* Spring = *Phylloglossum drummondii* Kunze
 [9] *Lycopodium scariosum* G.Forst.
 [9] *Lycopodium scariosum* var. *decurrens* (R.Br.) Hook. = *Lycopodium scariosum* G.Forst.
 [9] *Lycopodium scopulosum* Colenso = *Lycopodium fastigiatum* R.Br.
 [9] *Lycopodium selago* var. *flagellaria* (A.Rich.) F.Muell. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium serpentinum* Kunze = *Lycopodiella serpentina* (Kunze) B.Øllg.
 [11] *Lycopodium tannense* Spreng. = *Tmesipteris tannensis* (Spreng.) Bernh.
 [9] *Lycopodium varium* R.Br. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium varium* var. *alpinum* R.Br. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium varium* var. *billardierei* (Spring) Kirk = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Lycopodium varium* var. *gracile* Kirk = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [10] *Lycopodium varium* var. *polaris* Kirk = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium varium* var. *umbrosum* R.Br. = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [9] *Lycopodium volubile* G.Forst.
 [9] *Lycopodium volubile* var. *durvillaei* (A.Rich.) Nessel = *Lycopodium volubile* G.Forst.
 [22] *Lygodiaceae* M.Roem.
 [22] *Lygodium* Sw.
 [22] *Lygodium articulatum* A.Rich.
 [22] *Lygodium gracilescens* Colenso = *Lygodium articulatum* A.Rich.
 [13] *Macroglea caudata* (Brack.) Copel. = *Trichomanes caudatum* Brack.
 [13] *Macroglea stricta* (Menzies ex Hook. & Grev.) Copel. = *Trichomanes strictum* Menzies ex Hook. & Grev.
 [21] *Macrothelypteris* (H.Ito) Ching
 [21] *Macrothelypteris torresiana* (Gaudich.) Ching
 [10] *Marattia salicina* Sm. = *Ptisana salicina* (Sm.) Murdock
 [10] *Marattiaceae* Kaulf.
 [10] *Marattiales* Link
 [10] *Marattiidae*
 [22] *Marsilea* L.
 [22] *Marsilea mutica* Mett.
 [22] *Marsileaceae* Mirb.
 [12] *Mecodium atrovirens* (Colenso) Copel. = *Hymenophyllum australe* Willd.
 [12] *Mecodium australe* (Willd.) Copel. = *Hymenophyllum australe* Willd.
 [12] *Mecodium demissum* (G.Forst.) Copel. = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Mecodium dilatatum* (G.Forst.) Copel. = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [12] *Mecodium flabellatum* (Labill.) Copel. = *Hymenophyllum flabellatum* Labill.
 [12] *Mecodium flexuosum* (A.Cunn.) Copel. = *Hymenophyllum flexuosum* A.Cunn.
 [12] *Mecodium montanum* (Kirk) Copel. = *Hymenophyllum australe* Willd.
 [13] *Mecodium pulcherrimum* (Colenso) Copel. = *Hymenophyllum pulcherrimum* Colenso
 [13] *Mecodium rarum* (R.Br.) Copel. = *Hymenophyllum rarum* R.Br.
 [13] *Mecodium rufescens* (Kirk) Copel. = *Hymenophyllum rufescens* Kirk
 [13] *Mecodium sanguinolentum* (G.Forst.) C.Presl = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [13] *Mecodium scabrum* (A.Rich.) Copel. = *Hymenophyllum scabrum* A.Rich.
 [13] *Mecodium villosum* (Colenso) Copel. = *Hymenophyllum villosum* Colenso
 [12] *Meringium bivalve* (G.Forst.) Copel. = *Hymenophyllum bivalve* (G.Forst.) Sw.
 [13] *Meringium minimum* (A.Rich.) Copel. = *Hymenophyllum minimum* A.Rich.
 [13] *Meringium multifidum* (G.Forst.) Copel. = *Hymenophyllum multifidum* (G.Forst.) Sw.
 [11] *Mertensia* Willd. = *Dicranopteris* Bernh.
 [12] *Mertensia alpina* (R.Br.) Poir. = *Gleichenia alpina* R.Br.
-

- [12] *Mertensia dicarpa* (R.Br.) Poir. = *Gleichenia dicarpa* R.Br.
 [11] *Mertensia dichotoma* (Thunb.) Willd. = *Dicranopteris linearis* (Burm.f.) Underw.
 [12] *Mertensia flabellata* (R.Br.) Poir. = *Sticherus flabellatus* (R.Br.) H.St.John
 [11] *Mertensia hermannii* (R.Br.) Poir. = *Dicranopteris linearis* (Burm.f.) Underw.
 [11] *Mertensia linearis* (Burm.f.) Fritsch = *Dicranopteris linearis* (Burm.f.) Underw.
 [12] *Mertensia microphylla* (R.Br.) Kaulf. = *Gleichenia microphylla* R.Br.
 [12] *Mertensia tenera* (R.Br.) Poir. = *Sticherus tener* (R.Br.) Ching
 [17] *Microlepia* C.Presl
 [17] *Microlepia novae-zelandiae* (Colenso) J.Sm. = *Leptolepia novae-zelandiae* (Colenso) Mett. ex Diels
 [17] *Microlepia pinkneyi* (Colenso) C.Chr. = *Microlepia strigosa* (Thunb.) C.Presl
 [17] *Microlepia strigosa* (Thunb.) C.Presl
 [22] *Microschizaea* C.F.Reed = *Schizaea* Sm.
 [22] *Microschizaea australis* (Gaudich.) C.F.Reed = *Schizaea australis* Gaudich.
 [22] *Microschizaea fistulosa* (Labill.) C.F.Reed = *Schizaea fistulosa* Labill.
 [19] *Microsorum* Link
 [19] *Microsorum diversifolium* (Willd.) Copel. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Microsorum novae-zealandiae* (Baker) Copel.
 [19] *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Microsorum pustulatum* (G.Forst.) Copel. subsp. *pustulatum*
 [19] *Microsorum scandens* (G.Forst.) Tindale
 [12] *Microtrichomanes armstrongii* (Baker) Copel. = *Hymenophyllum armstrongii* (Baker) Kirk
 [17] *Nephrodium* Rich. = *Dryopteris* Adans.
 [17] *Nephrodium affine* Lowe = *Dryopteris affinis* (Lowe) Fraser-Jenk.
 [17] *Nephrodium aristatum* (G.Forst.) C.Presl = *Arachniodes aristata* (G.Forst.) Tindale
 [19] *Nephrodium brownii* Desv. = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [18] *Nephrodium decompositum* var. *glabellum* (A.Cunn.) Hook.f. = *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Nephrodium decompositum* var. *microphyllum* Hook. = *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Nephrodium decompositum* var. *pubescens* Hook.f. = *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale
 [18] *Nephrodium glabellum* A.Cunn. = *Lastreopsis glabella* (A.Cunn.) Tindale
 [18] *Nephrodium hispidum* (Sw.) Hook. = *Lastreopsis hispida* (Sw.) Tindale
 [21] *Nephrodium inaequilaterum* Colenso = *Cyclosorus interruptus* (Willd.) H.Ito
 [21] *Nephrodium molle* (Sw.) R.Br. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Nephrodium nymphale* (G.Forst.) Desv. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Nephrodium pennigerum* (G.Forst.) C.Presl = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [18] *Nephrodium pentangularum* Colenso = *Lastreopsis microsora* subsp. *pentangularis* (Colenso) Tindale
 [21] *Nephrodium propinquum* R.Br. = *Cyclosorus interruptus* (Willd.) H.Ito
 [19] *Nephrodium regulare* Desv. = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [21] *Nephrodium remotum* Heward = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Nephrodium squamulosum* Hook.f. = *Thelypteris confluens* (Thunb.) C.V.Morton
 [21] *Nephrodium thelypteris* var. *squamulosum* (Hook.f.) Hook. = *Thelypteris confluens* (Thunb.) C.V.Morton
 [19] *Nephrodium tuberosum* (Bory ex Willd.) Desv. = *Nephrolepis cordifolia* (L.) C.Presl
 [18] *Nephrodium velutinum* (A.Rich.) Hook.f. = *Lastreopsis velutina* (A.Rich.) Tindale
 [19] *Nephrolepidaceae* Pic.Serm.
 [19] *Nephrolepis* Schott
 [19] *Nephrolepis acutangula* C.Presl = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis auriculata* (L.) Trimen = *Nephrolepis cordifolia* (L.) C.Presl
 [19] *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis cordifolia* (L.) C.Presl
 [19] *Nephrolepis cordifolia* (L.) C.Presl var. *cordifolia* = *Nephrolepis cordifolia* (L.) C.Presl
 [19] *Nephrolepis cordifolia* var. *lauterbachii* Christ = *Nephrolepis flexuosa* Colenso
 [19] *Nephrolepis exaltata* (L.) Schott
 [19] *Nephrolepis flexuosa* Colenso
 [19] *Nephrolepis floccigera* (Blume) T.Moore = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis multiflora* (Roxb.) C.V.Morton = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis pubescens* Copel. = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis tomentosa* Alderw. = *Nephrolepis brownii* (Desv.) Hovenkamp & Miyam.
 [19] *Nephrolepis tuberosa* (Bory ex Willd.) C.Presl = *Nephrolepis cordifolia* (L.) C.Presl
 [19] *Niphidium* J.Sm.
 [19] *Niphidium crassifolium* (L.) Lellinger
 [20] *Niphobolus* Kaulf. = *Pyrrhia* Mirb.
 [20] *Notholaena distans* R.Br. = *Cheilanthes distans* (R.Br.) Mett.
 [19] *Notogrammitis* Parris
 [19] *Notogrammitis angustifolia* (Jacq.) Parris
 [19] *Notogrammitis angustifolia* (Jacq.) Parris subsp. *angustifolia*
 [19] *Notogrammitis angustifolia* subsp. *nothofageti* (Parris) Parris
 [19] *Notogrammitis billardierei* (Willd.) Parris
 [19] *Notogrammitis ciliata* (Colenso) Parris
 [19] *Notogrammitis crassior* (Kirk) Parris
 [20] *Notogrammitis givenii* (Parris) Parris
 [20] *Notogrammitis gunnii* (Parris) Parris
 [20] *Notogrammitis heterophylla* (Labill.) Parris
 [20] *Notogrammitis patagonica* (C.Chr.) Parris
 [20] *Notogrammitis pseudociliata* (Parris) Parris
 [20] *Notogrammitis rawlingsii* (Parris) Parris
 [20] *Notogrammitis rigida* (Hombr.) Parris
 [18] *Odontosoria* Fée
 [18] *Odontosoria chinensis* (L.) J.Sm.
 [18] *Odontosoria viridis* (Colenso) Kuhn = *Lindsaea viridis* Colenso
 [19] *Onoclea* L.
-

- [15] *Onoclea discolor* (G.Forst.) Sw. = *Blechnum discolor* (G.Forst.) Keyserl.
 [16] *Onoclea procera* (G.Forst.) Spreng. = *Blechnum procerum* (G.Forst.) Sw.
 [19] *Onoclea sensibilis* L.
 [19] *Oncocleaceae*
 [10] *Ophioglossaceae* Martinov
 [10] *Ophioglossales* Link
 [10] *Ophioglossidae*
 [10] *Ophioglossum* L.
 [10] *Ophioglossum coriaceum* A.Cunn.
 [10] *Ophioglossum elongatum* R.Cunn. ex A.Cunn. = *Ophioglossum petiolatum* Hook.
 [10] *Ophioglossum lusitanicum* subsp. *coriaceum* (A.Cunn.) R.T.Clausen = *Ophioglossum coriaceum* A.Cunn.
 [10] *Ophioglossum minimum* J.B.Armstr. = *Ophioglossum coriaceum* A.Cunn.
 [10] *Ophioglossum petiolatum* Hook.
 [10] *Ophioglossum vulgatum* var. *minimum* Hook.f. = *Ophioglossum coriaceum* A.Cunn.
 [17] *Ornithopteris esculenta* (G.Forst.) J.Sm. = *Pteridium esculentum* (G.Forst.) Cockayne
 [17] *Ornithopteris scaberula* (A.Rich.) J.Sm. = *Paesia scaberula* (A.Rich.) Kuhn
 [13] *Osmunda* L.
 [14] *Osmunda barbara* (L.) Thunb. = *Todea barbara* (L.) T.Moore
 [22] *Osmunda dichotoma* (L.) Spreng. = *Schizaea dichotoma* (L.) Sm.
 [15] *Osmunda discolor* G.Forst. = *Blechnum discolor* (G.Forst.) Keyserl.
 [13] *Osmunda hymenophylloides* (A.Rich.) J.B.Armstr. = *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [20] *Osmunda leptophylla* (L.) Savigny = *Anogramma leptophylla* (L.) Link
 [10] *Osmunda lunaria* L. = *Botrychium lunaria* (L.) Sw.
 [16] *Osmunda procera* G.Forst. = *Blechnum procerum* (G.Forst.) Sw.
 [13] *Osmunda regalis* L.
 [13] *Osmunda superba* (Colenso) J.B.Armstr. = *Leptopteris superba* (Colenso) C.Presl
 [13] *Osmundaceae* Martinov
 [13] *Osmundales* Link
 [17] *Paesia* A.St.-Hil.
 [17] *Paesia scaberula* (A.Rich.) Kuhn
 [9] *Palhinhaea* Franco & Carv. ex Vasc. & Franco = *Lycopodiella* Holub
 [9] *Palhinhaea cernua* (L.) Franco & Vasc. = *Lycopodiella cernua* (L.) Pic.Serm.
 [9] *Palhinhaea polycephalia* (Colenso) Holub = *Lycopodiella cernua* (L.) Pic.Serm.
 [16] *Parablechnum procerum* (G.Forst.) C.Presl = *Blechnum procerum* (G.Forst.) Sw.
 [20] *Pellaea* Link
 [20] *Pellaea calidirupium* Brownsey & Lovis
 [21] *Pellaea falcata* (R.Br.) Fée
 [21] *Pellaea rotundifolia* (G.Forst.) Hook.
 [21] *Pellaea viridis* (Forssk.) Prantl
 [17] *Phanerophlebia falcata* (L.f.) Copel. = *Cyrtodium falcatum* (L.f.) C.Presl
 [21] *Phegopteris cunninghamii* Mett. = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [17] *Phegopteris incisa* (Thunb.) Keyserl. = *Histiopteris incisa* (Thunb.) J.Sm.
 [13] *Phlebiophyllum* Bosch = *Trichomanes* L.
 [13] *Phlebiophyllum venosum* (R.Br.) Bosch = *Trichomanes venosum* R.Br.
 [9] *Phlegmariurus* Holub
 [9] *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
 [14] *Phyllitis* Hill = *Asplenium* L.
 [15] *Phyllitis scolopendrium* (L.) Newman = *Asplenium scolopendrium* L.
 [10] *Phylloglossum* Kunze
 [10] *Phylloglossum drummondii* Kunze
 [19] *Phymatodes billardierei* (R.Br.) C.Presl = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Phymatodes diversifolium* (Willd.) Pic.Serm. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Phymatodes novae-zealandiae* (Baker) Pic.Serm. = *Microsorum novae-zealandiae* (Baker) Copel.
 [19] *Phymatodes scandens* (G.Forst.) C.Presl = *Microsorum scandens* (G.Forst.) Tindale
 [19] *Phymatosorus* Pic.Serm. = *Microsorum* Link
 [19] *Phymatosorus diversifolius* (Willd.) Pic.Serm. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Phymatosorus novae-zealandiae* (Baker) Pic.Serm. = *Microsorum novae-zealandiae* (Baker) Copel.
 [19] *Phymatosorus pustulatus* (G.Forst.) Large, Briggins & P.S.Green = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Phymatosorus scandens* (G.Forst.) Pic.Serm. = *Microsorum scandens* (G.Forst.) Tindale
 [22] *Pilularia* L.
 [22] *Pilularia novae-hollandiae* A.Braun
 [22] *Pilularia novae-zealandiae* Kirk = *Pilularia novae-hollandiae* A.Braun
 [20] *Pityrogramma leptophylla* (L.) Domin = *Anogramma leptophylla* (L.) Link
 [20] *Platycerium* Desv.
 [20] *Platycerium bifurcatum* (Cav.) C.Chr.
 [20] *Platyloma* J.Sm. = *Pellaea* Link
 [21] *Platyloma falcata* (R.Br.) J.Sm. = *Pellaea falcata* (R.Br.) Fée
 [21] *Platyloma rotundifolia* (G.Forst.) J.Sm. = *Pellaea rotundifolia* (G.Forst.) Hook.
 [12] *Platzomma alpinum* (R.Br.) Desv. = *Gleichenia alpina* R.Br.
 [12] *Platzomma dicarpum* (R.Br.) Desv. = *Gleichenia dicarpa* R.Br.
 [12] *Platzomma recurvum* Desv. = *Gleichenia microphylla* R.Br.
 [19] *Pleopeltis billardierei* (R.Br.) T.Moore = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Pleopeltis diversifolia* (Willd.) Melvaine = *Microsorum pustulatum* (G.Forst.) Copel.
 [14] *Pleurosorus* Fée = *Asplenium* L.
 [15] *Pleurosorus rutifolius* (R.Br.) Fée = *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz
 [21] *Pneumatopteris* Nakai
 [21] *Pneumatopteris pennigera* (G.Forst.) Holttum
 [16] *Polybotrya nana* Fée = *Blechnum nigrum* (Colenso) Mett.
 [13] *Polyphlebium* Copel. = *Trichomanes* L.
-

- [13] *Polyphlebium colensoi* (Hook.f.) Ebihara & K.Iwats. = *Trichomanes colensoi* Hook.f.
 [13] *Polyphlebium endlicherianum* (C.Presl) Ebihara & K.Iwats. = *Trichomanes endlicherianum* C.Presl
 [13] *Polyphlebium venosum* (R.Br.) Copel. = *Trichomanes venosum* R.Br.
 [19] *Polypodiaceae* J.Presl & C.Presl
 [14] *Polypodiales* Link
 [11] *Polypodiidae*
 [10] *Polypodiophytina*
 [10] *Polypodiopsida*
 [20] ***Polypodium* L.**
 [18] *Polyodium adiantiforme* G.Forst. = *Rumohra adiantiformis* (G.Forst.) Ching
 [17] *Polyodium amplum* Colenso = *Hypolepis ambigua* (A.Rich.) Brownsey & Chinnock
 [17] *Polyodium aristatum* G.Forst. = *Arachniodes aristata* (G.Forst.) Tindale
 [19] *Polyodium auriculatum* L. = *Nephrolepis cordifolia* (L.) C.Presl
 [19] *Polyodium australe* (R.Br.) Mett. = *Notogrammitis billardierei* (Willd.) Parris
 [19] *Polyodium australe* var. *ciliata* (Colenso) Kirk = *Notogrammitis ciliata* (Colenso) Parris
 [19] *Polyodium australe* var. *minutum* F.Muell. = *Notogrammitis crassior* (Kirk) Parris
 [19] *Polyodium australe* var. *pumilum* (J.B.Armstr.) Cockayne = *Notogrammitis crassior* (Kirk) Parris
 [20] *Polyodium australe* var. *rigidum* (Hombr.) Cockayne = *Notogrammitis rigida* (Hombr.) Parris
 [19] *Polyodium australe* var. *villosum* (Hook.f.) Cheeseman = *Notogrammitis ciliata* (Colenso) Parris
 [20] *Polyodium billardierei* (Kaulf.) Fée = *Notogrammitis heterophylla* (Labill.) Parris
 [19] *Polyodium billardierei* R.Br. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Polyodium billardierei* (Willd.) C.Chr. = *Notogrammitis billardierei* (Willd.) Parris
 [19] *Polyodium billardierei* var. *magellanicum* (Desv.) C.Chr. = *Notogrammitis angustifolia* (Jacq.) Parris
 [20] *Polyodium billardierei* var. *magellanicum* f. *nana* (Franch.) Skottsb. = *Notogrammitis crassior* (Kirk) Parris
 [19] *Polyodium billardierei* var. *pumilum* (J.B.Armstr.) Cheeseman = *Notogrammitis crassior* (Kirk) Parris
 [20] *Polyodium billardierei* var. *rigidum* (Hombr.) Cockayne = *Notogrammitis rigida* (Hombr.) Parris
 [19] *Polyodium billardierei* var. *villosum* (Hook.f.) Cheeseman = *Notogrammitis ciliata* (Colenso) Parris
 [19] *Polyodium cordifolium* L. = *Nephrolepis cordifolia* (L.) C.Presl
 [18] *Polyodium coriaceum* Sw. = *Rumohra adiantiformis* (G.Forst.) Ching
 [19] *Polyodium crassifolium* L. = *Niphidium crassifolium* (L.) Lellinger
 [19] *Polyodium crassum* Kirk = *Notogrammitis crassior* (Kirk) Parris
 [19] *Polyodium cunninghamii* Hook. = *Loxogramme dictyopteris* (Mett.) Copel.
 [11] *Polyodium dealbatum* G.Forst. = *Cyathea dealbata* (G.Forst.) Sw.
 [21] *Polyodium dentatum* Forssk. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [11] *Polyodium dichotomum* Thunb. = *Dicranopteris linearis* (Burm.f.) Underw.
 [19] *Polyodium dictyopteris* Mett. = *Loxogramme dictyopteris* (Mett.) Copel.
 [17] *Polyodium dilatatum* Hoffm. = *Dryopteris dilatata* (Hoffm.) A.Gray
 [19] *Polyodium diversifolium* Willd. = *Microsorum pustulatum* (G.Forst.) Copel.
 [20] *Polyodium eleagnifolium* Bory = *Pyrosia eleagnifolia* (Bory) Hovenkamp
 [17] *Polyodium falcatum* L.f. = *Cyrtomium falcatum* (L.f.) C.Presl
 [21] *Polyodium filipes* T.Moore = *Arthropteris tenella* (G.Forst.) J.Sm. ex Hook.f.
 [15] *Polyodium filix-femina* L. = *Athyrium filix-femina* (L.) Roth
 [17] *Polyodium filix-mas* L. = *Dryopteris filix-mas* (L.) Schott
 [16] *Polyodium fragile* L. = *Cystopteris fragilis* (L.) Bernh.
 [19] *Polyodium gramineum* Poir. = *Notogrammitis angustifolia* (Jacq.) Parris
 [20] *Polyodium grammidis* R.Br. = *Notogrammitis heterophylla* (Labill.) Parris
 [20] *Polyodium leptophyllum* L. = *Anogramma leptophylla* (L.) Link
 [11] *Polyodium lineare* Burm.f. = *Dicranopteris linearis* (Burm.f.) Underw.
 [19] *Polyodium magellanicum* (Desv.) Copel. = *Notogrammitis angustifolia* (Jacq.) Parris
 [11] *Polyodium medullare* G.Forst. = *Cyathea medullaris* (G.Forst.) Sw.
 [21] *Polyodium molle* Jacq. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [19] *Polyodium nanum* (Brack.) J.W.Sturm = *Notogrammitis crassior* (Kirk) Parris
 [19] *Polyodium novae-zealandiae* Baker = *Microsorum novae-zealandiae* (Baker) Copel.
 [21] *Polyodium nymphale* G.Forst. = *Christella dentata* (Forssk.) Brownsey & Jermy
 [19] *Polyodium paradoxum* Colenso = *Notogrammitis ciliata* (Colenso) Parris
 [20] *Polyodium patagonicum* C.Chr. = *Notogrammitis patagonica* (C.Chr.) Parris
 [21] *Polyodium pennigerum* G.Forst. = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [21] *Polyodium pennigerum* var. *giganteum* Colenso = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [21] *Polyodium pennigerum* var. *hamiltonii* Colenso = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [19] *Polyodium poeppigianum* Mett. = *Notogrammitis angustifolia* (Jacq.) Parris
 [19] *Polyodium pumilum* (J.B.Armstr.) Cockayne = *Notogrammitis crassior* (Kirk) Parris
 [19] *Polyodium pustulatum* G.Forst. = *Microsorum pustulatum* (G.Forst.) Copel.
 [17] *Polyodium rufobarbatum* Colenso = *Hypolepis rufobarbata* (Colenso) N.A.Wakef.
 [20] *Polyodium rupestre* var. *sinuatum* Colenso = *Pyrosia eleagnifolia* (Bory) Hovenkamp
 [19] *Polyodium scandens* G.Forst. = *Microsorum scandens* (G.Forst.) Tindale
 [19] *Polyodium scandens* Labill. = *Microsorum pustulatum* (G.Forst.) Copel.
 [19] *Polyodium scandens* var. *billardierei* (R.Br.) F.Muell. = *Microsorum pustulatum* (G.Forst.) Copel.
 [18] *Polyodium setiferum* Forssk. = *Polystichum setiferum* (Forssk.) Woyn.
 [18] *Polyodium setosum* G.Forst. = *Lastreopsis hispida* (Sw.) Tindale
 [21] *Polyodium subsimilis* Colenso = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [18] *Polyodium sylvaticum* Colenso = *Polystichum sylvaticum* (Colenso) Diels
 [21] *Polyodium tenellum* G.Forst. = *Arthropteris tenella* (G.Forst.) J.Sm. ex Hook.f.
 [18] *Polyodium vestitum* G.Forst. = *Polystichum vestitum* (G.Forst.) C.Presl
 [20] ***Polyodium vulgare* L.**
 [17] *Polystichopsis* (J.Sm.) Holtum = *Arachniodes* Blume
 [17] *Polystichopsis aristata* (G.Forst.) Holtum = *Arachniodes aristata* (G.Forst.) Tindale
 [18] ***Polystichum* Roth**
 [18] *Polystichum aculeatum* var. *perelegans* (Colenso) Domin = *Polystichum vestitum* (G.Forst.) C.Presl
 [18] *Polystichum aculeatum* var. *proliferum* (R.Br.) Domin = *Polystichum proliferum* (R.Br.) C.Presl

- [18] *Polystichum aculeatum* var. *silvaticum* (Colenso) Domin = *Polystichum silvaticum* (Colenso) Diels
 [18] *Polystichum aculeatum* var. *vestitum* (G.Forst.) Domin = *Polystichum vestitum* (G.Forst.) C.Presl
 [18] *Polystichum aculeatum* var. *zerophyllum* (Colenso) Domin = *Polystichum neozelandicum* subsp. *zerophyllum* (Colenso) Perrie
 [18] *Polystichum adiantiforme* (G.Forst.) J.Sm. = *Rumohra adiantiformis* (G.Forst.) Ching
 [17] *Polystichum aristatum* (G.Forst.) C.Presl = *Arachniodes aristata* (G.Forst.) Tindale
 [18] *Polystichum capense* (Willd.) J.Sm. = *Rumohra adiantiformis* (G.Forst.) Ching
 [18] *Polystichum coriaceum* (Sw.) Schott = *Rumohra adiantiformis* (G.Forst.) Ching
 [18] *Polystichum cystostegium* (Hook.) J.B.Armstr.
 [18] *Polystichum hispidum* (Sw.) J.Sm. = *Lastreopsis hispida* (Sw.) Tindale
 [18] *Polystichum lentum* (D.Don) T.Moore
 [18] *Polystichum neozelandicum* Féé
 [18] *Polystichum neozelandicum* Féé subsp. *neozelandicum*
 [18] *Polystichum neozelandicum* subsp. *zerophyllum* (Colenso) Perrie
 [18] *Polystichum oculatum* (Hook.) J.B.Armstr.
 [21] *Polystichum pennigerum* (G.Forst.) Gaudich. = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [18] *Polystichum perelegans* (Colenso) C.Chr. = *Polystichum vestitum* (G.Forst.) C.Presl
 [18] *Polystichum polyblepharum* (Roem. ex Kunze) C.Presl
 [18] *Polystichum proliferum* (R.Br.) C.Presl
 [18] *Polystichum richardii* (Hook.) J.Sm. = *Polystichum neozelandicum* Féé
 [18] *Polystichum richardii* var. *oculatum* (Hook.) C.Chr. = *Polystichum oculatum* (Hook.) J.B.Armstr.
 [18] *Polystichum schkuhrii* C.Presl = *Lastreopsis hispida* (Sw.) Tindale
 [18] *Polystichum setiferum* (Forssk.) Woynt.
 [18] *Polystichum silvaticum* (Colenso) Diels
 [21] *Polystichum torresianum* Gaudich. = *Macrothelypteris torresiana* (Gaudich.) Ching
 [18] *Polystichum venustum* Hombr. = *Polystichum vestitum* (G.Forst.) C.Presl
 [18] *Polystichum vestitum* (G.Forst.) C.Presl
 [18] *Polystichum vestitum* subsp. *sylvaticum* (Colenso) C.Chr. = *Polystichum silvaticum* (Colenso) Diels
 [18] *Polystichum wawranum* (Szyszyl.) Perrie
 [18] *Polystichum zerophyllum* (Colenso) C.Chr. = *Polystichum neozelandicum* subsp. *zerophyllum* (Colenso) Perrie
 [9] *Pseudodiphasium* Holub = *Lycopodium* L.
 [9] *Pseudodiphasium volubile* (G.Forst.) Holub = *Lycopodium volubile* G.Forst.
 [9] *Pseudodycopodiella* Holub = *Lycopodiella* Holub
 [9] *Pseudodycopodiella serpentina* (Kunze) Holub = *Lycopodiella serpentina* (Kunze) B.Øllg.
 [9] *Pseudodycopodium* Holub = *Lycopodium* L.
 [9] *Pseudodycopodium densum* (Rothm.) Holub = *Lycopodium deuterodensum* Herter
 [10] *Psilotaceae* J.W.Griff. & Henfr.
 [10] *Psilotales* Prantl
 [10] *Psilotum* Sw.
 [10] *Psilotum heterocarpum* Colenso = *Psilotum nudum* (L.) P.Beauv.
 [10] *Psilotum novae-zelandiae* Gand. = *Psilotum nudum* (L.) P.Beauv.
 [10] *Psilotum nudum* (L.) P.Beauv.
 [10] *Psilotum triquetrum* Sw. = *Psilotum nudum* (L.) P.Beauv.
 [20] *Pteridaceae* Ching
 [21] *Pteridella viridis* (Forssk.) Kuhn = *Pellaea viridis* (Forssk.) Prantl
 [17] *Pteridium* Gled. ex Scop.
 [17] *Pteridium aquilinum* subsp. *esculentum* (G.Forst.) C.Chr. = *Pteridium esculentum* (G.Forst.) Cockayne
 [17] *Pteridium aquilinum* var. *esculentum* (G.Forst.) Kuhn = *Pteridium esculentum* (G.Forst.) Cockayne
 [17] *Pteridium esculentum* (G.Forst.) Cockayne
 [17] *Pteridium esculentum* (G.Forst.) Cockayne subsp. *esculentum*
 [21] *Pteris* L.
 [21] *Pteris affinis* A.Rich. = *Pteris tremula* R.Br.
 [17] *Pteris aquilina* var. *esculenta* (G.Forst.) Hook.f. = *Pteridium esculentum* (G.Forst.) Cockayne
 [21] *Pteris argyraea* T.Moore
 [17] *Pteris brunonianum* Endl. = *Histiopteris incisa* (Thunb.) J.Sm.
 [21] *Pteris comans* G.Forst.
 [21] *Pteris confluens* Thunb. = *Thelypteris confluens* (Thunb.) C.V.Morton
 [21] *Pteris cretica* L.
 [21] *Pteris dentata* Forssk.
 [21] *Pteris dentata* subsp. *flabellata* (Thunb.) Runemark
 [12] *Pteris dicarpa* (R.Br.) Christenh. = *Gleichenia dicarpa* R.Br.
 [21] *Pteris ensiformis* Burm.f.
 [17] *Pteris esculenta* G.Forst. = *Pteridium esculentum* (G.Forst.) Cockayne
 [21] *Pteris falcata* R.Br. = *Pellaea falcata* (R.Br.) Féé
 [21] *Pteris flabellata* Thunb. = *Pteris dentata* subsp. *flabellata* (Thunb.) Runemark
 [17] *Pteris incisa* Thunb. = *Histiopteris incisa* (Thunb.) J.Sm.
 [21] *Pteris interrupta* Willd. = *Cyclosorus interruptus* (Willd.) H.Ito
 [21] *Pteris lomarioides* Colenso = *Pteris cretica* L.
 [21] *Pteris longifolia* var. *brevipinna* Domin = *Pteris vittata* L.
 [21] *Pteris macilenta* A.Rich.
 [21] *Pteris macilenta* var. *pendula* (Colenso) Cheeseman = *Pteris macilenta* A.Rich.
 [21] *Pteris macilenta* var. *saxatilis* Carse = *Pteris saxatilis* (Carse) Carse
 [17] *Pteris microphylla* A.Cunn. = *Paesia scaberula* (A.Rich.) Kuhn
 [17] *Pteris montana* Colenso = *Histiopteris incisa* (Thunb.) J.Sm.
 [21] *Pteris pacifica* Hieron.
 [21] *Pteris pendula* Colenso = *Pteris macilenta* A.Rich.
 [12] *Pteris platyzoma* Christenh. = *Gleichenia alpina* R.Br.
 [21] *Pteris rotundifolia* G.Forst. = *Pellaea rotundifolia* (G.Forst.) Hook.
 [21] *Pteris saxatilis* (Carse) Carse
 [17] *Pteris scaberula* A.Rich. = *Paesia scaberula* (A.Rich.) Kuhn
-

- [17] *Pteris* sect. *Histiopteris* J.Agardh = *Histiopteris* (J.Agardh) J.Sm.
 [21] *Pteris seticaulis* Hook. = *Pellaea falcata* (R.Br.) Féé
 [21] *Pteris tenuis* A.Cunn. = *Pteris tremula* R.Br.
 [21] *Pteris tremula* R.Br.
 [21] *Pteris tremula* var. *tenuis* (A.Cunn.) Domin = *Pteris tremula* R.Br.
 [17] *Pteris vespertilionis* Labill. = *Histiopteris incisa* (Thunb.) J.Sm.
 [21] *Pteris viridis* Forssk. = *Pellaea viridis* (Forssk.) Prantl
 [21] *Pteris vittata* L.
 [10] *Ptisana* Murdock
 [10] *Ptisana salicina* (Sm.) Murdock
 [20] *Pyrrosia* Mirb.
 [20] *Pyrrosia eleagnifolia* (Bory) Hovenkamp
 [13] *Reediella endlicheriana* (C.Presl) Pic.Serm. = *Trichomanes endlicherianum* C.Presl
 [13] *Reediella humilis* (G.Forst.) Pic.Serm. = *Trichomanes humile* G.Forst.
 [22] *Ripidium* Bernh. = *Schizaea* Sm.
 [22] *Ripidium dichotomum* (L.) Bernh. = *Schizaea dichotoma* (L.) Sm.
 [18] *Rumohra* Raddi
 [18] *Rumohra adiantiformis* (G.Forst.) Ching
 [17] *Rumohra aristata* (G.Forst.) Ching = *Arachniodes aristata* (G.Forst.) Tindale
 [18] *Rumohra hispida* (Sw.) Copel. = *Lastreopsis hispida* (Sw.) Tindale
 [22] *Salvinia* Ség.
 [22] *Salvinia ×molesta* D.S.Mitch.
 [22] *Salviniaceae* Martinov
 [22] *Salviniales* Link
 [10] *Sceptridium* Lyon = *Botrychium* Sw.
 [10] *Sceptridium australe* (R.Br.) Lyon = *Botrychium australe* R.Br.
 [10] *Sceptridium biforme* (Colenso) Lyon = *Botrychium biforme* Colenso
 [22] *Schizaea* Sm.
 [22] *Schizaea asperula* N.A.Wakef. = *Schizaea bifida* Willd.
 [22] *Schizaea australis* Gaudich.
 [22] *Schizaea bifida* Willd.
 [22] *Schizaea dichotoma* (L.) Sm.
 [22] *Schizaea dichotoma* var. *forsteri* (Spreng.) Domin = *Schizaea dichotoma* (L.) Sm.
 [22] *Schizaea fistulosa* Labill.
 [22] *Schizaea fistulosa* var. *australis* (Gaudich.) Hook.f. = *Schizaea australis* Gaudich.
 [22] *Schizaea fistulosa* var. *propinqua* (A.Cunn.) Bonap. = *Schizaea fistulosa* Labill.
 [22] *Schizaea forsteri* Spreng. = *Schizaea dichotoma* (L.) Sm.
 [22] *Schizaea palmata* Hombr. = *Schizaea australis* Gaudich.
 [22] *Schizaea propinqua* A.Cunn. = *Schizaea fistulosa* Labill.
 [22] *Schizaeaceae* Kaulf.
 [22] *Schizaeales* Schimp.
 [18] *Schizoloma trichomanoides* (Dryand.) Kuhn = *Lindsaea trichomanoides* Dryand.
 [10] *Selaginella* P.Beauv.
 [10] *Selaginella kraussiana* (Kunze) A.Braun
 [10] *Selaginella martensii* Spring
 [10] *Selaginella moellendorffii* Hieron. in Engl. & Prantl
 [10] *Selaginellaceae*
 [10] *Selaginellales* Prantl
 [13] *Selenodesmium elongatum* (A.Cunn.) Copel. = *Trichomanes elongatum* A.Cunn.
 [17] *Sitobolium davallioides* (R.Br.) J.Sm. = *Dennstaedtia davallioides* (R.Br.) T.Moore
 [12] *Sphaerocionium australe* (Willd.) C.Presl = *Hymenophyllum australe* Willd.
 [12] *Sphaerocionium bivalve* (G.Forst.) C.Presl = *Hymenophyllum bivalve* (G.Forst.) Sw.
 [12] *Sphaerocionium demissum* (G.Forst.) C.Presl = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Sphaerocionium dilatatum* (G.Forst.) C.Presl = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [12] *Sphaerocionium frankliniae* (Colenso) K.Iwats. = *Hymenophyllum frankliniae* Colenso
 [13] *Sphaerocionium glanduliferum* C.Presl = *Hymenophyllum scabrum* A.Rich.
 [12] *Sphaerocionium lyallii* (Hook.f.) Copel. = *Hymenophyllum lyallii* Hook.f.
 [12] *Sphaerocionium malingii* (Hook.) K.Iwats. = *Hymenophyllum malingii* (Hook.) Mett.
 [13] *Sphaerocionium sanguinolentum* (G.Forst.) C.Presl = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
 [13] *Sphaerocionium scabrum* (A.Rich.) C.Presl = *Hymenophyllum scabrum* A.Rich.
 [11] *Sphaeropteris* Bernh. = *Cyathea* Sm.
 [11] *Sphaeropteris cooperi* (Hook. ex F.Muell.) R.M.Tryon = *Cyathea cooperi* (Hook. ex F.Muell.) Domin
 [11] *Sphaeropteris medullaris* (G.Forst.) Bernh. = *Cyathea medullaris* (G.Forst.) Sw.
 [18] *Sphenomeris chinensis* (L.) Maxon = *Odontosoria chinensis* (L.) J.Sm.
 [18] *Sphenomeris viridis* (Colenso) Brownlie = *Lindsaea viridis* Colenso
 [15] *Spicanta banksii* (Hook.f.) Kuntze = *Blechnum blechnoides* (Bory) Keyserl.
 [15] *Spicanta discolor* (G.Forst.) Kuntze = *Blechnum discolor* (G.Forst.) Keyserl.
 [15] *Spicanta dura* (T.Moore) Kuntze = *Blechnum durum* (T.Moore) C.Chr.
 [15] *Spicanta filiformis* (A.Cunn.) Kuntze = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Spicanta fluviatilis* (R.Br.) Kuntze = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [15] *Spicanta fraseri* (A.Cunn.) Kuntze = *Blechnum fraseri* (A.Cunn.) Luerss.
 [15] *Spicanta lanceolata* (R.Br.) Kuntze = *Blechnum chambersii* Tindale
 [15] *Spicanta leyboldiana* (Phil.) Kuntze = *Blechnum blechnoides* (Bory) Keyserl.
 [16] *Spicanta membranacea* (Colenso ex Hook.) Kuntze = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Spicanta nigra* (Colenso) Kuntze = *Blechnum nigrum* (Colenso) Mett.
 [16] *Spicanta pumila* (Raoul) Kuntze = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [16] *Spicanta vulcanica* (Blume) Kuntze = *Blechnum vulcanicum* (Blume) Kuhn
 [9] *Stachygynandrum scariosum* (G.Forst.) P.Beauv. = *Lycopodium scariosum* G.Forst.
 [16] *Stegania alpina* R.Br. = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
-

- [15] *Stegania discolor* (G.Forst.) A.Rich. = *Blechnum discolor* (G.Forst.) Keyserl.
 [15] *Stegania fluviatilis* R.Br. = *Blechnum fluviatile* (R.Br.) Lowe ex Salomon
 [15] *Stegania lanceolata* R.Br. = *Blechnum chambersii* Tindale
 [16] *Stegania minor* R.Br. = *Blechnum minus* (R.Br.) Ettingsh.
 [16] *Stegania procera* (G.Forst.) R.Br. = *Blechnum procerum* (G.Forst.) Sw.
 [16] *Stegania procera* var. *stipulosa* A.Rich. = *Blechnum novae-zelandiae* T.C.Chambers & P.A.Farrant
 [15] *Stenochlaena heteromorpha* J.Sm. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Stenochlaena hugelii* (C.Presl) Fée ex Underw. = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [18] *Stenoloma viride* (Colenso) C.Chr. = *Lindsaea viridis* Colenso
 [12] *Sticherus* C.Presl
 [12] *Sticherus ciliatus* (Colenso) Nakai = *Sticherus cunninghamii* (Heward ex Hook.) Ching
 [12] *Sticherus cunninghamii* (Heward ex Hook.) Ching
 [12] *Sticherus flabellatus* (R.Br.) H.St.John
 [12] *Sticherus tener* (R.Br.) Ching
 [12] *Sticherus urceolatus* M.Garrett & Kantvilas
 [15] *Struthiopteris* Scop. = *Blechnum* L.
 [15] *Struthiopteris discolor* (G.Forst.) Ching = *Blechnum discolor* (G.Forst.) Keyserl.
 [16] *Struthiopteris distans* (Colenso) Ching = *Blechnum penna-marina* subsp. *alpina* T.C.Chambers & P.A.Farrant
 [15] *Struthiopteris dura* (T.Moore) Ching = *Blechnum durum* (T.Moore) C.Chr.
 [15] *Struthiopteris filiformis* (A.Cunn.) Ching = *Blechnum filiforme* (A.Cunn.) Ettingsh.
 [15] *Struthiopteris fraseri* (A.Cunn.) Ching = *Blechnum fraseri* (A.Cunn.) Luerss.
 [16] *Struthiopteris intermedia* (Colenso) Ching = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [15] *Struthiopteris lanceolata* (R.Br.) Ching = *Blechnum chambersii* Tindale
 [16] *Struthiopteris membranacea* (Colenso ex Hook.) Ching = *Blechnum membranaceum* (Colenso ex Hook.) Mett. ex Diels
 [16] *Struthiopteris nigra* (Colenso) Ching = *Blechnum nigrum* (Colenso) Mett.
 [14] *Tarachia* C.Presl = *Asplenium* L.
 [14] *Tarachia adiantoides* (L.) Nakai ex Tuyama = *Asplenium polyodon* G.Forst.
 [14] *Tarachia falcata* (Lam.) C.Presl = *Asplenium polyodon* G.Forst.
 [14] *Tarachia lucida* (G.Forst.) Momose = *Asplenium oblongifolium* Colenso
 [14] *Tarachia polyodon* (G.Forst.) C.Presl. = *Asplenium polyodon* G.Forst.
 [18] *Tectaria coriacea* (Sw.) Link = *Rumohra adiantiformis* (G.Forst.) Ching
 [21] *Tectariaceae*
 [21] *Thelypteridaceae* Pic.Serm.
 [21] *Thelypteris* Schmidel
 [21] *Thelypteris conflorens* (Thunb.) C.V.Morton
 [21] *Thelypteris dentata* (Forssk.) E.P.St.John = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Thelypteris interrupta* (Willd.) K.Iwats. = *Cyclosorus interruptus* (Willd.) H.Itô
 [21] *Thelypteris nymphalis* (G.Forst.) C.F.Reed = *Christella dentata* (Forssk.) Brownsey & Jermy
 [21] *Thelypteris palustris* var. *squamigera* (Schltdl.) Weath. = *Thelypteris conflorens* (Thunb.) C.V.Morton
 [21] *Thelypteris pennigera* (G.Forst.) Allan = *Pneumatopteris pennigera* (G.Forst.) Holttum
 [21] *Thelypteris squamigera* (Schltdl.) Ching = *Thelypteris conflorens* (Thunb.) C.V.Morton
 [21] *Thelypteris torresiana* (Gaudich.) Alston = *Macrothelypteris torresiana* (Gaudich.) Ching
 [21] *Thelypteris uliginosa* (Kunze) Ching = *Macrothelypteris torresiana* (Gaudich.) Ching
 [11] *Tmesipteris* Bernh.
 [11] *Tmesipteris elongata* P.A.Dang.
 [11] *Tmesipteris elongata* subsp. *robusta* Chinnock = *Tmesipteris elongata* P.A.Dang.
 [11] *Tmesipteris fowerakeri* H.N.Barber = *Tmesipteris tannensis* (Spreng.) Bernh.
 [11] *Tmesipteris horomaka* Perrie, Brownsey & Lovis
 [11] *Tmesipteris lanceolata* M.Sykes = *Tmesipteris elongata* P.A.Dang.
 [11] *Tmesipteris lanceolata* P.A.Dang.
 [11] *Tmesipteris sigmatifolia* Chinnock
 [11] *Tmesipteris tannensis* (Spreng.) Bernh.
 [11] *Tmesipteris tannensis* var. *elongata* Sahni = *Tmesipteris sigmatifolia* Chinnock
 [11] *Tmesipteris tannensis* var. *elongata* (P.A.Dang.) Domin = *Tmesipteris elongata* P.A.Dang.
 [11] *Tmesipteris tannensis* var. *lanceolata* (P.A.Dang.) Domin = *Tmesipteris lanceolata* P.A.Dang.
 [11] *Tmesipteris tugana* H.N.Barber = *Tmesipteris elongata* P.A.Dang.
 [14] *Todea* Willd. ex Bernh.
 [14] *Todea africana* Willd. ex Bernh. = *Todea barbara* (L.) T.Moore
 [14] *Todea barbara* (L.) T.Moore
 [13] *Todea hymenophylloides* A.Rich. = *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [13] *Todea marginata* Colenso = *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [13] *Todea pellucida* Carmich. ex Grev. & Hook. = *Leptopteris hymenophylloides* (A.Rich.) C.Presl
 [13] *Todea superba* Colenso = *Leptopteris superba* (Colenso) C.Presl
 [13] *Trichomanes* L.
 [14] *Trichomanes adiantoides* L. = *Asplenium polyodon* G.Forst.
 [14] *Trichomanes aethiopicum* Burm.f. = *Asplenium aethiopicum* (Burm.f.) Bech.
 [12] *Trichomanes armstrongii* Baker = *Hymenophyllum armstrongii* (Baker) Kirk
 [13] *Trichomanes aureum* Bosch = *Trichomanes endlicherianum* C.Presl
 [12] *Trichomanes bivalve* G.Forst. = *Hymenophyllum bivalve* (G.Forst.) Sw.
 [13] *Trichomanes caudatum* Brack.
 [18] *Trichomanes chinense* L. = *Odontosoria chinensis* (L.) J.Sm.
 [13] *Trichomanes colensoi* Hook.f.
 [12] *Trichomanes demissum* G.Forst. = *Hymenophyllum demissum* (G.Forst.) Sw.
 [12] *Trichomanes dilatatum* G.Forst. = *Hymenophyllum dilatatum* (G.Forst.) Sw.
 [13] *Trichomanes elongatum* A.Cunn.
 [13] *Trichomanes endlicherianum* C.Presl
 [13] *Trichomanes humile* G.Forst.
 [13] *Trichomanes leptophyllum* A.Cunn. = *Trichomanes strictum* Menzies ex Hook. & Grev.
 [12] *Trichomanes lyallii* (Hook.f.) Hook. ex Hook. & Baker = *Hymenophyllum lyallii* Hook.f.
-

- [12] *Trichomanes malingii* Hook. = *Hymenophyllum malingii* (Hook.) Mett.
[13] *Trichomanes multifidum* G.Forst. = *Hymenophyllum multifidum* (G.Forst.) Sw.
[13] *Trichomanes peltatum* Poir. = *Hymenophyllum peltatum* (Poir.) Desv.
[13] *Trichomanes polyanthos* Sw. = *Hymenophyllum polyanthos* (Sw.) Sw.
[13] *Trichomanes polyodon* Colenso = *Trichomanes elongatum* A.Cunn.
[13] *Trichomanes reniforme* G.Forst. = *Hymenophyllum nephrophyllum* Ebihara & K.Iwats.
[13] *Trichomanes rigidum* var. *elongatum* (A.Cunn.) Hook. & Baker = *Trichomanes elongatum* A.Cunn.
[13] *Trichomanes rigidum* var. *strictum* (Menzies ex Hook. & Grev.) Field = *Trichomanes strictum* Menzies ex Hook. & Grev.
[13] *Trichomanes sanguinolentum* G.Forst. = *Hymenophyllum sanguinolentum* (G.Forst.) Sw.
[11] *Trichomanes squarrosum* G.Forst. = *Dicksonia squarrosa* (G.Forst.) Sw.
[13] ***Trichomanes strictum*** Menzies ex Hook. & Grev.
[17] *Trichomanes strigosum* Thunb. = *Microlepia strigosa* (Thunb.) C.Presl
[13] *Trichomanes* subgen. *Crepidomanes* C.Presl = *Trichomanes* L.
[13] ***Trichomanes venosum*** R.Br.
[13] *Trichomanes venustum* Colenso = *Trichomanes venosum* R.Br.
[9] *Urostachys* Herter = *Huperzia* Bernh.
[9] *Urostachys australianus* (Herter) Herter ex Nessel = *Huperzia australiana* (Herter) Holub
[9] *Urostachys billardierei* (Spring) Herter ex Nessel = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
[9] *Urostachys cockaynei* Herter ex Nessel = *Huperzia australiana* (Herter) Holub
[10] *Urostachys helmii* Nessel = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
[10] *Urostachys polaris* (Herter ex Nessel) Herter = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
[9] *Urostachys varius* (R.Br.) Herter ex Nessel = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
[10] *Urostachys varius* var. *polaris* Herter ex Nessel = *Phlegmariurus varius* (R.Br.) A.R.Field & Bostock
[13] *Vandenboschia colensoi* (Hook.f.) Copel. = *Trichomanes colensoi* Hook.f.
[16] *Woodsia laetevirens* Prent. ex F.M.Bailey = *Cystopteris tasmanica* Hook.
[20] *Xiphopteris heterophylla* (Labill.) Spreng. = *Notogrammitis heterophylla* (Labill.) Parris

